
		8	7	
	ITEM NO.	PART NO.	DESCRIPTION	QTY.
_	1	H230	screw, 10-32 x 1/2" phil pan head, s/s	40
-	2	H487	bracket, hinge	2
F -	3	E360	flanged male inlet recaptacle, 230V, 20A	2
	4	H296	guard, cooling fan, wire	2
'	5	H343	screw, #10 x 5/8" hex head zinc	8
-	6	H371	axle, 18.03" x .50" dia	1
-	7	H254	washer, axle, cut 1/2" id	4
	8	H392	wheel, 10"	2
	9	H042	c-clip, 12mm, external	2
	10	B135	tee, 1/4" mpt x 1/4" mpt x 1/4" mpt	2
	11	C313C	regulator, 450 psi, silver spring	1
	12	B103	elbow, 90 deg street, 1/4"mpt x 1/4" fpt	9
	13	B107	nipple, hex, 1/4"mpt x 1/4"mpt	6
E	14	AH103	hose, pulse, 3/8" x 14.5", 1/4 FSW x 1/4 FPT	1
	15	H668	caster, 4", black hub & gray tread	2
	16	H342	bolt, 1/4-20 x 1" hex head, s/s	8
	17	H210	washer, 1/4" flat, s/s	8
	18	H216	nut, lock, 1/4-20, nylon insert, s/s	8
	19	H484	plate, mounting, QD	2
	20	H273	nut, kep, #10-32 zinc	18
	21	B102	quick disconnect, 1/4" fqd x 1/4" fpt	1
	22	H212	flat washer, 9/16"ID x 1 1/16"OD, AN960-C916	7
	23	B656	valve, ball, 1/4" fpt x 1/4" fpt, s/s	1
	24	AH184	hose, 3/8" x 10", (OAL), f x fsw, surge, 1600psi	1
D	25	B101	qd, brass, 1/4" m	1
-	26	B199	coupler, 1/2" fpt x 1/4" fpt	2
-	27	B656A	valve, ball, 1/2" mpt x 1/2" fpt, s/s	1
_	28	B205B	quick disconnect, 1/2" mpt x 3/4" mqd, garden hose	1
	29	H308D	gauge, pressure, 2000 PSI	1
	30	B130	45 deg, street elbow, brass, 1/4" male NPTF	2
	31	H486	latch, front, set, large	2
_	32	H289	washer, 10 flat, s/s	2
	33	E515	switch, rocker, 2 position	3 2
	35	H422 P967A	plug, dome 3/8", black plug, switch	1
	36	G068	bumper, 7/8" x 1/4" head	2
С	37	H641-DIY	plate, switch	1
_	38	E632	relay, shut-off switch, mechanical float, 115v	2
-	39	G165	cover, relay	2
-	40	P696	base, breeze	1
-	41	C342	pump, 500 PSI, pumptec, 120V/230V	1
-	42	B136	elbow, brass, 90 deg, 1/4" mpt x 1/4" mpt	2
	43	B110	adapter, brass, 1/4" sw barb x 1/4" fpt, w/gasket	5
	44	PH615	sol hose, 1/2" kuri 100psi	1
-	45	B186	elbow, 90 deg street, 3/8"mpt x 3/8" fmpt	2
-	46	B260A	quick disconnect, 1/4" mqd x mpt, open-spray	1
В	47	B259	qd, brass, 1/4" fqd x mpt	1
	48	C381A	pump out, 230v	1
	49	B109	barb, 1/4" barb x 1/4" mpt	2
	50	PH615	sol hose, 1/2" kuri 100psi	1
	51	PH615	sol hose, 1/2" kuri 100psi	1
	52	B160	adapter, brass, 1/2" barb x 3/8" fsw, ball end	2
	53	PH628-10	vac hose, 2", black, wire reinforced	1
	54	C348A	vac motor, lx, hybrid, w/inlet tube, 173 cfm, 230v	2
	55	H503	vac support, 3 stage, 3.25", no thrds	6
	56	PH628-10	vac hose, 2", black, wire reinforced	1
	57	B113	tee, 1/4" fpt x 1/4" fpt x 1/4" fpt	1
Α	58	H299	washer, 11/16"id x 1-1/2"od x .075, s/s	4
	59	B216	nipple, brass, 3/8" x close	2
-				
-	60	B119A	filter, strainer, 1/2" fpt	
-		B119A H333 B210	filter, strainer, 1/2" fpt mesh filter, auto dump, 1/2" npt bushing, brass, 1/2"mpt x 3/8" fpt, hex	1 2

		¥	
ITEM PAR	T NO.	DESCRIPTION	QTY.
63 PH	1615	sol hose, 1/2" kuri 100psi	1
64 PH	1615	sol hose, 1/2" kuri 100psi	1
65 B:	235	adapter, brass, 3/8" barb x 1/4" fsw	1
66 PH	1615	sol hose, 1/2" kuri 100psi	1
67 H	768	bolt, 1/4-20 x 3/4" serrated hex flange, zinc	
68 H3	90A	bracket, "L"	2
69 P	697	sol tank, breeze	1
70 G	062	lid, sol tank	1
71 H:	215	nut, hex, 1/4-20 s/s	1
72 H:	211	washer, 1/4"id x 1"od, flat, s/s	4
73 G	052	washer, buna 1-1/8" od x 3/16" id	4
74 H:	203	bolt, 1/4-20 x 1-1/4"	1
75 H5	541A	valve, float, autofill	1
76 B	198	adapter, 3/4" fgh x 1/2" mpt, w/ gasket	1
77 B	167	elbow, 90 deg street, 1/2" fpt x 1/2" mpt	1
78 B	105	bushing, brass, 3/8"mpt x 1/4"	1
79 B	303	nipple, 3" x 1/4" npt x 1/4" npt	3
80 B	142	coupling, brass, 1/4" fpt x 1/4" fpt	2
81 B	111 ac	dapter, brass, extender, 1/4" mpt x 1/4" fpt, hex	1
82 B	643	adapter, 3/8" fpt x 1/4" mpt	1
83 A	145	Handle, Wheel Kit, LTD	1
84 H:	225	valve, drain, 1-1/2"	1
85 H	485	handle, aluminum grip, black	1
86 H	135	Cuff-Lynx, 2" m cuff x 2" mpt	1
87 A	926	elbow, inlet assembly 2"	1
88 G	091	gasket, 7", vac lid	1
89 G	090	lid, vac tank, clear, 7"	1
90 H	304	screw, #8 x 5/8 phil oval, s/s	6
91 G	003	filter, foam, 2", vac stack, 1/2"	1
92 G	097	filter, screen mesh, 1.90" dia	1
93 P.	502	adapter, 1.5" pvc, fslip x fslip	1
94 H	217	clamp, hose, 2-1/4 dia	1
95 E	400	switch, mechanical float, for pumpout	2
96 PH6	33-13	pipe, pvc, 1-1/2"	1
97 P.	520	adapter, 1.5" mpt pvc	1
98 G	002 ga:	sket, cam fitting polyethylene, 2.35" OD 1.90" ID	1
99 H	300	cuff, hose, 1-1/2 x 1-1/2, wire	1
100 P	698	vac tank, breeze	1
101 B:	273	elbow, 90 deg street, 3/8"fpt x 1/2" mpt	1


ITEMS NOT SHOWN

PART NO.	DESCRIPTION	QTY.
ADP-ACCS	manual, print, accessories	1
ADP-QS	manual, print, extractor	1
A145	wheel kit, handle	1
E351A	power cord, ext, 50', 12/3, LA066A female twist locks	2
G008	black piglet filters	1
G076	filter bag, 3.5" metal o-ring, mesh bag	1
H110V	Cuff-Lynx, 2" fem cuff x 2" fem vac hose, vinyl	1
H141V	Cuff-Lynx, 2" fem cuff x 1.5" fem vac hose, vinyl	1
H226	spout, drain, 45 degree	1
P590	cuties, 1/4" qd, standard pack of 2	1

	REVISIONS				
REV.	DESCRIPTION	DATE	APPROVED		
OD	ORIGINAL DRAFT	10/2019	JFL		



NAME	DATE	TAT:	VT F		ICTC	INIC
M.LaBarbera	10/2019	TAT		858-679-1191	JC13,	IIVC.
		TITLE:				
COMMENTS: PROPRIETARY AND CONFIDENTIAL				Breez	e	
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF MYTEE PRODUCTS, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF MYTEE PRODUCTS, INC. IS PROHIBITED.		SIZE	DWG.	NO.		REV
		C	BZ-1	05LX-Aut	0-230	OD
		SCA	LE: 1:24	DO NOT SCALE DRAWING	SHEE	T 1 OF 5
	M.LaBarbera TS: ETARY AND CONFIDENT AND CONTAINING SOLE PROPEODUCTS, INC. ANY CTION IN PART OR HIE WRITTEN PERMIS DDUCTS, INC. IS	M.LaBarbera 10/2019 TS: ETARY AND CONFIDENTIAL EMATION CONTAINED IN THIS IS THE SOLE PROPERTY OF ODUCTS, INC. ANY CTION IN PART OR AS A WHOLE THE WRITTEN PERMISSION OF ODUCTS, INC. IS	TITLE: TS: ETARY AND CONFIDENTIAL RMATION CONTAINED IN THIS ES IS THE SOLE PROPERTY OF ODUCTS, INC. ANY CTION IN PART OR AS A WHOLE THE WRITTEN PERMISSION OF ODUCTS, INC. IS	ETARY AND CONFIDENTIAL RMATION CONTAINED IN THIS S IS THE SOLE PROPERTY OF ODUCTS, INC. ANY CTION IN PART OR AS A WHOLE THE WRITTEN PERMISSION OF ODUCTS, INC. IS	ETARY AND CONFIDENTIAL RMATION CONTAINED IN THIS SIS THE SOLE PROPERTY OF ODUCTS, INC. ANY CTION IN PART OR AS A WHOLE THE WRITTEN PERMISSION OF DUCTS, INC. IS D. SCALE: 1:24 DO NOT	MYTEPRODUCTS, 858-679-1191 TITLE: TS: Breeze ETARY AND CONFIDENTIAL RMATION CONTAINED IN THIS SIS THE SOLE PROPERTY OF ODUCTS, INC. ANY CTION IN PART OR AS A WHOLE THE WRITTEN PERMISSION OF D. SCALE: 1:24 DO NOT SHEE





5

MYTEE PRODUCTS, INC. DRAWN M.LaBarbera 10/2019 TITLE: CHECKED COMMENTS: Breeze PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF MYTEE PRODUCTS, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF MYTEE PRODUCTS, INC. IS PROHIBITED. SIZE DWG. NO. **C** BZ-105LX-Auto-230 **OD** SCALE: 1:24 DO NOT SCALE DRAWING SHEET 2 OF 5

3

2





7

MYTEE PRODUCTS, INC. DRAWN M.LaBarbera 10/2019 TITLE: CHECKED COMMENTS: Breeze PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF MYTEE PRODUCTS, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF MYTEE PRODUCTS, INC. IS PROHIBITED. SIZE DWG. NO. **C** BZ-105LX-Auto-230 **OD** SCALE: 1:24 DO NOT SCALE DRAWING SHEET 4 OF 5

4

3


3

2


ITEM NO. **DESCRIPTION** PART NO. QTY. c-clip, 12mm, external H042 2 wheel, 3" H358B 2 2 3 H507 axle, 13.10" x .50" dia washer, 1/4" flat, s/s 2 H210 4 5 H169 2 bolt, 1/4-20 x 2", hex head P650 wheel handle, LTD G052 washer, buna 1-1/8" od x 3/16" id 2 washer, 1/4"id x 1"od, flat, s/s 2 8 H211 H216 nut, lock, 1/4-20, nylon insert, s/s 2

REVISIONS					
REV.	DESCRIPTION	DATE	APPROVED		
OD	ORIGINAL DRAFT	3/2019	JFL		

3



5



	NAME	DATE	
55	NAME M.LaBarbera	3/2019	MYTEE PRODUCTS, INC.
DRAWN		3/2017	858-679-1191 TITLE:
CHECKED			
COMMENTS:			Handle, Wheel
PROPRIETARY AND CONFIDENTIAL			Kit, LTD
THE INFORMATION CONTAINED IN THIS			KII, LID
DRAWING IS THE SOLE PROPERTY OF MYTEE PRODUCTS, INC. ANY			SIZE DWG. NO. REV
REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF MYTEE PRODUCTS, INC. IS			B C 105LX-Auto- 23:0 0

SCALE: 1:4 DO NOT SCALE DRAWING SHEET 5 OF 5