

>



Model Number: 970449401A

Used Husqvarna 970449401A Drill Motor DM 700 A Rated Power Prime Unit Not Included GTIN 805544924139

Manufacturer: Husqvarna Equipment

Used Husqvarna 970449401A Drill Motor DM 700 A Rated Power Prime Unit Not Included

Factory Brochure

## Description

The Husqvarna DM 700 is the most powerful electric drill motor in our range, designed for all-day use by professional drilling contractors. It is equipped with a maintenance-free, water-cooled 8 hp (6 kW) permanent magnet high-frequency motor delivering extremely high torque to handle large drilling dimensions and depths. The intelligent motor control software enables optimized rpms for a wide range of drilling diameters, from 3-24 in (80 to 600 mm).

Power Prime power supply unit not included.

Drill bits not included.

Drill stand not included.

Pressurized water tanks not included.

Demo / refurbished / blemished means: might have blemish, scratch, rust, or dent, used at a trade show, tested in the showroom by a customer, last years model, return by shipping company, returned by customer, used by factory for R&D work, no factory box. Limited stock so if you purchase it and we cannot fill the order because another customer beat you to the bargain, your money will be returned. Please do not call to see if it is still available as if the web page is up and viewable, it is available this second. If you delayed and asked if it available so you let some other customer place the order ahead of you.

All sales are final.

Same factory warranty as brand new: 1 years parts!

Extended the warranty to 3 or even 5 years for a little more with no hour exclusions.

Condition of this machine: "A" Only 1 at this price!

Our A rated demo equipment usually has less than 100 hours on it.

Photos are not available as these ship from the factory direct as they have already been refurbished, cleaned, tested, and crated.

Ships from OT warehouse.

Specifications

>

Motor

Electronic product  
Yes

Rated input power  
8 hp

Drilling equipment

Drill bit diameter with stand, max  
24 in

Recommended drill bit diameter, min  
3.2 in

Specifications

Water flow, min  
0.13 gal (US)/min

Water pressure, max  
116 psi

Spindle thread, outer  
1 1/4" 7 UNC

Transmission

Number of gearbox speeds  
2

>

## Dimensions

Water connector  
G 1 / 4"

Weight  
30.8 lbs

Product size length  
18 in

Product size width  
6.5 in

Product size height  
8.5 in

## Sound and noise

Sound power level, guaranteed (LWA)  
113 dB(A)

Sound power level, measured  
112 dB(A)

Sound pressure level at operators ear  
98 dB(A)

## Packaging

Packaging length

>

525 mm

Packaging width  
275 mm

Packaging height  
265 mm

Packaging volume  
38.3 dm<sup>3</sup>;

---

*Availability: This product was added to our catalog on Thursday 22 August, 2024*