

>



Model Number: 19434599

Mytee BZ-102LX Breeze Carpet Cleaning Portable Extractor 10gal 220psi Dual Vacuum Trex Jr Chemicals Sprayer Bundle 19434599

Manufacturer: Mytee Products Inc

Mytee BZ-102LX Breeze Carpet Cleaning Portable Extractor 10gal 220psi Dual Vacuum Trex Jr Chemicals Sprayer Bundle 19434599

Bundle Includes: (click on each link to watch a video on the item or to purchase separately)

Clean Storm Hose Set 50ft (15 meters) X 1.5in ID Vacuum and 1/4in Solution [Set50] 5040AC-HP Powrflite X1213  
Video On Link!

Mytee TRex Jr 12 inch Rotary Power Wand Price Match Includes Air Mover Bundle 20240905

Video On Link!

Mytee BZ-102LX, Breeze Cold Water Carpet Cleaning Portable

>

Extractor, 10gal 220psi Dual Vacuum Machine only  
Video On Link!

-

HydroForce AS08P, Injection Sprayer Plus High Pressure, with blow  
molded jug, 1639-0775

Video On Link!

Hydro-Force AB24 CRW Grandi Groomer Carpet Rake Complete  
Rake and Stick 8.618-214.0 CA001 G180 2626-0707 71-350

Video On Link!

Shazaam SBM230-4, Kryptonium, High pH Degreaser, - Degrease All  
Surface Types, (Purple), 4 x 1 gal Case, UPC: SBM230

Video On Link!

>

Clean Storm 20211209 Speed Perimeter Crevice Tool Vacuum Only  
Pipe 1-1/2in ID 42in Long SBMC42

Video On Link!

#### Description

Truckmount Power in a Portable. That might sound like a bold statement, but it's the truth. Just ask anyone who's experienced what the Breeze can do.

The sources behind the Breeze's power are the two Mytee exclusive LX trade vacuum motors, producing up to 250 CFM and 182' of water lift (about 13.2'Hg). What's even better is it's producing that kind of suction at the carpet.

Representing the pinnacle of power and portability, the Breeze line of extractors are brimming with exclusive, high-value features set to make waves across the industry. They're a true force to be reckoned with.

Features and Specifications

- Dual Mytee exclusive LX trade vacuum motors &ndash; 225-250 CFM, 182' of water lift.

- 

Factory Installed

Dual LX trade Vacuum Motors

- 6.6" diameter

- up to 250 CFM @ Sea Level (SteamBrite test 214.5 CFM @ 900 Feet Above sea level)

>

• 182" water lift / 13.5 HG  
Video On Link!  
Mytee C348 Ametek Lamb Vacuum Motor LX Blower 6.6 Inches W/ 2in inlet  
tube CONE 120 volts Tangential 1 Stage 1 Speed

- 220 PSI demand pump.
- 10 gallon solution and recovery tanks. The special design of the recovery tank makes it the strongest in the industry!
- Features rear loading wheels allowing the Breeze® to be easily loaded into trucks and vans.
- Large, 10" rear wheels.
- 4" locking front casters.

#### Includes

- 2" Cuff-Lynx® Coupler
- 2" x 1.5" Cuff-Lynx® Reducer
- Two 50' twist-lock power cords
- Pack of 25 Piglet Filters

#### Documentation



User Manual

Parts List &ndash; 115V 60Hz version

Parts List &ndash; 230V 50Hz version

Product Brochure

Optional



Steamrite

Supply




Hose: Hose Set - 15 ft x 1-1/2 in - Vacuum & 1/4in Solution

Normal  
0

false  
false  
false

EN-US  
X-NONE  
X-NONE



>

```
DefSemiHidden="false" DefQFormat="false" DefPriority="99"  
LatentStyleCount="376">
```

```
UnhideWhenUsed="true" QFormat="true" Name="heading 2" />
```

```
UnhideWhenUsed="true" QFormat="true" Name="heading 3" />
```

```
UnhideWhenUsed="true" QFormat="true" Name="heading 4" />
```

```
UnhideWhenUsed="true" QFormat="true" Name="heading 5" />
```

```
UnhideWhenUsed="true" QFormat="true" Name="heading 6" />
```

```
UnhideWhenUsed="true" QFormat="true" Name="heading 7" />
```

```
UnhideWhenUsed="true" QFormat="true" Name="heading 8" />
```

```
UnhideWhenUsed="true" QFormat="true" Name="heading 9" />
```

```
Name="index 1" />
```

```
Name="index 2" />
```

```
Name="index 3" />
```

```
Name="index 4" />
```

```
Name="index 5" />
```

```
Name="index 6" />
```

```
Name="index 7" />
```

```
Name="index 8" />
```

```
Name="index 9" />
```

```
UnhideWhenUsed="true" Name="toc 1" />
```

```
UnhideWhenUsed="true" Name="toc 2" />
```

```
UnhideWhenUsed="true" Name="toc 3" />
```

>

UnhideWhenUsed="true" Name="toc 4" />  
UnhideWhenUsed="true" Name="toc 5" />  
UnhideWhenUsed="true" Name="toc 6" />  
UnhideWhenUsed="true" Name="toc 7" />  
UnhideWhenUsed="true" Name="toc 8" />  
UnhideWhenUsed="true" Name="toc 9" />  
Name="Normal Indent" />  
Name="footnote text" />  
Name="annotation text" />  
Name="header" />  
Name="footer" />  
Name="index heading" />  
UnhideWhenUsed="true" QFormat="true" Name="caption" />  
Name="table of figures" />  
Name="envelope address" />  
Name="envelope return" />  
Name="footnote reference" />  
Name="annotation reference" />  
Name="line number" />  
Name="page number" />  
Name="endnote reference" />  
Name="endnote text" />  
Name="table of authorities" />  
Name="macro" />  
Name="toa heading" />

>

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

>

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

>

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

>

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

>

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Name="List Paragraph" />

Name="Intense Quote" />

>

Steambrite Supply

>

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

>

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

>

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

>

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin:0in;
mso-pagination:widow-orphan;
font-size:11.0pt;
font-family:"Calibri",sans-serif;
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Calibri;
```

>

```
mso-hansi-theme-font:minor-latin;  
mso-bidi-font-family:"Times New Roman";  
mso-bidi-theme-font:minor-bidi;}
```

## Questions and Answers on Bundle 19434599

Q. How hot can the water get?

A. Only as hot as you get out of the sink, shower head, or washing machine hose connection. This system does not offer any additional heater but you can purchase a stand alone heater.

Q. What is the package advantages and disadvantages over some other systems?

A. This package will let you pre-spray about 10 times faster than a pump up sprayer followed by letting you agitate and rinse, extract at the same time by use the Trex JR wand. This package includes dual 50 ft power cords so it is always easy to find 2 breakers. This package includes the speed crevice tool that lets you finish the job by picking up pet hair balls and dirt that is all around the perimeter. This package includes 50 ft of hoses which is 100% longer than other packages on the market so you spend less time relocating your machine. The ultimate system would let you have more vacuum to run longer hoses, wider Trex 15 wand (rinse 23% faster), more heat, with more vacuum and auto fill and dump. You would have to spend about double this package price though.

Q. What is the maximum cleaning distance with this system?

A. Only 75 ft. This machine will clean out 150 ft with 2" id vacuum hose and a standard 1.5" wide 2 jet wand but this is not a standard wand and it is using 1.5" ID vacuum hose with a rotary power wand.

Q. Can this machine operate on dual 15 amp breakers?

A. Yes, but all the wires are going to get how as this machine is pulling a full 15 amps.

Q. Can this machine operate on just one outlet.

A. Yes, you would only be able to turn on 1 vacuum motor, and water pump. Every home and business has multiple breakers so in reality you would never do this. I operated a 5 corded/ breaker machine for 20 years and never had a problem plugging it in.

---

*Availability: This product was added to our catalog on Friday 20 September, 2024*