

>



Model Number: 18851765

Mytee LTD3 Speedster Carpet Cleaning Machine 11Gal 500psi HEATED Dual 3 Stage Vacs Auto Fill 3gpm Trex Jr Bundle 18851765

Manufacturer: Mytee Products Inc

Mytee LTD3 Speedster Carpet Cleaning Machine 11Gal 500psi HEATED Dual 3 Stage Vacs Auto Fill 3gpm Trex Bundle 18851765

Bundle includes;

Clean Storm Hose Set 50ft (15 meters) X 1.5in ID Vacuum and 1/4in Solution [Set50] 5040AC-HP Powrflite X1213
Video on Link!

Mytee TRex Jr 12 inch Rotary Power Wand Price Match Includes Air Mover Bundle 20240905
Video On Link!




HydroForce AS08P, Injection Sprayer Plus High Pressure, with blow
molded jug, 1639-0775
[Video On Link!](#)

Hydro-Force AB24 CRW Grandi Groomer Carpet Rake Complete
Rake and Stick 8.618-214.0 CA001 G180 2626-0707 71-350
[Video On Link!](#)



Shazaam SBM230-4, Kryptonium, High pH Degreaser, - Degrease All
Surface Types, (Purple), 4 x 1 gal Case, UPC: SBM230
Video On Link!

Clean Storm 20211209 Speed Perimeter Crevice Tool Vacuum Only
Pipe 1-1/2in ID 42in Long SBMC42
Video On Link!





Mytee LTD3 Speedster Carpet Cleaning Machine 11Gal 500psi
HEATED Dual 3 Stage Vacs Auto Fill 3gpm Auto Dump Price Match

New Mytee LTD3 Speedster Carpet Cleaning Extractor

This machine has a 500 PSI Pump, Dual 3 Stage Vacuums, and a 1600 Watt Heater capable of up to 210 Degrees. This Carpet Cleaning Machine has 137" of Lift and 200 CFM and the fact that it has Auto Fill & Auto Dump Means that not only will it pack a punch with its specs on cleaning but allows you to continue cleaning without the trouble of stopping to fill and dump your tanks.

This Item is Machine Only

- Hose Set Usually Machine Only - but this bundle includes 50 ft.
- Vacuum Motor Setup Dual 3-stage Vacuum Motors
 - 137 Inches Water Lift
 - 200 CFM
- Water Pump (change) 500 PSI Piston Pump (brands of pump used subject to change)
- Wand Mytee Trex Jr
- Solution and Recovery Tanks Roto-molded polyethylene construction
 - 11 Gallon Solution and 11 Gallon Waste Recovery
- Automatic Fill and Automatic Pump Out (3.3 Gallons per Minute)
- Heater 1600 Watt | 210 Degree Fahrenheit Max

>

Steambrite Supply



>

SBMdvUph -Training DVD 3 Pack: Covers the basics a Cleaner needs to know

Speed 4.5 hours with IICRC Certified Master Cleaner and Master Restoration Tech.

SteamBrite Exclusive
Included Free On All Machine Purchases

Speedster® LTD3 Carpet Extractor

Superior performance – Add heat to your cleaning equation with the LTD3's powerful 1,600 watt heater that breaks apart soil and set-in stains with 210° maximum heated solution. Along with its 500 PSI adjustable pump and powerful dual 3-stage vacuum motors, the LTD3 will get you the results you need, job after job.

User-friendly features – Including an auto-fill and auto pump-out, dual external vacuum ports, waist-high switch plate and regulator, waist-high prime valve with an industry-first recovery tank rinse hose, a solution tank drain.

Optional features:

Accessory tray

Durability – Sleek new body design made from roto-molded polyethylene, 10" foam-filled, semi-pneumatic wheels and 4" locking casters for safe and easy transport.

Customer Service – Mytee® always offers a limited lifetime warranty and national network of service centers.

The new Speedster® LTD line of extractors will take your cleaning capabilities to the next level with the combination of power, versatility and efficiency. Available in both heated and cold water models, the Speedster® LTD will change the way that you look at portable extractors!

MSRP
\$23399.00

Warranty
90 day to 1 yr parts/ 5 yr pro-rated housing

>

Body
Roto-molded polyethylene

Tank
12 gallons

Vacuum
Dual 3 stage

Factory Installed
Electro Motor Model Q6600-090A-MP-26 3 stage, 120V Flat
Fan-Vacuum Motor Mytee C302LA
or similar

CFM
200

H2O
130"

General Pump
Piston

Factory Installed

General Pump T9051EBF Mytee C332 Pump Head 1750 RPM Bolt
On to 56c Frame Electric Motor
or similar

>

OR

Factory Installed
Cat 1XP150.051 Mytee C313A 500psi Water Pump Carpet Cleaning

or similar

We say OR because both pump have been used and we do not open the boxes rather just confirm the model number and voltage.
Both are great pumps.

PSI
Adjustable 500

General Pump GPM
2.2

Pump-out GPM
3.3

Factory Installed
Aquatec: 60 psi Pump Out Pump 3.3 GPM, 230 Volts Auto Dump Out
5503-2E6E-V716 C381A

Heater
1,600 W - 210 degree maximum

Factory Installed

>

Mytee A908 1600 watt Inline Heater (internal motor box mount) 115
volts

Automation
Auto-fill kit for solution tank, automatic pump-out for recovery tank, Chemical
injection

Wheels
10"

Locking Casters
4"

Power Cord
Factory Provided
Dual 50' 12/3

Included
" Cuff-Lynx" coupler swivel (2" female x 2" female vac hose)
and " to 1.5" Cuff-Lynx" reducer(2" female x 1.5" female), wire
hanger for storing hoses and cords, drain elbow, pack of 25 Piglet" filters

Product Weight
145 lbs

Shipping Weight
185 lbs

>

Product Dimensions
30" x 20" x 42"

Shipping Dimensions
37 1/4" x 21 1/2" x 50 3/4"

Mytee LTD3, LTD5, and LTD12 Owners Manual

Mytee LTD3 Parts and Schematics

Mytee LTD3 Wire Schematics 115 volt

Optional Accessories:

Mytee [LTD3 Starter] Speedster Carpet Cleaning Machine Starter Package
(Free shipping if purchase with Mytee Extractor)

20121201 Clean Storm Complete Auto Fill and Auto Dump Hot Water
Connection Kit

>

20121216 -Clean Storm Hose Set - 65 ft (50 ft 2 in + 15 ft of 1.5"ID Vacuum & 1/4 in 3000 psi Solution) with Connections and QD's

9054ND Nilodor Dri-Way Jr Encapsulation Machine Counter Rotation CRB Scrubber 8.626-988.0 Sebo Duo P 9401AM Agitator 12" (Free Shipping)

5000 Electrical Converter Twin Pack One 3 Wire 30 amp and One 4 Wire/Prong TO 115 Volt Single Gang Adapter With Breakers (2 outlets each)

Mytee P507 Transport Tray for Mytee carpet extractors

>

Warranty Details

Mytee may make changes in products it manufactures and markets at any time; these changes are made without obligation to change, retrofit, or upgrade any product previously sold or manufactured.

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

>

```
DefSemiHidden="false" DefQFormat="false" DefPriority="99"  
LatentStyleCount="376">
```

```
UnhideWhenUsed="true" QFormat="true" Name="heading 2" />
```

```
UnhideWhenUsed="true" QFormat="true" Name="heading 3" />
```

```
UnhideWhenUsed="true" QFormat="true" Name="heading 4" />
```

```
UnhideWhenUsed="true" QFormat="true" Name="heading 5" />
```

```
UnhideWhenUsed="true" QFormat="true" Name="heading 6" />
```

```
UnhideWhenUsed="true" QFormat="true" Name="heading 7" />
```

```
UnhideWhenUsed="true" QFormat="true" Name="heading 8" />
```

```
UnhideWhenUsed="true" QFormat="true" Name="heading 9" />
```

```
Name="index 1" />
```

```
Name="index 2" />
```

```
Name="index 3" />
```

```
Name="index 4" />
```

```
Name="index 5" />
```

```
Name="index 6" />
```

```
Name="index 7" />
```

```
Name="index 8" />
```

```
Name="index 9" />
```

```
UnhideWhenUsed="true" Name="toc 1" />
```

```
UnhideWhenUsed="true" Name="toc 2" />
```

```
UnhideWhenUsed="true" Name="toc 3" />
```

```
UnhideWhenUsed="true" Name="toc 4" />
```

>

UnhideWhenUsed="true" Name="toc 5" />
UnhideWhenUsed="true" Name="toc 6" />
UnhideWhenUsed="true" Name="toc 7" />
UnhideWhenUsed="true" Name="toc 8" />
UnhideWhenUsed="true" Name="toc 9" />
Name="Normal Indent" />
Name="footnote text" />
Name="annotation text" />
Name="header" />
Name="footer" />
Name="index heading" />
UnhideWhenUsed="true" QFormat="true" Name="caption" />
Name="table of figures" />
Name="envelope address" />
Name="envelope return" />
Name="footnote reference" />
Name="annotation reference" />
Name="line number" />
Name="page number" />
Name="endnote reference" />
Name="endnote text" />
Name="table of authorities" />
Name="macro" />
Name="toa heading" />
Name="List" />

>

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

>

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

>

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

>

Name="Table Columns 5" />
Name="Table Grid 1" />
Name="Table Grid 2" />
Name="Table Grid 3" />
Name="Table Grid 4" />
Name="Table Grid 5" />
Name="Table Grid 6" />
Name="Table Grid 7" />
Name="Table Grid 8" />
Name="Table List 1" />
Name="Table List 2" />
Name="Table List 3" />
Name="Table List 4" />
Name="Table List 5" />
Name="Table List 6" />
Name="Table List 7" />
Name="Table List 8" />
Name="Table 3D effects 1" />
Name="Table 3D effects 2" />
Name="Table 3D effects 3" />
Name="Table Contemporary" />
Name="Table Elegant" />
Name="Table Professional" />
Name="Table Subtle 1" />
Name="Table Subtle 2" />

>

Name="Table Web 1" />

Name="Table Web 2" />


Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Name="List Paragraph" />

Name="Intense Quote" />



Steambrite Supply

>

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

>

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

>

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

>

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin:0in;
mso-pagination:widow-orphan;
font-size:11.0pt;
font-family:"Calibri",sans-serif;
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;
mso-bidi-font-family:"Times New Roman";
```

>

mso-bidi-theme-font:minor-bidi;}

Questions and Answers on Bundle 18851765

Q. How hot can the water get?

A. If you stop cleaning, the 1 quart heater tank under the hood will reach about 200 degrees F and turn itself off. At no point is the 11 gallon fresh water tank heated up. Once you pick up the cleaning wand and start cleaning again, the water will attempt to reach 200 degrees but as long as your using the water it will not reach that level of heat. Most cleaners using a standard 2 jet wand with a 2/3 time rinse stroke and 1/3 time dry stroke will achieve about a 20 degree rise up and above what water temperature was poured inside of the machine. 20 degrees F is enough temperature rise to change your water molecule vibration and cleaning results by 100%.

Q. What is the package advantages and disadvantages over some other systems?

A. This package will let you pre-spray about 10 times faster than a pump up sprayer followed by letting you agitate and rinse, extract at the same time by use the Trex JR wand. This package includes dual 50 ft power cords so it is always easy to find 2 breakers. This package includes the speed crevice tool that lets you finish the job by picking up pet hair balls and dirt that is all around the perimeter. This package includes 50 ft of hoses which is 100% longer than other packages on the market so you spend less time relocating your machine. The disadvantage of this system is the machine is not auto fill and auto dump. The ultimate system would let you have more vacuum to run longer hoses, wider Trex 15 wand (rinse 23% faster), more heat, with more vacuum and auto fill and dump. You would have to spend about double this package price though.

Q. What is the maximum cleaning distance with this system?

A. Only 50 ft. This machine will clean out 125 ft with 2" id vacuum hose and a standard 12" wide 2 jet wand but this is not a standard wand and it is using 1.5" ID vacuum hose.

<https://www.ebay.com/itm/Mytee-LTD3-Speedster-Heated-Carpet-Cleaner-with-Auto-Dump-Automatic-Water-Feed-/221268101343> \$2199.99

```
--> (function (d, t) {  
"use strict";  
var s = d.getElementsByTagName(t)[0], n = d.createElement(t);  
n.src = "//paypal.adtag.where.com/merchant.js";  
s.parentNode.insertBefore(n, s);  
(document, "script");
```

<https://www.cleantile.com/mytee-speedster-ltd3-heated-carpet-extractor.htm#.VZuyQxNVhBc>

```
-->
```

Availability: This product was added to our catalog on Friday 20 September, 2024