Pumptec 81277 Pump, 217V-125/M9253F, 120V, BUNA, M-VALVE, 4 - 1/4" PORTS, BLACK Gtin 10679065071460



Model Number: 81277

Pumptec 81277 Pump, 217V-125/M9253F, 120V, BUNA, M-VALVE, 4 - 1/4" PORTS, BLACK Gtin 10679065071460

Manufacturer: Pumptec

Pumptec 81277 217V Pump Motor Set (For Kaivac see notes for front mount water connections)

Pumptec 217V Pump Head Only 60063 (Side Ports) Kaivac

Please note to use as a replacement on a Kaivac you will have to re-use the pump front face plate off the original pump.

Note the original is a 2 port head and this is a side port in and out connection.

The front place is easy to change out by just removing the two bolts on the rear of the pump head.

Compare to Kaivac PM217

Pumptec 0100-6005-0125, KIT-C 204/205/207/217 .125 CAM Bearing, 3/8 THREAD .465 THICK, 10078, GTIN 10679065072252

Steambrite Supply

Pumptec 81277 Pump, 217V-125/M9253F, 120V, BUNA, M-VALVE, 4 - 1/4" PORTS, BLACK Gtin 10679065071460

Steambrite Supply

Pumptec: M9253F Motor Only Replaces the Old M53

Bridge Rectifier for Edic, PumpTec, Burnishers, & More

Pumptec 81277 Pump, 217V-125/M9253F, 120V, BUNA, M-VALVE, 4 - 1/4" PORTS, BLACK Gtin 10679065071460

Pumptec Kit, Base Mounting Plate / Bracket For M20/M53/M54 Motors

Note: to use in a Kaivac cleaning machine you just un-bolt the front head and re-use the front head face plate from your original pump.
This way the water goes in and out through the front and not the sides.
This is super easy to do, as you just remove the head from the motor and then remove the two bolts on the back of the pump to remove the front face plate off the pump.
The above procedure will save you over $200 over purchasing the same pump with the pre-drilled and tapped holes in the front of the pump.

Compare to: Kaivac PUMPSPARE217
0205-1000-0006
Powrflite X1981

Part Number
81277

Max Pressure (psi)
500

Open Flow (gpm)
1.5

Seals
V-Ring

O-rings
Buna

Steambrite Supply

Pumptec 81277 Pump, 217V-125/M9253F, 120V, BUNA, M-VALVE, 4 - 1/4" PORTS, BLACK Gtin 10679065071460

Plunger
305 SS

Inlet Ports
(2) - 1/4" NPT (F)

Discharge Ports
(2) - 1/4" NPT (F)

Max Fluid Temp. (â„‰)
140

RPM
2000

Body
Anodized Aluminum

Valves
Stainless Steel

Color
Gold

Fasteners
Stainless Steel

Optional

Steambrite Supply

Pumptec 81277 Pump, 217V-125/M9253F, 120V, BUNA, M-VALVE, 4 - 1/4" PORTS, BLACK Gtin 10679065071460

Reducing Street Brass Elbow 3/8 Fip X 1/4 Mip Forged 28263

If you’re upgrading from a 204v, 205V, or 207V pump head to a 217V pump head, you’ll need to add up to four brass adapters.

The 204v, 205V/207V models all use 3/8" water ports, while the 217V is designed with 1/4" ports.

Water connections on the above discontinued pumps all faced to the rear/towards the motor. The 217V faces to the side so the 28263 90 degree reducing elbows are the most likely adapters you will need.

Clean Storm BR166, 1/4in Mip X 3/8in Fip Brass Adapter Reducing, 9.804-007.0, Kaivac CPS21, 28193

Clean Storm 28094, 1/4" MIP Brass Countersunk Hex Plug

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Pumptec > Pumptec Pump Head Only > Pumptec 81277 Pump, 217V-125/M9253F, 120V, BUNA, M-VALVE, 4 - 1/4" PORTS, BLACK Gtin 10679065071460

Pumptec 81277 Pump, 217V-125/M9253F, 120V, BUNA, M-VALVE, 4 - 1/4" PORTS, BLACK Gtin 10679065071460

Convert your 500 psi carpet cleaning machine into a tile cleaning machine.
Clean Storm Rhino Grout Master Cleaning Tile Cleaning Tool 300psi - 1200 psi Edging Wand 20190919
Videos On Link!

https://www.sprayerdepot.com/products/pumptec-217v-085-m9253f-120v-pump-motor $434.17 free shipping -->

Availability: This product was added to our catalog on Thursday 05 December, 2024

Steambrite Supply