


>



Model Number: SBM4AW

4 AWG Gauge 19 Stranded Insulated Copper THHN/THWN-2 Building Wire - 600 Volts R PER FOOT SBM4AW

Manufacturer: Clean Storm

4 AWG Gauge 19 Stranded Insulated Copper THHN/THWN-2 Building Wire - 600 Volts R PER FOOT SBM4AW

#4 AWG Commercial Wiring for Outlets, Switches and Other Loads
Contains Copper (Cu) Conductors Made with Annealed (Soft), Compressed Copper

Can be Used in Wet or Dry Locations. Insulation is High Heat and Moisture Resistant Polyvinyl Chloride (PVC). Jacket is Abrasion, Moisture, Gasoline, and Oil Resistant Nylon

Has an Allowable Ampacity of: 70 Amps at 60 Degrees Celsius, 85 Amps at 75 Degrees Celsius, and 95 Amps at 90 degrees Celsius

Rated for 600-Volts with a Heat Capacity of up to 90 Degrees Celsius.

Since this cut from a spool it is not returnable.

Item specifics

Condition

New: A brand-new, unused, unopened, undamaged item in its original packaging (where packaging is ...

>

Brand

Nassau

Insulation Material

Polyvinyl Chloride (PVC)

Wire Style

Stranded

Voltage

600 V

Current Rating

100 A

>

Conductor Material

Copper

Country/Region of Manufacture

United States

Stranding (Number of Wires)

19

Resistance Properties

Gasoline/Oil Resistant, Heat Resistant, Moisture Resistant

Wire Gauge

4 AWG (5.2 mm)

>

Number of Conductors

1

Availability: This product was added to our catalog on Thursday 06 February, 2025