


>



Model Number: 534977260

Husqvarna 534977260, 20in (508) Vari-Cut S65 Flat Saw Diamond Blade, .140 x 1DP 20mmB, GTIN 805544271721

Manufacturer: Husqvarna Equipment

Husqvarna 534977260, 20in (508) Vari-Cut S65 Flat Saw Diamond Blade, .140 x 1DP 20mmB, GTIN 805544271721

Description

Part of the silver series of blades, the Vari-Cut S65 delivers increased cutting performance for building blocks and other abrasive materials. Three segment designs combine for protection from excessive wear.

Application: General purpose, reinforced concrete, asphalt and asphalt overlay with undercutting protection

Features

- Optimal cutting experience
- Innovative segment design
- Smarter features
- Cuts faster, lasts longer

Specifications

GENERAL

Article Description

20 140 1DP Vari-Cut S65

Performance level

Silver

Blade configuration

Segmented

Coolant

Wet

Arbor hole pattern

DP

>

Power range, min hp
20 hp

Power range, max hp
50 hp

DIMENSIONS

Diameter inch
20 in

Arbor diameter
1-20mmB"

Segment length inch
1.57 in

Segment width inch
0.140 in

Segment height inch
0.5 in

MSRP \$519

\$268.00

<https://www.toolfetch.com/Husqvarna-585580804-Vari-cut-Plus-20-450-X-.140>

\$289.99

[https://www.northerntool.com/products/husqvarna-vari-cut-s65-blade-diameter-20-in-t
eeth-per-inch-1-tpi-included-qty-1-model-534977260-5402543?srsId=AfmBOopp4A_
8r36dWK0zCH20Za1cCODwzk5qQGSN1AR_oWFBRxvxPOx9](https://www.northerntool.com/products/husqvarna-vari-cut-s65-blade-diameter-20-in-t-eeth-per-inch-1-tpi-included-qty-1-model-534977260-5402543?srsId=AfmBOopp4A_8r36dWK0zCH20Za1cCODwzk5qQGSN1AR_oWFBRxvxPOx9)

\$310.99

[https://www.zoro.com/husqvarna-diamond-saw-blade-demolition-20-dia-vari-cut-s65-2
0/i/G7477167/?q=534977260](https://www.zoro.com/husqvarna-diamond-saw-blade-demolition-20-dia-vari-cut-s65-20/i/G7477167/?q=534977260)

\$551.07

<https://www.husqvarnaparts.com/534977260-husqvarna-20-140-1dp20mmb-varicut-s>

>

65.html -->

Availability: This product was added to our catalog on Friday 04 April, 2025