


>



Model Number: 542751682

Husqvarna 542751682, 24in (600) FLX 280 Flat Saw Diamond Blade, .165 x 1DP 6R NN, GTIN 805544824811

Manufacturer: Husqvarna Equipment

Husqvarna 542751682, 24in (600) FLX 280 Flat Saw Diamond Blade, .165 x 1DP 6R NN, GTIN 805544824811

Description

FLX 280 is the perfect blade to cut asphalt, asphalt over concrete or green concrete. Undercut protection is standard on this blade. FLX Combo blades have been designed to offer speed and maintain an attractive life.

Application: General purpose asphalt with medium-hard aggregates

Features

- The segments' design reduces their contact with the concrete surface. This provides a quick and controlled start when using a new blade.
- The composition of the blade is designed for high speed in hard materials.

Specifications

GENERAL

Article Description

24 165 1DP FLX 280-6R-NN

Performance level
Gold

Blade configuration

Segmented

>

Coolant
Wet

Arbor hole pattern
DP

Power range, min hp
20 hp

Power range, max hp
50 hp

DIMENSIONS

Diameter inch
24 in

Arbor diameter
1"

Segment width inch
0.165 in

Segment height inch
0.415 in

MSRP \$1009

\$521.00

<https://www.toolfetch.com/Husqvarna-542751682-Flx-280-24-600-X-.165-Fast-Cutting-Cured-Concrete>

\$520.99

<https://www.zoro.com/husqvarna-24-165-1dp-flx-280-6r-nn-542751682/i/G912003714/?q=542751682>

\$1,103.50

<https://www.husqvarnaparts.com/542751682-husqvarna-24-165-1dp-flx-280-r.html>

>

\$1,128.25
<https://www.constructioncomplete.com/husqvarna-flx-280-24-x-165-diamond-blade-542751682.html> -->

Availability: This product was added to our catalog on Friday 11 April, 2025