

>



Model Number: 542751000
Husqvarna 542751000, 12in (305) Traffic Loop L3 Flat Saw Diamond Blade, .250 x 1DP NN, ENO25, GTIN 805544735070

Manufacturer: Husqvarna Equipment

Husqvarna 542751000, 12in (305) Traffic Loop L3 Flat Saw Diamond Blade, .250 x 1DP NN, GTIN 805544735070

Description

Features long life and low cutting cost per foot on large jobs. Sandwich segment maintains consistent joint width. Blades greater than .375" are brazed.

Application: Concrete traffic loop installations in medium to hard limestone and granite aggregates

Features

- The segments' design reduces their contact with the concrete surface. This provides a quick and controlled start when using a new blade.
- With the standard widths of 6, 8 or 10 mm (up to 20 mm) and blade diameters of 350 and 450 mm, these blades are ideal for slot cutting, traffic loops and other joint widening applications.

Specifications

GENERAL

Article Description

12 250 1DP L3-260-NN

Performance level
Gold

Blade configuration

Segmented

>

Coolant
Wet

Arbor hole pattern
DP

Power range, min hp
35 hp

Power range, max hp
85 hp

DIMENSIONS

Diameter inch
12 in

Arbor diameter
1"

Segment width inch
0.250 in

Segment height inch
0.5 in

MSRP \$746

\$427.99

<https://www.zoro.com/husqvarna-12-250-1dp-l3-260-nn-542751000/i/G312001303/?q=542751000>

\$457.09

https://www.jimslimstools.com/Products/Husqvarna-542751000-12inTraffic-Loop-L3-Concrete-Diamond-Blade__542751000.aspx

>

\$815.87

<https://www.husqvarnaparts.com/542751000-husqvarna-12-250-1dp-l3260nn.html>

\$824.05

<https://www.constructioncomplete.com/husqvarna-professional-traffic-loop-l3-concrete-12-x-250-diamond-blade-542751000.html> -->

Availability: This product was added to our catalog on Friday 11 April, 2025