

>



Model Number: 970850502

Husqvarna 970850502, K770 Dry Cut Power Cutter, 12in Blade Size 5hp, Freight Included, GTIN 805544012621 Replaces 967942001

Manufacturer: Husqvarna Construction Products

Husqvarna 970850502 Replaces

Normal
0

false
false
false

EN-US
ZH-CN
X-NONE

>

```
DefSemiHidden="false" DefQFormat="false" DefPriority="99"  
LatentStyleCount="376">
```

```
UnhideWhenUsed="true" QFormat="true" Name="heading 2" />
```

```
UnhideWhenUsed="true" QFormat="true" Name="heading 3" />
```

```
UnhideWhenUsed="true" QFormat="true" Name="heading 4" />
```

```
UnhideWhenUsed="true" QFormat="true" Name="heading 5" />
```

```
UnhideWhenUsed="true" QFormat="true" Name="heading 6" />
```

```
UnhideWhenUsed="true" QFormat="true" Name="heading 7" />
```

```
UnhideWhenUsed="true" QFormat="true" Name="heading 8" />
```

```
UnhideWhenUsed="true" QFormat="true" Name="heading 9" />
```

```
Name="index 1" />
```

```
Name="index 2" />
```

```
Name="index 3" />
```

```
Name="index 4" />
```

```
Name="index 5" />
```

```
Name="index 6" />
```

```
Name="index 7" />
```

```
Name="index 8" />
```

```
Name="index 9" />
```

```
UnhideWhenUsed="true" Name="toc 1" />
```

```
UnhideWhenUsed="true" Name="toc 2" />
```

```
UnhideWhenUsed="true" Name="toc 3" />
```

```
UnhideWhenUsed="true" Name="toc 4" />
```

```
UnhideWhenUsed="true" Name="toc 5" />
```

>

UnhideWhenUsed="true" Name="toc 6" />
UnhideWhenUsed="true" Name="toc 7" />
UnhideWhenUsed="true" Name="toc 8" />
UnhideWhenUsed="true" Name="toc 9" />
Name="Normal Indent" />
Name="footnote text" />
Name="annotation text" />
Name="header" />
Name="footer" />
Name="index heading" />
UnhideWhenUsed="true" QFormat="true" Name="caption" />
Name="table of figures" />
Name="envelope address" />
Name="envelope return" />
Name="footnote reference" />
Name="annotation reference" />
Name="line number" />
Name="page number" />
Name="endnote reference" />
Name="endnote text" />
Name="table of authorities" />
Name="macro" />
Name="toa heading" />
Name="List" />
Name="List Bullet" />

>

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

>

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

>

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

>

Name="Table Grid 1" />
Name="Table Grid 2" />
Name="Table Grid 3" />
Name="Table Grid 4" />
Name="Table Grid 5" />
Name="Table Grid 6" />
Name="Table Grid 7" />
Name="Table Grid 8" />
Name="Table List 1" />
Name="Table List 2" />
Name="Table List 3" />
Name="Table List 4" />
Name="Table List 5" />
Name="Table List 6" />
Name="Table List 7" />
Name="Table List 8" />
Name="Table 3D effects 1" />
Name="Table 3D effects 2" />
Name="Table 3D effects 3" />
Name="Table Contemporary" />
Name="Table Elegant" />
Name="Table Professional" />
Name="Table Subtle 1" />
Name="Table Subtle 2" />
Name="Table Web 1" />

>

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Name="List Paragraph" />

Name="Intense Quote" />



Steambrite Supply

>

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

>

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

>

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

>

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin:0in;
mso-pagination:widow-orphan;
font-size:10.0pt;
font-family:"Times New Roman",serif;}
```

967942001, K770 Dry Cut Power Cutter, 12in Blade Size 5hp, Freight Included, GTIN 805544012621

BLADE NOT INCLUDED

Description

Husqvarna Kâ€770 Dry Cut is a lightweight power cutter for dry cutting and has

>

many of the proven qualities of the standard K̂ while adding the benefit of dust extraction. K̂ Dry Cut is equipped with an integrated fan housing and the strong airflow (100 cfm) effectively removes the dust and transports it to the reusable bag where it's kept contained thanks to the integrated nozzle. It has an impressive maximum cutting depth of 122 mm, very close to that of a 14 inch machine.

Features

- Effective dust containment
- Maximised cutting depth
- Easy and optimal belt tensioning
- Light and powerful
- Vibrations below 2.5 m/s² in the cutter handles for more comfort and longer operation periods.
- Long service intervals
- Heavy-duty cutting arm
- Easy to start
- Cutting building blocks, curbstones and garden pavers.
- Cutting cast concrete.
- Regular cutting in floors and walls.
- Cutting in rescue operations.
- Blade shaft and bearings

Additional Information

Documentation
Parts
Manual
Specification

Article number
967942001

ENGINE

>

Output power

5 hp

Max engine/motor
9,300 rpm

Maximum power speed
9,000 rpm

Cylinders
1

Number of strokes
2-stroke engine

Exhaust emissions (CO₂, EU V)
711 g/kWh

Power source
Petrol

CUTTING EQUIPMENT

Cutting depth, max
4.8 in

Blade diameter, max
12 in

Arbor diameter
1-7/8B

Blade thickness, max

>

0.16 in

Peripheral speed, max
10,000 fpm

Coolant
Dry

SOUND & NOISE

Sound power level, guaranteed (LWA)
115 dB(A)

Sound pressure level at operators ear
98 dB(A)

Vibrations left/front handle
3.3 m/s²;

Vibrations right/rear handle
4.4 m/s²;

Optional Blade. Factory does not include any blades with purchase.

Husqvarna Vari-Cut 14 Inch Blade 542751359 Cutting Concrete Brick Roof
Tile Flint Granite Marble Natural Stone Iron

MSRP 1999

\$1,722.25

https://www.contractorsdirect.com/products/husqvarna-k770-12in-dry-power-cutter?srsltid=AfmBOorE67X_0xYQGck1u3U1EM9G2Xw4TgfMKN4aYNDDqO_2wfFzgoMg

\$1,819.00

<https://sencoretools.com/12-k770-drycut-husqvarna-power-cutter/?srsltid=AfmBOorhh>

>

vN662eoPfcCOzztaYv_Qq7ij50KHIFElcDPtIEDM3ghd9ot

\$1,823.00

<https://singlecylinderstore.com/index.php?route=product/search&search=967942001>

\$1,831.27

https://www.jimslimstools.com/Products/Husqvarna-K770-Dry-Cut-12in-Hand-Held-Power-Cutter__967942001.aspx?srsId=AfmBOoqy8aQ_LkisdW4OXrkjWK0COxFXIEe7OPp02_Q7HMMttcEV2IL5 -->

Availability: This product was added to our catalog on Sunday 20 April, 2025