Construction Equipment > Blades > Husqvarna 579872601, Husqvarna High-Pro 3, 16 (400) x .140 x 1 DP - 20 mmB, Power Cutter Diamond blades, GTIN 805544967884

Husqvarna 579872601, Husqvarna High-Pro 3, 16 (400) x .140 x 1 DP - 20 mmB, Power Cutter Diamond blades, GTIN 805544967884



Model Number: 579872601

Husqvarna 579872601, Husqvarna High-Pro 3, 16 (400) x .140 x 1 DP - 20 mmB, Power Cutter Diamond blades, GTIN 805544967884

Manufacturer: Husqvarna Equipment

Husqvarna 579872601, Husqvarna High-Pro 3, 16 (400) x .140 x 1 DP - 20 mmB, Power Cutter Diamond blades, GTIN 805544967884
Description
Application: Abrasive materials: blocks, bricks, reinforced concrete, green concrete and asphalt
Features

- Smooth and easy start
- High speed in hard materials
- Maximised cutting speed

Specifications

Product data	
Type of power cutter tool	Standard blades
Performance level	Gold

Steambrite Supply

Husqvarna 579872601, Husqvarna High-Pro 3, 16 (400) x .140 x 1 DP - 20 mmB, Power Cutter Diamond blades, GTIN 805544967884

Blade configuration

Segmented

Coolant

Wet /dry

Arbor hole pattern

DP

Power range, min hp

1.12 hp

Power range, max hp

20 hp

Steambrite Supply

Husqvarna 579872601, Husqvarna High-Pro 3, 16 (400) x .140 x 1 DP - 20 mmB, Power Cutter Diamond blades, GTIN 805544967884

Dimensions

Diameter inch

16 in

Arbor diameter

1-20mmB

Segment width inch

0.14 in

Segment height inch

0.35 in

Packaging length (Calc)

19.764 in

Steambrite Supply

Husqvarna 579872601, Husqvarna High-Pro 3, 16 (400) x .140 x 1 DP - 20 mmB, Power Cutter Diamond blades, GTIN 805544967884

Packaging width (Calc)

17.638 in

Packaging height (Calc)

0.748 in

Article gross weight (Calc)

7.899 lbs

Products using this

- 968372401 Kâ€¯40
- 953421805 Kâ€¯760 II
- 967181401 Kâ€¯760 II with OilGuard
- 968365401 Kâ€¯2500

Availability: This product was added to our catalog on Friday 16 May, 2025

Steambrite Supply