

>



Model Number: 579816403

Husqvarna 579816403, Tacti-Cut S50, 12 (305) x .118 x 1 DP - 20 mmB, Power Cutter Diamond blades, GTIN 805544316705

Manufacturer: Husqvarna Equipment

Husqvarna 579816403, Tacti-Cut S50, 12 (305) x .118 x 1 DP - 20 mmB, Power Cutter Diamond blades, GTIN 805544316705  
Description

Part of our Bronze series of blades, the Tacti-Cut® S50 is an all-round blade for cutting universal construction materials such as concrete products, pavers, bricks and building blocks. This is the ideal choice when looking for an excellent performance-to-price ratio.

Application: Hard materials such as natural stone, reinforced concrete with hard aggregates

#### Features

- The composition of the blade is designed for high speed in hard materials.
- Developed for fast cutting in universal construction materials, with a focus on hard materials like granite and hard concrete.
  - Our 'Easy-fit' system allows the expansion of the bore hole from 20.0 to 25.4 mm. This enables you to mount the blade on different types of machines (power cutter, table saw, floor saw). Applies to blade diameters up to 400 mm.
- All Husqvarna blades are designed and produced according to EN13236 standards. Husqvarna is also a leading member of OSA (Organisation for the Safety of Abrasives), guaranteeing the user a safe and trouble-free operation of its products.
- All Husqvarna blades are produced according to ISO 9001 quality standard, using the best materials and production methods, guaranteeing a stable and consistent

#### Specification

#### Product data



Type of power cutter tool

Standard blades

Performance level

Bronze

Blade configuration

Segmented

Coolant

Wet /dry


Arbor hole pattern

DP

Power range, min hp

3 hp

Power range, max hp





21 hp

Dimensions

Diameter inch

12 in

Arbor diameter

1-20mmB

Segment length inch


1.57 in

Segment width inch

0.118 in

Segment height inch

0.4 in



>

Packaging length (Calc)

15.394 in

Packaging width (Calc)

13.307 in

Packaging height (Calc)

0.276 in

Article gross weight (Calc)

2.95 lbs

Products using this

- 967348001 Kâ€970
- 968372401 Kâ€40
- 966726601 Kâ€6500 I
- 966715801 Kâ€3000 Vac
- 966799201 Kâ€3000 Wet
- 953421805 Kâ€760 II

>

- 965148001 TS 350 E
- 967046201 Kâ€1270 I
- 967082901 Kâ€6500 II
- 967682101 Kâ€770
- 967691101 Kâ€770 OilGuard
- 967860701 Kâ€770 VAC
- 967942001 Kâ€770 Dry Cut
- 967978701 Kâ€1270
- 970460001 Kâ€770 SmartGuard&trade;
- 970460101 Kâ€970 SmartGuard&trade;

---

*Availability: This product was added to our catalog on Saturday 17 May, 2025*