

>



Model Number: 542751724

Husqvarna 542751724, NXS-Metal, 16 (400) x .140 x 1 DP - 20 mmB, Power Cutter Diamond blades, GTIN 805544826181

Manufacturer: Husqvarna Equipment

Husqvarna 542751724, NXS-Metal, 16 (400) x .140 x 1 DP - 20 mmB, Power Cutter Diamond blades, GTIN 805544826181
Description

NXS blade cuts metal, concrete, stone, rebar and brick/block. This blade incorporates a thicker, electroplated core with cooling holes for protection during deep cutting, with an extremely fast turbo segment. Total segment height of this blade is .200" diamond depth.

Application: Rescue blade designed to cut through metal and construction materials/Thicker electroplated core with cooling holes for protection during cutting

Features

- The segments' design reduces their contact with the concrete surface. This provides a quick and controlled start when using a new blade.
- With several unique features that combine straight, turbo and/or protection segments, it enables you to cut a wide range of materials whilst maintaining the highest speed and longest lifetime.
- Cutting in rescue operations.

Specification

Product data

Type of power cutter tool

Standard blades

>

Performance level

Silver

Blade configuration

Narrow slots

Coolant

Wet /dry

Arbor hole pattern

PL70131

Power range, min hp

5 hp

Power range, max hp

7.9 hp

>

Dimensions

Diameter inch

16 in

Arbor diameter

1-20mmB

Segment length inch

1.575 in

Segment width inch

0.14 in

Segment height inch

0.3 in

Packaging length (Calc)

>

19.764 in

Packaging width (Calc)

17.638 in

Packaging height (Calc)

0.748 in

Article gross weight (Calc)

6.453 lbs

Products using this

- 968372401 Kâ€ˆ40
- 953421805 Kâ€ˆ760 II
- 967181401 Kâ€ˆ760 II with OilGuard
- 967058701 Kâ€ˆ760 Rescue II
- 967288101 Kâ€ˆ970 Rescue II
- 968365401 Kâ€ˆ2500
- 966477301 Kâ€ˆ970 Rescue I
- 966477701 Kâ€ˆ760 Rescue I

>

Availability: This product was added to our catalog on Sunday 18 May, 2025

Steambrite Supply