Husqvarna 966563503, DMS 220 Electric Corded Core Drill Motor, 120V 2.5Hp, Freight Included, GTIN 805544788175



Model Number: 966563503

Husqvarna 966563503, DMS 220 Electric Corded Core Drill Motor, 120V 2.5Hp, Freight Included, GTIN 805544788175

Manufacturer: Husqvarna Equipment

Husqvarna 966563503, DMS 220 Electric Corded Core Drill Motor, 120V 2.5Hp, Freight Included, GTIN 805544788175
Description
Handheld electric core drill for both dry and wet drilling. DM 220 has a level guiding system with a LED indicator, making it a perfect choice when looking for a drill motor with precision and efficiency. The ergonomically designed handle with D-handle gives you good control while drilling. Handheld core drilling up to 4 in. or drilling with stand up to 6 in. Suitable for light applications such as ventilation, plumbing pipes, electrical sockets and cables. An excellent choice for professionals as well as less experienced users.
Features

- 60° adjustable front handle
- Guidance for exact drilling
- Overload protection
- Durable and ergonomic design
- Dry and wet drilling
- Smooth start with normal fuses
- Elgard™
- Electronic positioning system
- Smart Start®
- Softstart™
- Angle drilling
- Horizontal drilling
- Vertical drilling
- Channels, pipes and cables

Steambrite Supply

Husqvarna 966563503, DMS 220 Electric Corded Core Drill Motor, 120V 2.5Hp, Freight Included, GTIN 805544788175

Specifications

Motor

Rated input power

2.5 hp

Frequency

60 Hz

Voltage

100-120 V

Phases

1 ph

Power source

Steambrite Supply

Husqvarna 966563503, DMS 220 Electric Corded Core Drill Motor, 120V 2.5Hp, Freight Included, GTIN 805544788175

Corded

Equipment

Drill bit diameter handheld, max

4 in

Drill bit diameter with stand, max

6 in

Recommended drill bit diameter, min

1 in

Coolant

Wet /dry

Steambrite Supply

Husqvarna 966563503, DMS 220 Electric Corded Core Drill Motor, 120V 2.5Hp, Freight Included, GTIN 805544788175

Transmission

Number of gearbox speeds

3

Spindle speed unloaded gear 1

730 rpm

Spindle speed unloaded gear 2

1,700 rpm

Spindle speed unloaded gear 3

3,600 rpm

Product data

Steambrite Supply

Husqvarna 966563503, DMS 220 Electric Corded Core Drill Motor, 120V 2.5Hp, Freight Included, GTIN 805544788175

Water connector

G 1 / 4"

Water pressure, max

116 psi

Spindle thread, inner

5/8" 11 UNC

Spindle thread, outer

1 1/4" 7 UNC

Dimensions

Product size length

Steambrite Supply

Husqvarna 966563503, DMS 220 Electric Corded Core Drill Motor, 120V 2.5Hp, Freight Included, GTIN 805544788175

22.4 in

Product size width

4.2 in

Product size height

15 in

Weight

16.5 lbs

Packaging length (Calc)

25.984 in

Packaging width (Calc)

20.472 in

Packaging height (Calc)

Steambrite Supply

Husqvarna 966563503, DMS 220 Electric Corded Core Drill Motor, 120V 2.5Hp, Freight Included, GTIN 805544788175

5.906 in

Article gross weight (Calc)

31.306 lbs

Sound and noise

Sound power level, guaranteed (LWA)

108 dB(A)

Sound power level, measured

107 dB(A)

Sound pressure level at operators ear

93 dB(A)

Steambrite Supply

Construction Equipment > Core Drill Motors > Husqvarna 966563503, DMS 220 Electric Corded Core Drill Motor, 120V 2.5Hp, Freight Included, GTIN 805544788175

Husqvarna 966563503, DMS 220 Electric Corded Core Drill Motor, 120V 2.5Hp, Freight Included, GTIN 805544788175

Documents
Parts List

Availability: This product was added to our catalog on Sunday 13 July, 2025

Steambrite Supply