

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM



Model Number: BC 21/20 T MI
Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM
Manufacturer: Udor USA

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerning:1.0pt;
mso-ligatures:standardcontextual;}

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerning:1.0pt;
mso-ligatures:standardcontextual;}

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM
Description

BC Series standard duty plunger pumps include a wide range of models with flow rates from 4.0 to 5.5 GPM and pressures up to 2900 PSI.

Other drive options include 24mm solid shaft, gas engine flange, electric motor flange and gas engine gear reduction.

Applications include general pressure cleaning, sewer jetting, vehicle wash equipment and fire fighting applications.

Features

- Brass Manifold
- Heat Treated Crankshaft
- Stainless Steel Piston Guides
- High Strength Aluminum Alloy or Bronze Connecting Rods
- Industrial Quality Ball Bearings and Needle Bearings
- Solid Ceramic Plungers
- Stainless Steel Check Valves
- Heavy Duty Flat Base High Pressure Seals
- Dual Oil Sight Gauges
- 16 oz. or 20 oz. Capacity Vented Oil Bath Crank Case
- 1/2" Inlet. 3/8" Outlet
- Max Fluid Temp, 160°F

Specifications

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerning:1.0pt;
mso-ligatures:standardcontextual;}
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

```
table.MsoTableGrid
{mso-style-name:"Table Grid";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-priority:39;
mso-style-unhide:no;
border:solid windowtext 1.0pt;
mso-border-alt:solid windowtext .5pt;
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-border-insideh:.5pt solid windowtext;
mso-border-insidev:.5pt solid windowtext;
mso-para-margin:0in;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerning:1.0pt;
mso-ligatures:standardcontextual;}
```

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Subtle Emphasis" />
Name="Intense Emphasis" />
Name="Subtle Reference" />
Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />
UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kering:1.0pt;
mso-ligatures:standardcontextual;}
table.MsoTableGrid
{mso-style-name:"Table Grid";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-priority:39;
mso-style-unhide:no;
border:solid windowtext 1.0pt;
mso-border-alt:solid windowtext .5pt;
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-border-insideh:.5pt solid windowtext;
mso-border-insidev:.5pt solid windowtext;
mso-para-margin:0in;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

mso-font-kerning:1.0pt;
mso-ligatures:standardcontextual;}

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerning:1.0pt;
mso-ligatures:standardcontextual;}
table.MsoTableGrid
{mso-style-name:"Table Grid";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-priority:39;
mso-style-unhide:no;
border:solid windowtext 1.0pt;
mso-border-alt:solid windowtext .5pt;
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-border-insideh:.5pt solid windowtext;
mso-border-insidev:.5pt solid windowtext;
mso-para-margin:0in;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerning:1.0pt;
mso-ligatures:standardcontextual;}

Normal
0

false
false
false

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

EN-US
X-NONE
X-NONE

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Subtle Emphasis" />
Name="Intense Emphasis" />
Name="Subtle Reference" />
Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />
UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kering:1.0pt;
mso-ligatures:standardcontextual;}
table.MsoTableGrid
{mso-style-name:"Table Grid";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-priority:39;
mso-style-unhide:no;
border:solid windowtext 1.0pt;
mso-border-alt:solid windowtext .5pt;
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-border-insideh:.5pt solid windowtext;
mso-border-insidev:.5pt solid windowtext;
mso-para-margin:0in;
mso-pagination:widow-orphan;
font-size:12.0pt;
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kering:1.0pt;
mso-ligatures:standardcontextual;}

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Name="List Paragraph" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerning:1.0pt;
mso-ligatures:standardcontextual;}
table.MsoTableGrid
{mso-style-name:"Table Grid";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-priority:39;
mso-style-unhide:no;
border:solid windowtext 1.0pt;
mso-border-alt:solid windowtext .5pt;
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-border-insideh:.5pt solid windowtext;
mso-border-insidev:.5pt solid windowtext;
mso-para-margin:0in;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerning:1.0pt;
mso-ligatures:standardcontextual;}

Flow – GPM

5.5

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Flow ‐ L/min

21

RPM

1450

PSI

3000

Bar

200

Power Req.

11 EBHP

Seal Kit

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

Udor USA BC 21/20 T MI Direct Drive, Hydraulic Flange Model, 3/4" Hollow Shaft with Hydraulic Motor Mounting Flange 5.5 GPM/3000 PSI/1450 RPM

6061.28 (Kit 28)

Valve Kit

6061.02 (Kit 2)

Weight

21 lbs.

Dimensions

Product Page

Manual

Availability: This product was added to our catalog on Friday 18 July, 2025