


Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM



Model Number: NK-C 130/130 R MI
Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM
Manufacturer: Udor USA

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Steambrite Supply

Name="Subtle Emphasis" />
Name="Intense Emphasis" />
Name="Subtle Reference" />
Name="Intense Reference" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerning:1.0pt;
mso-ligatures:standardcontextual;}

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

**Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM**

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerning:1.0pt;
mso-ligatures:standardcontextual;}

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Subtle Emphasis" />
Name="Intense Emphasis" />
Name="Subtle Reference" />
Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />
UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />
Name="Grid Table 7 Colorful Accent 1" />
Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kering:1.0pt;
mso-ligatures:standardcontextual;}

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Columns 1" />
Name="Table Columns 2" />
Name="Table Columns 3" />
Name="Table Columns 4" />
Name="Table Columns 5" />
Name="Table Grid 1" />
Name="Table Grid 2" />
Name="Table Grid 3" />
Name="Table Grid 4" />
Name="Table Grid 5" />
Name="Table Grid 6" />
Name="Table Grid 7" />
Name="Table Grid 8" />
Name="Table List 1" />
Name="Table List 2" />
Name="Table List 3" />
Name="Table List 4" />
Name="Table List 5" />
Name="Table List 6" />
Name="Table List 7" />
Name="Table List 8" />
Name="Table 3D effects 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerning:1.0pt;
mso-ligatures:standardcontextual;}

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Subtle Emphasis" />
Name="Intense Emphasis" />
Name="Subtle Reference" />
Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />
UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />
Name="Grid Table 7 Colorful Accent 1" />
Name="Grid Table 1 Light Accent 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

/* Style Definitions */

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

```
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kering:1.0pt;
mso-ligatures:standardcontextual;}
```

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

**Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM**

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Subtle Emphasis" />
Name="Intense Emphasis" />
Name="Subtle Reference" />
Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />
UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kering:1.0pt;
mso-ligatures:standardcontextual;}
```

Normal
0

false
false
false

EN-US

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

X-NONE
X-NONE

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

```
UnhideWhenUsed="true" Name="Bibliography" />
```

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerining:1.0pt;
mso-ligatures:standardcontextual;}
```

Normal
0

false
false

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

false

EN-US
X-NONE
X-NONE

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kering:1.0pt;
mso-ligatures:standardcontextual;}
```

Normal
0

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

false
false
false

EN-US
X-NONE
X-NONE

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

**Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM**

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kering:1.0pt;
mso-ligatures:standardcontextual;}
```

Normal
0

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

false
false
false

EN-US
X-NONE
X-NONE

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kering:1.0pt;
mso-ligatures:standardcontextual;}
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Theme" />

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerning:1.0pt;
mso-ligatures:standardcontextual;}
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerning:1.0pt;
mso-ligatures:standardcontextual;}
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

mso-hansi-theme-font:minor-latin;
mso-font-kering:1.0pt;
mso-ligatures:standardcontextual;}

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerining:1.0pt;
mso-ligatures:standardcontextual;}

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Steambrite Supply

Name="Subtle Emphasis" />
Name="Intense Emphasis" />
Name="Subtle Reference" />
Name="Intense Reference" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerning:1.0pt;
mso-ligatures:standardcontextual;}

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Description

NKC Series super duty plunger pumps include a wide range of models with flow rates from 12.5 to 37.8 GPM and pressures up to 5075 PSI.

Other drive options include 30mm solid shaft or gas engine gear reduction

Applications include general pressure cleaning, construction, hydro-excavation, UHP firefighting, mining and street cleaning.

Features

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Subtle Emphasis" />
Name="Intense Emphasis" />
Name="Subtle Reference" />
Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />
UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kering:1.0pt;
mso-ligatures:standardcontextual;}
```

Normal
0

false
false
false

EN-US
X-NONE

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

X-NONE

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerining:1.0pt;
mso-ligatures:standardcontextual;}
```

Normal
0

false
false
false

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

EN-US
X-NONE
X-NONE

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kering:1.0pt;
mso-ligatures:standardcontextual;}
```

- Brass Manifold
- Solid Ceramic Plungers
- Stainless Steel Plunger Guides and Check Valves
- Bronze Connecting Rods
- Heavy Duty Flat Base High Pressure Seals
- 57.6 oz. Capacity Vented Oil Bath Crank Case
- Max Fluid Temp, 160°F

Specifications

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerling:1.0pt;
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

```
mso-ligatures:standardcontextual;}
table.MsoTableGrid
{mso-style-name:"Table Grid";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-priority:39;
mso-style-unhide:no;
border:solid windowtext 1.0pt;
mso-border-alt:solid windowtext .5pt;
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-border-insideh:.5pt solid windowtext;
mso-border-insidev:.5pt solid windowtext;
mso-para-margin:0in;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kering:1.0pt;
mso-ligatures:standardcontextual;}
```

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

**Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM**

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kering:1.0pt;
mso-ligatures:standardcontextual;}
table.MsoTableGrid
{mso-style-name:"Table Grid";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-priority:39;
mso-style-unhide:no;
border:solid windowtext 1.0pt;
mso-border-alt:solid windowtext .5pt;
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-border-insideh:.5pt solid windowtext;
mso-border-insidev:.5pt solid windowtext;
mso-para-margin:0in;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

mso-hansi-theme-font:minor-latin;
mso-font-kering:1.0pt;
mso-ligatures:standardcontextual;}

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerining:1.0pt;
mso-ligatures:standardcontextual;}
table.MsoTableGrid
{mso-style-name:"Table Grid";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-priority:39;
mso-style-unhide:no;
border:solid windowtext 1.0pt;
mso-border-alt:solid windowtext .5pt;
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-border-insideh:.5pt solid windowtext;
mso-border-insidev:.5pt solid windowtext;
mso-para-margin:0in;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerining:1.0pt;
mso-ligatures:standardcontextual;}

Normal
0

false
false
false

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

EN-US
X-NONE
X-NONE

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

**Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM**

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kering:1.0pt;
mso-ligatures:standardcontextual;}
table.MsoTableGrid
{mso-style-name:"Table Grid";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-priority:39;
mso-style-unhide:no;
border:solid windowtext 1.0pt;
mso-border-alt:solid windowtext .5pt;
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-border-insideh:.5pt solid windowtext;
mso-border-insidev:.5pt solid windowtext;
mso-para-margin:0in;
mso-pagination:widow-orphan;
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kering:1.0pt;
mso-ligatures:standardcontextual;}

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Professional" />
Name="Table Subtle 1" />
Name="Table Subtle 2" />
Name="Table Web 1" />
Name="Table Web 2" />
Name="Table Web 3" />
Name="Balloon Text" />
Name="Table Theme" />

Name="List Paragraph" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Name="Intense Quote" />

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerning:1.0pt;
mso-ligatures:standardcontextual;}
table.MsoTableGrid
{mso-style-name:"Table Grid";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-priority:39;
mso-style-unhide:no;
border:solid windowtext 1.0pt;
mso-border-alt:solid windowtext .5pt;
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-border-insideh:.5pt solid windowtext;
mso-border-insidev:.5pt solid windowtext;
mso-para-margin:0in;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerning:1.0pt;
mso-ligatures:standardcontextual;}

Normal
0

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

false
false
false

EN-US
X-NONE
X-NONE

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerning:1.0pt;
mso-ligatures:standardcontextual;}
table.MsoTableGrid
{mso-style-name:"Table Grid";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-priority:39;
mso-style-unhide:no;
border:solid windowtext 1.0pt;
mso-border-alt:solid windowtext .5pt;
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-border-insideh:.5pt solid windowtext;
mso-border-insidev:.5pt solid windowtext;
mso-para-margin:0in;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kering:1.0pt;
mso-ligatures:standardcontextual;}

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

**Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM**

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

```
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kering:1.0pt;
mso-ligatures:standardcontextual;}
table.MsoTableGrid
{mso-style-name:"Table Grid";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-priority:39;
mso-style-unhide:no;
border:solid windowtext 1.0pt;
mso-border-alt:solid windowtext .5pt;
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-border-insideh:.5pt solid windowtext;
mso-border-insidev:.5pt solid windowtext;
mso-para-margin:0in;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kering:1.0pt;
mso-ligatures:standardcontextual;}
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Theme" />

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerning:1.0pt;
mso-ligatures:standardcontextual;}
table.MsoTableGrid
{mso-style-name:"Table Grid";
mso-tstyle-rowband-size:0;
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

mso-tstyle-colband-size:0;
mso-style-priority:39;
mso-style-unhide:no;
border:solid windowtext 1.0pt;
mso-border-alt:solid windowtext .5pt;
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-border-insideh:.5pt solid windowtext;
mso-border-insidev:.5pt solid windowtext;
mso-para-margin:0in;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerning:1.0pt;
mso-ligatures:standardcontextual;}

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Subtle Emphasis" />
Name="Intense Emphasis" />
Name="Subtle Reference" />
Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />
UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />
Name="Grid Table 7 Colorful Accent 1" />
Name="Grid Table 1 Light Accent 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

/* Style Definitions */
table.MsoNormalTable

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

```
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerning:1.0pt;
mso-ligatures:standardcontextual;}
table.MsoTableGrid
{mso-style-name:"Table Grid";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-priority:39;
mso-style-unhide:no;
border:solid windowtext 1.0pt;
mso-border-alt:solid windowtext .5pt;
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-border-insideh:.5pt solid windowtext;
mso-border-insidev:.5pt solid windowtext;
mso-para-margin:0in;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerning:1.0pt;
mso-ligatures:standardcontextual;}
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Web 2" />
Name="Table Web 3" />
Name="Balloon Text" />
Name="Table Theme" />

Name="List Paragraph" />
Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

mso-font-kering:1.0pt;
mso-ligatures:standardcontextual;}
table.MsoTableGrid
{mso-style-name:"Table Grid";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-priority:39;
mso-style-unhide:no;
border:solid windowtext 1.0pt;
mso-border-alt:solid windowtext .5pt;
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-border-insideh:.5pt solid windowtext;
mso-border-insidev:.5pt solid windowtext;
mso-para-margin:0in;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kering:1.0pt;
mso-ligatures:standardcontextual;}

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Subtle Emphasis" />
Name="Intense Emphasis" />
Name="Subtle Reference" />
Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />
UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerining:1.0pt;
mso-ligatures:standardcontextual;}
table.MsoTableGrid
{mso-style-name:"Table Grid";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-priority:39;
mso-style-unhide:no;
border:solid windowtext 1.0pt;
mso-border-alt:solid windowtext .5pt;
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-border-insideh:.5pt solid windowtext;
mso-border-insidev:.5pt solid windowtext;
mso-para-margin:0in;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerning:1.0pt;
mso-ligatures:standardcontextual;}

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" Name="Bibliography" />
UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerining:1.0pt;
mso-ligatures:standardcontextual;}
table.MsoTableGrid
{mso-style-name:"Table Grid";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-priority:39;
mso-style-unhide:no;
border:solid windowtext 1.0pt;
mso-border-alt:solid windowtext .5pt;
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-border-insideh:.5pt solid windowtext;
mso-border-insidev:.5pt solid windowtext;
mso-para-margin:0in;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerining:1.0pt;
mso-ligatures:standardcontextual;}

Normal
0

false
false

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

false

EN-US
X-NONE
X-NONE

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />
UnhideWhenUsed="true" QFormat="true" Name="heading 3" />
UnhideWhenUsed="true" QFormat="true" Name="heading 4" />
UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kering:1.0pt;
mso-ligatures:standardcontextual;}
table.MsoTableGrid
{mso-style-name:"Table Grid";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-priority:39;
mso-style-unhide:no;
border:solid windowtext 1.0pt;
mso-border-alt:solid windowtext .5pt;
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-border-insideh:.5pt solid windowtext;
mso-border-insidev:.5pt solid windowtext;
mso-para-margin:0in;
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerning:1.0pt;
mso-ligatures:standardcontextual;}

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Name="List Paragraph" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerning:1.0pt;
mso-ligatures:standardcontextual;}
table.MsoTableGrid
{mso-style-name:"Table Grid";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-priority:39;
mso-style-unhide:no;
border:solid windowtext 1.0pt;
mso-border-alt:solid windowtext .5pt;
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-border-insideh:.5pt solid windowtext;
mso-border-insidev:.5pt solid windowtext;
mso-para-margin:0in;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerning:1.0pt;
mso-ligatures:standardcontextual;}

Normal
0

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

false
false
false

EN-US
X-NONE
X-NONE

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerning:1.0pt;
mso-ligatures:standardcontextual;}
table.MsoTableGrid
{mso-style-name:"Table Grid";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-priority:39;
mso-style-unhide:no;
border:solid windowtext 1.0pt;
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

mso-border-alt:solid windowtext .5pt;
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-border-insideh:.5pt solid windowtext;
mso-border-insidev:.5pt solid windowtext;
mso-para-margin:0in;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerning:1.0pt;
mso-ligatures:standardcontextual;}

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

**Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM**

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
```


Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

```
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kering:1.0pt;
mso-ligatures:standardcontextual;}
table.MsoTableGrid
{mso-style-name:"Table Grid";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-priority:39;
mso-style-unhide:no;
border:solid windowtext 1.0pt;
mso-border-alt:solid windowtext .5pt;
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-border-insideh:.5pt solid windowtext;
mso-border-insidev:.5pt solid windowtext;
mso-para-margin:0in;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kering:1.0pt;
mso-ligatures:standardcontextual;}
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Balloon Text" />

Name="Table Theme" />

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T,
16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3
GPM/1885 PSI/1450 RPM

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerning:1.0pt;
mso-ligatures:standardcontextual;}
table.MsoTableGrid
{mso-style-name:"Table Grid";
```


Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-priority:39;
mso-style-unhide:no;
border:solid windowtext 1.0pt;
mso-border-alt:solid windowtext .5pt;
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-border-insideh:.5pt solid windowtext;
mso-border-insidev:.5pt solid windowtext;
mso-para-margin:0in;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerning:1.0pt;
mso-ligatures:standardcontextual;}

Flow – GPM

33.3

Flow – L/min

126.2

RPM

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

1450

PSI

1885

Bar

130

Power Req.

42.0 EBHP

Seal Kit

6061.Q1 (Kit 202)

Valve Kit

6061.S7 (Kit 226)

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Udor USA NK-C 130/130 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 33.3 GPM/1885 PSI/1450 RPM

Weight

67 lbs.

Dimensions

[Product Page](#)

[Manual](#)

Availability: This product was added to our catalog on Wednesday 06 August, 2025