


Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM



Model Number: NK-D 15.0/44 R MI
Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM
Manufacturer: Udor USA

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Steambrite Supply

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerning:1.0pt;
mso-ligatures:standardcontextual;}

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Steambrite Supply

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="Subtle Reference" />
Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />
UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />
Name="Grid Table 7 Colorful Accent 1" />
Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />
Name="Grid Table 7 Colorful Accent 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kering:1.0pt;
mso-ligatures:standardcontextual;}

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Description

NKD Series super duty plunger pumps include a wide range of models with flow rates from 14.9 to 26.4 GPM and pressures up to 4350 PSI.

Other drive options include 30mm solid shaft or gas engine gear reduction.

Applications include general pressure cleaning, construction, hydro-excavation UHP firefighting, mining and street cleaning.

Features

- Brass Manifold
- Solid Ceramic Plungers
- Stainless Steel Plunger Guides and Check Valves
- Bronze Connecting Rods
- Heavy Duty Flat Base High Pressure Seals
- 57.6 oz. Capacity Vented Oil Bath Crank Case
- Max Fluid Temp, 160°F

Specifications

Normal
0

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

false
false
false

EN-US
X-NONE
X-NONE

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerning:1.0pt;
mso-ligatures:standardcontextual;}
table.MsoTableGrid
{mso-style-name:"Table Grid";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-priority:39;
mso-style-unhide:no;
border:solid windowtext 1.0pt;
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

mso-border-alt:solid windowtext .5pt;
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-border-insideh:.5pt solid windowtext;
mso-border-insidev:.5pt solid windowtext;
mso-para-margin:0in;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kering:1.0pt;
mso-ligatures:standardcontextual;}

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="List Paragraph" />

Name="Intense Quote" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

```
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kering:1.0pt;
mso-ligatures:standardcontextual;}
table.MsoTableGrid
{mso-style-name:"Table Grid";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-priority:39;
mso-style-unhide:no;
border:solid windowtext 1.0pt;
mso-border-alt:solid windowtext .5pt;
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-border-insideh:.5pt solid windowtext;
mso-border-insidev:.5pt solid windowtext;
mso-para-margin:0in;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kering:1.0pt;
mso-ligatures:standardcontextual;}
```

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Flow – GPM

14.9

Flow – L/min

56.6

RPM

1750

PSI

5075

Bar

350

Power Req.

Parts & Accessories > Pumps (Water Pumps) > Udor USA > Plunger Pumps > Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

Udor USA NK-D 15.0/44 R MI Hydraulic Drive Model 13T, 16/32 DP Splined Hollow Shaft. SAE J744B Flange 14.9 GPM/5075 PSI/1750 RPM

43.5 EBHP

Seal Kit

6061.10 (Kit 10)

Valve Kit

6061.J1 (Kit 281)

Weight

67 lbs.

Dimensions

Product Page

Manual

Availability: This product was added to our catalog on Wednesday 06 August, 2025