

>



Model Number: 535694508

Husqvarna 535694508, Elite-Drill D10TW, 3.5 in (89 mm), 10CT, Gold, 535 69 45-08, Freight Included, GTIN 805544224741

Manufacturer: Husqvarna Equipment

Husqvarna 535694508, Elite-Drill D10TW, 3.5 in (89 mm), 10CT, Gold, 535 69 45-08, Freight Included, GTIN 805544224741

Description

Applications: For use with the DM 540i battery drill motor. Lightly reinforced concrete and occasionally building bricks

Part of our Gold series, ELITE-DRILL D10 TW is the primary choice for the DM 540i drill motor, designed to cut at high speed without requiring too much load while providing optimal utilisation of the DM 540i's battery power. Suitable for handheld wet operation on lightly reinforced concrete and occasionally building bricks. Connector 12mm, available in diameters 10-100 mm.

Features

- Developed for smooth and fast cutting in various types of concrete, including lightly reinforced concrete. The thin-walled segments and the optimised diamond and bond specification facilitates handheld drilling operation, relieving you from having to press too hard while achieving faster results.
- The roof-top design of the segment helps centre the drill when applied. This ensures fast, consistent drilling speed from when the drill bit is new until it reaches the end of its product life.
- Together with the DM 540i and this drill bit you can get up to 20% longer coring length on one battery charge and 25% faster drilling speed. According to internal tests conducted vs closest competitor in similar battery core drilling application in reinforced concrete.
- Available in a wide range of diameters and lengths.

Specification

Product data

Performance level

Gold

>

Number of segments

9

Assembly

Laser welded

Drill connection

1 1/4"-7

Coolant

Wet

Power range, max hp

2.7 hp

Power range, min hp

2 hp

>

Dimensions

Diameter inch

3.5 in

Core length inch

12 in

Segment length inch

0.945 in

Segment width inch

0.098 in

Segment height inch

0.43 in

>

Packaging length (Calc)

18.74 in

Packaging width (Calc)

4.606 in

Packaging height (Calc)

4.488 in

Article gross weight (Calc)

5.375 lbs

Products Using This

Husqvarna 966563503, DMS 220 Electric Corded Core Drill Motor,
120V 2.5Hp, Freight Included, GTIN 805544788175

>

Husqvarna 968411301, Core Drill Motor, DM230 110V, GTIN
805544478052

Husqvarna 970493706, Drill Motor Dm 540i Bundles, QC500 Quick
Charger, 40V Plus 2 BLi300 Batteries, GTIN 805544589802

Husqvarna 970445703, Core Drill Motor, DM200 2.68Hp 11.5Lbs Max
Bit 4IN 970 44 57â€³03, Freight Included, 805544480062

Availability: This product was added to our catalog on Saturday 16 August, 2025