

>



Model Number: 970691101

Husqvarna 970691101, Blastrac 1-10DS, Shot Blaster for Surface Preparation, 480/277 V or 240 V, 60 Hz, 15.8 hp, 970 69 11-01, GTIN 805544297387

Manufacturer: Husqvarna Equipment

Husqvarna 970691101, Blastrac 1-10DS, Shot Blaster for Surface Preparation, 480/277 V or 240 V, 60 Hz, 15.8 hp, 970 69 11-01, GTIN 805544297387
Video

Description

The Blastrac 1-10DS walk-behind shot blasting machine offers a high level of versatility making it optimal for medium to large sized surface preparation applications. It is ideal for cleaning and preparing surfaces such as concrete and asphalt before the application of a new coating. It can also be used to prepare steel surfaces. The Blastrac 1-10DS is equipped with a powerful 11 kW blasting motor and separate drive motor for optimal manoeuvrability. The drive motor for self-propelled operation helps maintain speed on ramps and inclines. The Blastrac 1-10DS is equipped with its own height adjusting system for easy transportation.

Features

- The shot blasting machine has to be connected to a Husqvarna industrial dust collector to create a closed circuit. This means that you are able to work virtually dust free, creating a better work environment.
- This machine is equipped with a driver motor for ease of use. It also improves productivity and promotes a more even and consistent blast pattern and surface profile.
- The shot blasting machine is equipped with a dust hose holder making operation more efficient while blasting.
- This self-propelled shot blasting machine features drive controls on the steering handle.
- Reusing the abrasives makes this a resource-smart solution. Also no water is used and wasted and no chemicals are used during the blasting process.
- Longer lifetime on the blast housing due to pressed liner system.

Specification

Motor

>

Output power

15.8 hp

Voltage

480/277V or 240 V

Frequency

60 Hz

Rated current

19 or 38 A

Phases

3 ph

Power source

Corded

>

Product data

Working width

10 in

Dust hose connection

5 in

Steel shot consumption

75 g/m²;

Transmission

Type of operation

Pull

>

Dimensions

Product size length

75 in

Product size width

17 in

Product size height

41 in

Weight

717 lbs

Packaging length (Calc)

69.685 in

Packaging width (Calc)

>

36.22 in

Packaging height (Calc)

48.819 in

Article gross weight (Calc)

954.602 lbs

Documentation
Manual
Parts List
Optional

Clean Storm 20240510 HEPA Concrete Grinder Dust Slurry Collector
3Motor Wet Dry Shop Vac 335CFM Cyclonic PreSeparator Vacuum

Clean Storm 20230111, HEPA Concrete Grinder Dust Slurry Collector,
3Motor (Triple) Shop Vac, Wet Dry 335CFM 5Filters

>

Availability: This product was added to our catalog on Saturday 13 September, 2025