Husqvarna 970692201, Blastrac 2-30DS, Shot Blaster for Surface Preparation, 480/277 V or 240 V, 60 Hz, 3 ph, 41.7 hp, 970 69 22-01, GTIN 805544297493



Model Number: 970692201

Husqvarna 970692201, Blastrac 2-30DS, Shot Blaster for Surface Preparation, 480/277 V or 240 V, 60 Hz, 3 ph, 41.7 hp, 970 69 22-01, GTIN 805544297493

Manufacturer: Husqvarna Equipment

Husqvarna 970692201, Blastrac 2-30DS, Shot Blaster for Surface Preparation, 480/277 V or 240 V, 60 Hz, 3 ph, 41.7 hp, 970 69 22-01, GTIN 805544297493
Video

Description
The Blastrac 2-30DS walk-behind shot blasting machine is designed for the big jobs that require high productivity. Equipped with a drive motor that helps maintain speed on ramps and inclines makes it ideal for parking decks. The Blastrac 2-30DS is equipped with its own height adjusting system for easy transportation. It's also ideal for industrial plant and warehouse floors, parking garages, ship decks, highway or bridge work, airport runways and other large jobs. A high-speed travel switch on the Blastrac 2-30DS helps ensure uniform surface preparation by allowing for quick repositioning after each pass, without resetting the travel speed.
Features

• The shot blasting machine has to be connected to a Husqvarna industrial dust collector to create a closed circut. This means that you are able to work virtually dust free, creating a better work environment.

• This machine is equipped with a driver motor for ease of use. It also improves productivity and promotes a more even and consistent blast pattern and surface profile.

• With its two powerful blast motors, it creates a consistent blast pattern and surface profile, whilst still being able to fit through a standard door entrance.

• This self-propelled shot blasting machine features drive controls on the steering handle.

• Reusing the abrasives makes this a resource-smart solution. Also no water is used and wasted and no chemicals are used during the blasting process.

Specification

Motor

Husqvarna 970692201, Blastrac 2-30DS, Shot Blaster for Surface Preparation, 480/277 V or 240 V, 60 Hz, 3 ph, 41.7 hp, 970 69 22-01, GTIN 805544297493

Output power

41.7 hp

Voltage

480/277 V

Frequency

60 Hz

Rated current

62 A

Phases

3 ph

Steambrite Supply

Husqvarna 970692201, Blastrac 2-30DS, Shot Blaster for Surface Preparation, 480/277 V or 240 V, 60 Hz, 3 ph, 41.7 hp, 970 69 22-01, GTIN 805544297493

Power source

Corded

Product data

Working width

31 in

Dust hose connection

6 in

Transmission

Type of operation

Steambrite Supply

Husqvarna 970692201, Blastrac 2-30DS, Shot Blaster for Surface Preparation, 480/277 V or 240 V, 60 Hz, 3 ph, 41.7 hp, 970 69 22-01, GTIN 805544297493

Pull

Dimensions

Product size length

73 in

Product size width

39 in

Product size height

45 in

Weight

1,610 lbs

Steambrite Supply

Husqvarna 970692201, Blastrac 2-30DS, Shot Blaster for Surface Preparation, 480/277 V or 240 V, 60 Hz, 3 ph, 41.7 hp, 970 69 22-01, GTIN 805544297493

Packaging length (Calc)

72.047 in

Packaging width (Calc)

40.157 in

Article gross weight (Calc)

1,543.236 lbs

Documentation
Manual
Parts List
Optional

Clean Storm 20240510 HEPA Concrete Grinder Dust Slurry Collector 3Motor Wet Dry Shop Vac 335CFM Cyclonic PreSeparator Vacuum

Steambrite Supply

Construction Equipment > Shot Blasters > Husqvarna 970692201, Blastrac 2-30DS, Shot Blaster for Surface Preparation, 480/277 V or 240 V, 60 Hz, 3 ph, 41.7 hp, 970 69 22-01, GTIN 805544297493

Husqvarna 970692201, Blastrac 2-30DS, Shot Blaster for Surface Preparation, 480/277 V or 240 V, 60 Hz, 3 ph, 41.7 hp, 970 69 22-01, GTIN 805544297493

Clean Storm 20230111, HEPA Concrete Grinder Dust Slurry Collector, 3Motor (Triple) Shop Vac, Wet Dry 335CFM 5Filters

Availability: This product was added to our catalog on Sunday 14 September, 2025

Steambrite Supply