

>



Model Number: 56108141

Nilfisk Advance 56108141 SC8000 48 LPG EcoFlex PKG Industrial Rider Floor Scrubber with Air Mover and Freight Included

Manufacturer: Nilfisk Advance

Nilfisk Advance 56108141 SC8000 48 LPG EcoFlex PKG Industrial Rider Floor Scrubber with Air Mover and Freight Included
Description

The Nilfisk SC8000 industrial rider scrubber can clean up 100,000 square feet per tankful, making it one of the most productive solutions available for large, heavy-duty environments. Available in three configurations (48" base model, 60" right side scrub, and 62" dual side broom), these scrubbers feature a durable Kubota industrial engine and our patented EcoFlex™ green cleaning system.

Key Benefits and Features

Improves cleaning results

- Three configurations available to match your cleaning needs
- Removes both wet and dry debris in a single pass
- 100-gallon solution and recovery tanks support cleaning up to 100,000 ft² on a single tank
- Dual side brooms deliver true edge cleaning

Simplifies operation, service, and maintenance

- User-friendly design and OneTouch™ control panel allow operators with minimal training to clean large areas efficiently
- MaxAccess™ provides tool-less access to all major

Promotes health and safety

- DustGuard™ suppresses fugitive dust
- ClearView™ design provides excellent sightlines

Supports green cleaning initiatives

- EcoFlex™ reduces resource usage by adjusting water and chemical use based on the needs of the job
- Extended scrub option maximizes run time while minimizing water use

Specifications

- Model No 56108141
-

>

Scrub deck – cylindrical 48 in (122 cm) dual cylindrical

- Cleaning path 48 in (122 cm)
- Brush pressure Variable up to 400 lb (181 kg)
- Brush speed (RPM) 470 RPM
- Solution tank (L) 100 gal (378 L)
- Recovery tank (L) Tip Out / Lift Off 100 gal (378 L)
- Debris hopper capacity ft³; (l) 1.5 cu ft (42 L)
- Max. productivity (per hour) @ 3.5 mph 73,900 sq ft/hr (6,900 sq m/hr)
- Gradeability transport % (DEG) 9° / 16%
- Max. transport speed mph (km/h) 8 mph (12.9 km/hr) forward / 3 mph (4.8 km/hr) reverse
- Length (CM) 100 in (254 cm)
- Width (CM) 59 in (150 cm) frame & squeegee / 66 in (168 cm) with right side scrub
- Weight lbs (kg) 3,300 lb (1,497 kg) dry; 4,200 lb (1,905 kg) gross vehicle weight – Maximum machine only (no options)
- National Recognized Test Lab Certification ETL
- Side scrub/sweep –
- Detergent Dispensing System Available

>

- Extended Scrub System Available
- Min. aisle turn (cm) 119 in (302 cm) both directions
- Engine ‐ LP 55 hp 1.6 L Kubota
- Engine ‐ Diesel 37.5 hp Kubota, meets U.S. EPA std. ‐ 40 CFR 1039.625 and CARB ‐ 13 CCR 2423(d)
- Height with overhead guard 84 in (213 cm); 58 in (147 cm) w/o overhead guard
- Gradeability ‐ Cleaning 7° / 12%
- Max. productivity @ 3.5 mph 73,900 sq ft/hr (6,900 sq m/hr)
- No tools required for attachment change Included
- Break away Squeegee Included
- Tip out recovery tank Included
- Lift-off recovery tank Included
- Ergonomic Cockpit Included
- Tools-free removable squeegee Included
- DustGuard®; Dust-control System Included
- MaxAccess®; Included
- One touch control panel Included
-

>

Clear-View™ Included

- Counter-rotating dual cylindrical scrub deck Included

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

>

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

>

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

>

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

>

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

>

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

>

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

>

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Name="List Paragraph" />

Name="Intense Quote" />

>

Steambrite Supply

>

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

>

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

>

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

>

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
```


>

mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kering:1.0pt;
mso-ligatures:standardcontextual;}

SC8000 Brochure
SC8000 Fact Sheet
SC8000 Operator Manual
SC8000 Use and Care
SC8000 Use and Care (Español)
SC8000

-FREE Air Mover of our choice of color, brand, size with purchase

Availability: This product was added to our catalog on Tuesday 28 October, 2025