

>



Model Number: 56108149

Nilfisk Advance 56108149 SC8000 62 LPG EcoFlex PKG Industrial Rider Floor Scrubber with Air Mover and Freight Included

Manufacturer: Nilfisk Advance

Nilfisk Advance 56108149 SC8000 62 LPG EcoFlex PKG Industrial Rider Floor Scrubber with Air Mover and Freight Included
Description

The Nilfisk SC8000 industrial rider scrubber can clean up 100,000 square feet per tankful, making it one of the most productive solutions available for large, heavy-duty environments. Available in three configurations (48" base model, 60" right side scrub, and 62" dual side broom), these scrubbers feature a durable Kubota industrial engine and our patented EcoFlex™ green cleaning system.

Key Benefits and Features

Improves cleaning results

- Three configurations available to match your cleaning needs
- Removes both wet and dry debris in a single pass
- 100-gallon solution and recovery tanks support cleaning up to 100,000 ft² on a single tank
- Dual side brooms deliver true edge cleaning

Simplifies operation, service, and maintenance

- User-friendly design and OneTouch™ control panel allow operators with minimal training to clean large areas efficiently
- MaxAccess™ provides tool-less access to all major

Promotes health and safety

- DustGuard™ suppresses fugitive dust
- ClearView™ design provides excellent sightlines

Supports green cleaning initiatives

- EcoFlex™ reduces resource usage by adjusting water and chemical use based on the needs of the job
- Extended scrub option maximizes run time while minimizing water use

Specifications

- Model No 56108149
-

>

Scrub deck – cylindrical 48 in (122 cm) dual cylindrical

- Cleaning path 62 in (157 cm)

- Brush pressure Variable up to 400 lb (181 kg)

- Brush speed (RPM) 470 RPM

- Solution tank (L) 100 gal (378 L)

- Recovery tank (L) Tip Out / Lift Off 100 gal (378 L)

- Debris hopper capacity ft³; (l) 1.5 cu ft (42 L)

- Max. productivity (per hour) @ 3.5 mph 95,500 sq ft/hr (8,900 sq m/hr)

- Gradeability transport % (DEG) 9° / 16%

- Max. transport speed mph (km/h) 8 mph (12.9 km/hr) forward / 3 mph (4.8 km/hr) reverse

- Length (CM) 100 in (254 cm)

- Width (CM) 59 in (150 cm) frame & squeegee / 66 in (168 cm) with right side scrub

- Weight lbs (kg) 3,300 lb (1,497 kg) dry; 4,200 lb (1,905 kg) gross vehicle weight – Maximum machine only (no options)

- National Recognized Test Lab Certification ETL

- Side scrub/sweep Dual side brooms with DustGuard®;

- Detergent Dispensing System Available

>

- Extended Scrub System Available
- Min. aisle turn (cm) 119 in (302 cm) both directions
- Engine ‐ LP 55 hp 1.6 L Kubota
- Engine ‐ Diesel 37.5 hp Kubota, meets U.S. EPA std. ‐ 40 CFR 1039.625 and CARB ‐ 13 CCR 2423(d)
- Height with overhead guard 84 in (213 cm); 58 in (147 cm) w/o overhead guard
- Gradeability ‐ Cleaning 7° / 12%
- Max. productivity @ 3.5 mph 95,500 sq ft/hr (8,900 sq m/hr)
- No tools required for attachment change Included
- Break away Squeegee Included
- Dual Side Broom Standard Included
- Tip out recovery tank Included
- Lift-off recovery tank Included
- Ergonomic Cockpit Included
- Tools-free removable squeegee Included
- DustGuard®; Dust-control System Included
- MaxAccess®; Included
-

>

One touch control panel Included

- Clear-View™; Included
- Counter-rotating dual cylindrical scrub deck Included

SC8000 Brochure
SC8000 Fact Sheet
SC8000 Operator Manual
SC8000 Use and Care
SC8000 Use and Care (Español)
SC8000

-FREE Air Mover of our choice of color, brand, size with purchase

Availability: This product was added to our catalog on Tuesday 28 October, 2025