KleenRite 39009 HeatRite 1 Plus In Line Heater For Carpet Cleaners 2250 watts of heat



Model Number: 39009

KleenRite 39009 HeatRite 1 Plus In Line Heater For Carpet Cleaners 2250 watts of heat

Manufacturer: KleenRite

*** Built to order, expect over 30 days to receive ***

HeatRite Plus by KleenRite
2250 watts of heat for carpet cleaning super cleaning!
Uses one power cord to opterate on either a 15 amp breaker or on a 20 amp breaker.

HeatRite Plus® - up to 2250 watts of heat, 25 lb. heat exchanger, single cord operation at 20/15 amps.
HeatRite Plus® Portable Heater

Technical Data

2250W 115VOLTS
15 AMPS MAIN CIRCUIT
20 AMPS AUX. HEATER
Water Temp. at Heater Outlet: 190 degrees
Extension Hose: 40 inches
Weight: 25 pounds
Max 500psi

Model No. 39009

The HeatRite Plus® external in-line heater hooks directly to any carpet extractor or truckmount solution line with a ¼ inch quick disconnect.

1) Fill the fresh water tank with the hottest tap water available. For maximum heat, tap water should be between 120-130 degrees. If hot tap water is not available, cold water can be used, but 3-4 minutes should be allowed for initial heat-up time.

2) Hook up short extension hose from heater to female connector on extractor.

3) Hook up the solution line to the other brass connector on the heater.

4) Plug the heater into a 110-volt wall outlet. If using both heaters, plug both cords into separate circuits (separate from the outlet that the extractor is plugged into.)

5) Turn the heater(s) power switch to the “ON” position and prime the pump

6) Allow 60-90 seconds for the heated tap water to reach maximum temperature.

Steambrite Supply

KleenRite 39009 HeatRite 1 Plus In Line Heater For Carpet Cleaners 2250 watts of heat

Always Made in the U.S.A.

Clean carpets with the added power of super hot water.

Warranty

The HeatRite Plus® In-Line Heater Unit provides additional heated power for cleaner carpets as well as faster drying times.

Warranty
1 year on parts
3 years on housing

Choose any of three models to suit your needs:

- HeatRite® - 1750 watts of heat, 6 lb. heat exchanger, single cord operation at 15 amps.
- HeatRite 1® - up to 2250 watts of heat, 11 lb. heat exchanger, single cord operation at 15 or 20 amps.
- HeatRite 2® - up to 3250 watts of heat, 11 lb. heat exchanger, single or dual cord operation at 15/15 amps.

NOTE: Only use a solution hose that can handle up to 3000 p.s.i. at 190 degrees. A lesser grade solution hose could burst, causing serious injury to the operator or damage to surroundings.
Optional

Steambrite Supply

Parts & Accessories > Heaters > Water Heaters High Pressure > KleenRite 39009 HeatRite 1 Plus In Line Heater For Carpet Cleaners 2250 watts of heat

KleenRite 39009 HeatRite 1 Plus In Line Heater For Carpet Cleaners 2250 watts of heat

Magnetic Clamp-On Water Softener Descaler for Truckmount & Portable Carpet Cleaning Machines 20260425

• Helps prevent scale buildup in pipes, coils, heaters, and carpet cleaning heat exchangers
• Reduces or eliminates routine monthly descaling in many applications
• Clamp-on installation — no cutting, plumbing, salt, chemicals, or cartridge replacement
• Maintenance-free design — no salt, resin, plastic pellets, filters, or media to flush
• Improves heat transfer efficiency by helping keep mineral buildup off heater surfaces
• May improve water flow / GPM by helping reduce mineral restriction over time
• Only 4 inches long for installation in tight areas on portable and truckmount equipment
• Longer Equipment lifespan

20110703dc

Availability: This product was added to our catalog on Sunday 03 July, 2011

Steambrite Supply