

>



Model Number: 546404325

Husqvarna 546404325, Elite-Grind Transitional, 50 Grit, 5IN (125 mm) 7/8IN, Grinding Diamond Wheel, GTIN 805544367288

Manufacturer: Husqvarna Equipment

Husqvarna 546404325, Elite-Grind Transitional, 50 Grit, 5IN (125 mm) 7/8IN, Grinding Diamond Wheel, GTIN 805544367288

Description

Part of our Gold series, the Elite-Grind™; Transition tool is recommended for use between metal and resin to reduce scratches and prepare the floor for the first phase of polishing. The aluminum body ensures a higher allowable RPM and fulfils Norm EN 13236 by withstanding speeds of up to 80 m/s without any deformation or breakage. The Turbo segment design provides an excellent balance between durability and grinding performance, featuring a highly stable design for extended use.

Features

- Compared with other polishing pads, these tools provide a higher gloss and clarity level in just one pass – saving time and reducing the cost per square meter while allowing you to achieve excellent results.
- Optimised for dry polishing concrete floors.
- Ideal for achieving the desired grinding or polishing result along the edges of concrete floors.
- This engineered system ensures an optimal balance between tool wear and grinding or polishing speed, helping you achieve the desired result in a minimal amount of time.
- A wide range of available grit sizes allows you to achieve a variety of results across different applications.
- Helps you reach the desired level of performance faster, saving valuable time.

Specification

Product data

Performance level

>

Gold

Connector

7/8"

Coolant

Dry

Grit size

50

Dimensions

Diameter inch

5 in

Packaging length (Calc)

>

9.567 in

Packaging width (Calc)

6.378 in

Packaging height (Calc)

1.654 in

Article gross weight (Calc)

1.157 lbs

\$225
<https://concretetoolsdirect.com/products/husqvarna-elite-grind-transition-transitional-cup-wheel?variant=50624378536218> -->

Availability: This product was added to our catalog on Friday 07 November, 2025