

>



Model Number: 4045300-01

Phoenix 4045300-01, DryMAX BLE Red, Roto Mold Dehumidifier, Red

Manufacturer: Phoenix

Phoenix 4045300-01, DryMAX BLE Red, Roto Mold Dehumidifier, Red

\*\*\*\*This listing for the Red model. For Blue, as pictured, see 4045300-02\*\*\*\*

#### Description

The smallest large category dehumidifier on the market. The Phoenix DryMAX BLE Dehumidifier is the perfect choice for restoration professionals who need a high-performing, rugged and portable dehumidifier that can fit in any space. This model is designed with quality and durability in mind, plus it features advanced features like our exclusive condensate pump. With its simple-to-use control panel, you have all the information you need on the control screen. Plus, download the DryLINK app to track performance and make adjustments on the go when paired with our DryPHONE.

#### Take Readings in Seconds

The Phoenix DryMax BLE is Bluetooth enabled, so you can use the DryLINK&reg; app to take readings in seconds.

#### Easy to Read Control Panel

No more scrolling through menus to find basic information about your drying jobs. This new control panel adds data logging and Bluetooth capabilities. It is easy to read and has everything you need right on the home screen.

#### See Your Status, Wherever You Are.

Confirm at a glance that your drying job is proceeding as planned with our status indicator light, or monitor your drying jobs remotely with a DryPHONE and the DryLINK app.

#### The Most Advanced Condensate Pump

The Phoenix DryMAX BLE includes a condensate pump with a three-year warranty.

#### Power Up Your Portable Drying Solution

The Phoenix DryMAX BLE pairs perfectly with our AirMAX BLE. Together these two innovative Phoenix products give you the smallest, easy-to-use, rugged, stackable, portable, drying solution on the market!

#### Features

- Small, stackable form factor for maximum portability
- Easy to transport at job sites, with a slide out handle and integrated wheels

>

- Easy service access
- Control panel
- Onboard cord and hose storage
- Three-year warranty on pump

Video

Specification

Product data

Part Numbers

4045300-01 (Red)

Current Draw

5.5 Amps

Voltage

120 VAC, Grounded

Water Removal

>

80 PPD at 80&deg;/60% RH (AHAM)

CFM

170 CFM Without External Ducting

Filter

Pleated 9&Prime; x 12&Prime; x 1&Prime; Media MERV 10

Ducting Options

10&Prime; Round Lay-Flat

Cord Length  
25 ft. Power Cord

Operating Range  
33&deg;F to 110&deg;F

Refrigerant Charge  
11oz., R454B

Shipping Dimensions

Packaging length (Calc)

>

16&Prime;

Packaging width (Calc)

19"

Packaging height (Calc)

25"

Article gross weight (Calc)

65lbs

Documentation  
Manual  
Spec Sheet  
Quick Start Guide

*Availability: This product was added to our catalog on Sunday 07 December, 2025*