

>



Model Number: 970509705

Husqvarna 970509705, Demolition Robot DXR 145, 18.5 kW, NA, P1, DC, Reach 174.1in, 24.8hp, GTIN 805544522809

Manufacturer: Husqvarna Equipment

Husqvarna 970509705, Demolition Robot DXR 145, 18.5 kW, NA, P1, DC, Reach 174.1in, 24.8hp, GTIN 805544522809

All Sales Final. Full Factory Parts Warranty, but not returnable.

Wire Transfer Payment Only.

#### Description

DXR 145 is our most compact remote-controlled demolition robot with a 360 degrees rotatable arm. With 18.5 kW power and low weight it is a powerful machine specially developed for demolition work in cramped spaces where the job requires a maneuverable and compact machine with high demand of demolition efficiency. Equipped with a superior remote control for safer operation and easy maneuverability. DXR 145 is a versatile demolition robot for the construction and process industry. Combine it with a variety of tools like breaker or our compact and versatile crushers and steel shearer. For DXR 145 we recommend our extended hydraulic function and cylinder protection package as additional feature. The package can be ordered as an accessory or installed directly from the factory.

#### Features

- Increased performance
- Safer operation
- Superior remote control
- Live operating surveillance
- Superb power-to-weight ratio
- Fits through all normal doorways
- Ergonomic shoulder hook
- 360 degrees rotatable arm
- Compact design and low weight
- Precise positioning
- Superior stability
- Stable arm with low maintenance
- Comfortable operation

>

- Flexible set-up of individual parameters
- High work efficiency
- Easy transportation
- Easy access for servicing
- Superb illumination
- Automatic greasing of the breaker
- Hydraulic feature P1 installed from factory

## Specification

### Motor

Rated input power

24.8 hp

Frequency

50/60 Hz

### Battery

>

Battery Chemistry

Li-Ion

Hydraulics

Oil capacity

946.8 fl oz

Hydraulic oil flow

14 gal/min

Hydraulic pressure, max

3,626 psi

Other

Factory option



Extended hydraulic function & cylinder protection

Telescopic arm

No

Range of wireless transmission

Up to 300 m

Signal transmission


Radio/cable

Radio

2.4 GHz

Dimensions

Reach (up)





174.1 in

Reach (forward)

145.67 in

Product size length

76 in

Product size width

30 in

Product size height


48 in

Weight

2,171.52 lbs

Packaging length (Calc)

90.551 in



>

Packaging width (Calc)

37.402 in

Packaging height (Calc)

59.055 in

Article gross weight (Calc)

2,427.29 lbs

[Documentation](#)  
[Quick Guides](#)

---

*Availability: This product was added to our catalog on Saturday 27 December, 2025*