

>



Model Number: 20260819

Mytee 8070 Lite IV Heated Detail Extractor 120 PSI, Upholstery Tool + 10" Carpet Wand Package 20260819 Freight Included

Manufacturer: Clean Storm

Mytee 8070 Lite IV Heated Detail Extractor Package

Complete Mytee 8070 automotive detailing and small-area carpet cleaning package. This bundle combines the heated Mytee 8070 Lite IV extractor with the standard upholstery/detail tool, 15-foot hose set, and an additional 10-inch collapsible stainless-steel carpet cleaning wand.

SteamBrite Package Part Number: 20260819

Machine: Mytee 8070 Lite IV Heated Detail Extractor

Pump: 120 PSI

Solution Tank: 4 Gallons

Recovery Tank: 4 Gallons

Heater: 1,000 Watts

Power: 120 Volt – 19 Amp Maximum Draw

Shipping: SHIPPING Included

What Is Included?

- Mytee 8070 Lite IV heated extractor
- 4-inch upholstery / automotive detailing tool
- 15-foot vacuum and solution hose set
- Mytee 8390-EZ carpet cleaning wand
- 10-inch wide stainless-steel wand head
- Single spray jet
- Telescoping / collapsible wand tube for easier storage and transportation
- Required carpet-cleaning style quick disconnect configuration

This package gives you both a hand upholstery tool and a full-size floor wand, allowing one compact extractor to handle automotive interiors, furniture, stairs, spot cleaning, apartments, bedrooms, offices, and other smaller carpeted areas.

Why Buy This Package Instead of the Standard Mytee 8070?

The standard Mytee 8070 is primarily supplied as an automotive detailing and upholstery extractor. It includes a 4-inch upholstery tool and 15-foot hose set.

This SteamBrite package adds a 10-inch collapsible carpet cleaning wand, making the machine much more versatile. You can use the upholstery tool for seats, furniture, vehicle interiors, stairs, and detailed cleaning, then connect the carpet wand when you need to clean larger carpeted areas.

Mytee 8070 Performance

- Vacuum Motor: Single 3-stage vacuum motor
- Airflow: 100 CFM
- Water Lift: 130 inches
- Pump: 120 PSI diaphragm demand pump
- Pump Flow: Approximately 1.3 GPM maximum

>

- Heater: 1,000-watt in-line heater
- Solution Tank: 4 gallons
- Recovery Tank: 4 gallons
- Power Cord: Single 25-foot 12/3 cord
- Maximum Electrical Draw: Approximately 19 amps at 110-120 volts
- Machine Weight: Approximately 45 lbs.

IMPORTANT – 20 Amp Electrical Circuit Recommended

The Mytee 8070 can draw approximately 19 amps when operating at full load. For normal operation with the heater, connect the machine to a properly wired 120-volt, 20-amp circuit.

Do not assume that an outlet is suitable simply because the plug fits. A 15-amp circuit may trip when operating the machine with the heater. The customer is responsible for confirming that the electrical circuit being used is adequate for the equipment.

Ideal for Automotive Detailing

The compact Mytee 8070 is especially popular with professional automotive detailers.

The heated solution helps break down grease, oils, food spills, body oils, and other soils commonly found in vehicle upholstery and carpeting.

Common applications include:

- Automobile seats
- Vehicle carpet
- Floor mats
- Truck and SUV interiors
- RV interiors
- Boat upholstery
- Furniture and upholstery
- Stairs
- Spot and stain cleaning
- Small residential and commercial carpeted areas

Mytee 8390-EZ Carpet Wand

The included Mytee 8390-EZ is a compact carpet wand designed to work well with smaller portable extractors and spotting machines.

- Cleaning Width: Approximately 10 inches
- Construction: Stainless steel
- Jets: Single jet
- Tube: 1.25-inch telescoping / collapsible tube
- Vacuum Hose Connection: Flared to approximately 1.5-inch outside diameter
- Design: Compact low-profile head

The collapsible design makes the wand easier to transport in cars, vans, mobile-detailing rigs, and locations where storage space is limited.

Important Pump Priming Information

The 8070 uses a diaphragm water pump designed to move liquid, not air. If the fresh-water tank is allowed to run completely dry, air may enter the pump and solution line.

After refilling the solution tank, the pump may need to be vacuum primed before it will begin spraying again. This is normal operation and does not indicate a defective

>

pump.

For priming instructions, search YouTube for: SteamBrite Prime Pump. Vacuum priming normally takes only a few seconds.

Always Flush Cleaning Chemicals After Use

Do not leave cleaning chemicals sitting inside the pump, heater, hoses, or solution system for extended periods.

When the job is complete, replace the cleaning solution with fresh water and run clean water through the system. Proper flushing helps reduce chemical buildup, corrosion, clogged jets, and premature wear to pump seals and other solution-system components.

Compact Professional Extractor

The Mytee 8070 provides many of the capabilities of a larger portable extractor while remaining compact enough for mobile detailing and smaller cleaning jobs.

With this SteamBrite package, you are not limited to upholstery cleaning. The included carpet wand allows the same machine to perform both detail-tool cleaning and traditional carpet wand extraction.

SHIPPING is included with this package.

Important: Specifications and package contents are subject to manufacturer changes.

Always verify that the available electrical circuit is adequate before operating heated extraction equipment.

Mytee 8070 Lite IV Portable Detailer Starter Package W/ Carpet Cleaning Wand, hand wand, Bundle 20260819

This Starter Package includes the Following: Bundle Includes:

Mytee Carpet Wand 10 inches 8390-EZ 8390EZ

Mytee 8070, 120psi 4gal 3stg Vac hose set detail tool, Lite IV
HEATED Auto Detail Upholstery Extractor, GTIN 814338023385

-

>

DefSemiHidden="true" DefQFormat="false" DefPriority="99"
LatentStyleCount="267">

UnhideWhenUsed="false" QFormat="true" Name="Normal" />

UnhideWhenUsed="false" QFormat="true" Name="heading 1" />

UnhideWhenUsed="false" QFormat="true" Name="Title" />

UnhideWhenUsed="false" QFormat="true" Name="Subtitle" />

UnhideWhenUsed="false" QFormat="true" Name="Strong" />

UnhideWhenUsed="false" QFormat="true" Name="Emphasis" />

UnhideWhenUsed="false" Name="Table Grid" />

>

UnhideWhenUsed="false" QFormat="true" Name="No Spacing" />

UnhideWhenUsed="false" Name="Light Shading" />

UnhideWhenUsed="false" Name="Light List" />

UnhideWhenUsed="false" Name="Light Grid" />

UnhideWhenUsed="false" Name="Medium Shading 1" />

UnhideWhenUsed="false" Name="Medium Shading 2" />

UnhideWhenUsed="false" Name="Medium List 1" />

UnhideWhenUsed="false" Name="Medium List 2" />

UnhideWhenUsed="false" Name="Medium Grid 1" />

UnhideWhenUsed="false" Name="Medium Grid 2" />

UnhideWhenUsed="false" Name="Medium Grid 3" />

UnhideWhenUsed="false" Name="Dark List" />

UnhideWhenUsed="false" Name="Colorful Shading" />

UnhideWhenUsed="false" Name="Colorful List" />

UnhideWhenUsed="false" Name="Colorful Grid" />

UnhideWhenUsed="false" Name="Light Shading Accent 1" />

UnhideWhenUsed="false" Name="Light List Accent 1" />

UnhideWhenUsed="false" Name="Light Grid Accent 1" />

UnhideWhenUsed="false" Name="Medium Shading 1 Accent 1" />

UnhideWhenUsed="false" Name="Medium Shading 2 Accent 1" />

UnhideWhenUsed="false" Name="Medium List 1 Accent 1" />

UnhideWhenUsed="false" QFormat="true" Name="List Paragraph" />

UnhideWhenUsed="false" QFormat="true" Name="Quote" />

UnhideWhenUsed="false" QFormat="true" Name="Intense Quote" />

>

UnhideWhenUsed="false" Name="Medium List 2 Accent 1" />
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 1" />
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 1" />
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 1" />
UnhideWhenUsed="false" Name="Dark List Accent 1" />
UnhideWhenUsed="false" Name="Colorful Shading Accent 1" />
UnhideWhenUsed="false" Name="Colorful List Accent 1" />
UnhideWhenUsed="false" Name="Colorful Grid Accent 1" />
UnhideWhenUsed="false" Name="Light Shading Accent 2" />
UnhideWhenUsed="false" Name="Light List Accent 2" />
UnhideWhenUsed="false" Name="Light Grid Accent 2" />
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 2" />
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 2" />
UnhideWhenUsed="false" Name="Medium List 1 Accent 2" />
UnhideWhenUsed="false" Name="Medium List 2 Accent 2" />
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 2" />
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 2" />
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 2" />
UnhideWhenUsed="false" Name="Dark List Accent 2" />
UnhideWhenUsed="false" Name="Colorful Shading Accent 2" />
UnhideWhenUsed="false" Name="Colorful List Accent 2" />
UnhideWhenUsed="false" Name="Colorful Grid Accent 2" />
UnhideWhenUsed="false" Name="Light Shading Accent 3" />
UnhideWhenUsed="false" Name="Light List Accent 3" />
UnhideWhenUsed="false" Name="Light Grid Accent 3" />

>

UnhideWhenUsed="false" Name="Medium Shading 1 Accent 3" />

UnhideWhenUsed="false" Name="Medium Shading 2 Accent 3" />

UnhideWhenUsed="false" Name="Medium List 1 Accent 3" />

UnhideWhenUsed="false" Name="Medium List 2 Accent 3" />

UnhideWhenUsed="false" Name="Medium Grid 1 Accent 3" />

UnhideWhenUsed="false" Name="Medium Grid 2 Accent 3" />

UnhideWhenUsed="false" Name="Medium Grid 3 Accent 3" />

UnhideWhenUsed="false" Name="Dark List Accent 3" />

UnhideWhenUsed="false" Name="Colorful Shading Accent 3" />

UnhideWhenUsed="false" Name="Colorful List Accent 3" />

UnhideWhenUsed="false" Name="Colorful Grid Accent 3" />

UnhideWhenUsed="false" Name="Light Shading Accent 4" />

UnhideWhenUsed="false" Name="Light List Accent 4" />

UnhideWhenUsed="false" Name="Light Grid Accent 4" />

UnhideWhenUsed="false" Name="Medium Shading 1 Accent 4" />

UnhideWhenUsed="false" Name="Medium Shading 2 Accent 4" />

UnhideWhenUsed="false" Name="Medium List 1 Accent 4" />

UnhideWhenUsed="false" Name="Medium List 2 Accent 4" />

UnhideWhenUsed="false" Name="Medium Grid 1 Accent 4" />

UnhideWhenUsed="false" Name="Medium Grid 2 Accent 4" />

UnhideWhenUsed="false" Name="Medium Grid 3 Accent 4" />

UnhideWhenUsed="false" Name="Dark List Accent 4" />

UnhideWhenUsed="false" Name="Colorful Shading Accent 4" />

UnhideWhenUsed="false" Name="Colorful List Accent 4" />

UnhideWhenUsed="false" Name="Colorful Grid Accent 4" />

>

UnhideWhenUsed="false" Name="Light Shading Accent 5" />
UnhideWhenUsed="false" Name="Light List Accent 5" />
UnhideWhenUsed="false" Name="Light Grid Accent 5" />
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 5" />
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 5" />
UnhideWhenUsed="false" Name="Medium List 1 Accent 5" />
UnhideWhenUsed="false" Name="Medium List 2 Accent 5" />
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 5" />
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 5" />
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 5" />
UnhideWhenUsed="false" Name="Dark List Accent 5" />
UnhideWhenUsed="false" Name="Colorful Shading Accent 5" />
UnhideWhenUsed="false" Name="Colorful List Accent 5" />
UnhideWhenUsed="false" Name="Colorful Grid Accent 5" />
UnhideWhenUsed="false" Name="Light Shading Accent 6" />
UnhideWhenUsed="false" Name="Light List Accent 6" />
UnhideWhenUsed="false" Name="Light Grid Accent 6" />
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 6" />
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 6" />
UnhideWhenUsed="false" Name="Medium List 1 Accent 6" />
UnhideWhenUsed="false" Name="Medium List 2 Accent 6" />
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 6" />
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 6" />
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 6" />
UnhideWhenUsed="false" Name="Dark List Accent 6" />

>

UnhideWhenUsed="false" Name="Colorful Shading Accent 6" />

UnhideWhenUsed="false" Name="Colorful List Accent 6" />

UnhideWhenUsed="false" Name="Colorful Grid Accent 6" />

UnhideWhenUsed="false" QFormat="true" Name="Subtle Emphasis" />

UnhideWhenUsed="false" QFormat="true" Name="Intense Emphasis" />

UnhideWhenUsed="false" QFormat="true" Name="Subtle Reference" />

UnhideWhenUsed="false" QFormat="true" Name="Intense Reference" />

UnhideWhenUsed="false" QFormat="true" Name="Book Title" />

/* Font Definitions */

@font-face

{font-family:"Cambria Math";

panose-1:2 4 5 3 5 4 6 3 2 4;

mso-font-charset:1;

mso-generic-font-family:roman;

mso-font-format:other;

mso-font-pitch:variable;

mso-font-signature:0 0 0 0 0 0;}

@font-face

{font-family:Calibri;

panose-1:2 15 5 2 2 2 4 3 2 4;

mso-font-charset:0;

mso-generic-font-family:swiss;

mso-font-pitch:variable;

mso-font-signature:-1610611985 1073750139 0 0 159 0;}

/* Style Definitions */

p.MsoNormal, li.MsoNormal, div.MsoNormal

{mso-style-unhide:no;

mso-style-qformat:yes;

mso-style-parent:"";

margin-top:0in;

margin-right:0in;

margin-bottom:10.0pt;

margin-left:0in;

line-height:115%;

mso-pagination:widow-orphan;

font-size:11.0pt;

font-family:"Calibri","sans-serif";

>

```
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-fareast-font-family:Calibri;
mso-fareast-theme-font:minor-latin;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;
mso-bidi-font-family:"Times New Roman";
mso-bidi-theme-font:minor-bidi;}
.MsoChpDefault
{mso-style-type:export-only;
mso-default-props:yes;
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-fareast-font-family:Calibri;
mso-fareast-theme-font:minor-latin;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;
mso-bidi-font-family:"Times New Roman";
mso-bidi-theme-font:minor-bidi;}
.MsoPapDefault
{mso-style-type:export-only;
margin-bottom:10.0pt;
line-height:115%;}
@page Section1
{size:8.5in 11.0in;
margin:1.0in 1.0in 1.0in 1.0in;
mso-header-margin:.5in;
mso-footer-margin:.5in;
mso-paper-source:0;}
div.Section1
{page:Section1;}
-->
```

Pa

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-qformat:yes;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:10.0pt;
mso-para-margin-left:0in;
```

>

line-height:115%;
mso-pagination:widow-orphan;
font-size:11.0pt;
font-family:"Calibri","sans-serif";
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-fareast-font-family:"Times New Roman";
mso-fareast-theme-font:minor-fareast;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;}

Mytee 8070 HEATED Auto Detail Upholstery Carpet Cleaning Extractor
Mytee Lite 4 (4th generation)

Warranty
5 year pro-rated.

Body
Roto-molded polyethylene

Tank
4 gallon

Vacuum
Single 3 stage

>

Factory Installed
Mytee C302P, 3 Stage Vacuum motor, Q6600-151T-MP 5.7 inch
Peripheral Discharge, Used On Mytee Lite 8070 120 volts or similar

CFM
100

H2O
130"

Pump
Diaphragm

PSI
120

Aquatec 120psi Water Pump 115v 1.3 gpm Mytee C305 For Carpet
Cleaning Machines 58-ELK-120
or similar

GPM
1.3

Heater
1000 W - 210 degree maximum

Wheels
6"

>

Locking Casters
2"

Power Cord
Single 25' 12/3

Tools
4" Plastic upholstery tool

4in Auto Detailer Tool - Stainless Head - 1.50in Pipe - 1 Jet
Or similar
Note Mytee also fills orders with plastic hand wands too (factory
choice).

Hose Package
15' vacuum and solution hose combo

Product Weight
45 lbs

Shipping Weight
70 lbs /Steam-Brite adds additional protective packaging inside and outside
the factory carton to help reduce the risk of shipping damage.

Product Dimensions
10" x 18" x 28 1/2"

Shipping Dimensions
23 1/4" x 15 1/2" x 36 1/2"

>

Brochure
User Manual 2014
User Manual prior to 2014
Parts List Jan. 2014 - Present
Parts Lists Aug. 2013 - Dec. 2013
Parts Lists Feb. 2013 - July 2013
Wiring Diagram 2014
Wiring Diagram prior to 2014

Mytee may make changes in products it manufactures and markets at any time; these changes are made without obligation to change, retrofit, or upgrade any product previously sold or manufactured.

<https://www.kleen-ritecorp.com/p-24275-mytee-lite-ii-a8070-hot-water-extractor.aspx>
-->

Mytee Products Warranty Details

Mytee 8070 Question and Answers:

Question: Can I mix my cleaner with the water that I pour into my fresh water tank?

Answer: NO! This is not recommended as you should always prespray, agitate the cleaners and then use the machine to rinse off what I have already presprayed and scrubbed. Most cleaners will ruin the pump and the heater at the same time.

Question: Since it is a heated machine, can I use cold water?

Answer: You can but will supply minimal heating results. Please note this is a super small heater and will only boost the water temperature about 20 degrees F hotter than what you pour into the freshwater tank, so if I add cold 65-degree water, the machine is only going to clean at 85 degrees F. If I use 120-degree hot tap water, now I can clean at 140 degrees.

Question: Is this a steam Cleaner?

Answer: No. This is a hot water extraction machine as it will not clean with steam.

Question: What is the hottest water temperature that this machine will accept being poured into the fresh tank?

Answer: 140 degree F.

Question: Factory states up to 120 psi, does it actually clean at 120 psi?

Answer: No. This machine is a suction feed machine and not a pressure feed machine. This means when you squeeze the wand trigger, the pump has to suck the water out of the water tank as well as push it through the heater and out the hose. If you convert the machine to pressure feed it would provide 120 psi but being that it is suction feed it will be a little under this number.

Question: Factory states heats water up to 210 degrees, is this true?

Answer: Yes, when you set the cleaning wand down and quit cleaning the 8 oz heater under the hood will reach 210 degrees and turn itself off. When you pick up the wand and start cleaning again, the heater will turn itself back on and provide you 8 ounces of really hot water. But for the average person cleaning and using the machine, expect a 20 degree rise up and above what ever you pour into the machine to start.

Question: Is this a 'good' or 'professional' machine?

Answer: This is the most common question of them all and the answer is both yes and no. Please note Amp draw is king! In the world of auto detail machines, we sell them with one power cord, 2 cords, 3, 4, 5 and 6 power cords. We have systems that

>

burn propane, kerosene, diesel fuel to heat the water. Systems that use open spray wands, closed spray wands, and internal spray wands. So out of the 500+ different machines we sell it is near the bottom of the barrel on professional machines drawing 20 amps at 120 volts. Any machine that uses more power than this will out clean this machine. This is the laws of physics. The more energy you place in the vacuum, pump and heating system the faster you can clean. I had the Hertz Rent-A-Car account for years and you never consider this machine as it is just too slow. Most professionals would consider a 30 to 40 amp machine for professional cleaning. The flip side of this is this is the best-selling machine out of all of them because of this price. It is a lot of machine for the money. I had a customer stated he wanted to return the machine as he complained it was too slow. This is like a customer purchasing a bicycle and then complaining if does not drive as fast as an internal combustion engine. If you want to clean like a 30 amp machine, purchase a 30 amp machine.

Question: Can I use this machine on a 15 amp breaker?

Answer: Yes, simply turn the heater off. The water pump and vacuum will use less than 15 amps.

Question: How long does it take to heat the 4 gallons of water?

Answer: It will never heat the 4-gallon tank of water. The heater is a separate tank under the hood. The water passes from the fresh tank, to the pump, then to the 8 oz heater, then to the hoses and cleaning tool. At no time will the hot water go back into the fresh water tank.

Question: How do not test the heater to make sure it is working?

Answer: Fill the machine with cold water, turn on the heater, wait 3 minutes and then squeeze the trigger. Feel the brass quick coupler that leaves the machine, and you will be able to tell the heater works because the coupler will get warm. This test is only for testing the heater as you are supposed to fill the machine with hot water! The problem with testing the heater with already hot water is the water is already hot and the machine is only going to make the water hotter, making it harder to know if it is actually working.

Question: Is the machine freeze / thaw stable?

Answer: No! Letting the machine freeze will ruin the pump and the heater at the same time.

Question: If I do not like the machine, can I return it?

Answer: No. All new machines include a full factory parts warranty but neither the factory nor SteamBrite have a free rental program. Once you use the machine it is no longer OK to return it. How would you like us to ship you someone else's used return when you order a brand new machine? You would not like this and you expect a brand new machine when you order a brand new machine. Since these machines are sold almost at cost, offering returns is just not an option. It is way better to ask questions now and purchase the correct machine for your budget and application up front.

Question: Does the pump run all the time?

Answer: No, the pump is on a pressure switch. When you depress/ squeeze the trigger the pump will turn on, when you let go the pump will turn off.

Question: If I run out of water, will the pump self prime back up once I start cleaning again?

Answer: Maybe. If it does not prime up, water the video on youtube, search "steambrite prime pump";

>

Question: Does the machine include a plastic cleaning wand or a stainless-steel cleaning wand?

Answer: As of today they include a plastic wand. Please note the factory is super clear that they reserve the right to make changes as they see fit based on parts availability and warranty issues without notifying the dealers or the public. All orders filled by part / model number only. This goes for color too. They reserve the right to ship you whatever color or shade they want but most orders are filled in the blue family.

Question: If I have a warranty issue, who is going to fix this machine?

Answer: You are. The factory warranty is parts only and does not include shipping or labor cost. If you have a warranty issue, you will have to remove the broken part and mail it back to the factory for testing. The factory does not ship out replacement parts until your broken part has been received. All shipping cost are handled by the customer. Please note that over 99% of all issues are customer caused by allowing the machine to freeze, allowing the pump to lose its prime, using and storing chemicals in the pump and heater, and clogged spray nozzles and will not be covered by the factory warranty. I have been selling these machines for over 20 years and currently do not know of a single warranty issue that was not caused by the customer's neglect. In other words, if you take care of the machine, it is super reliable. All warranty issues are handled by email only. You cannot call on the phone and you will be required to email photos, serial number, invoice number, and explain all the testing you have completed thus far. Example to say, "it does not work," the factory is never going to know what part you might need... You will have to participate in the repair process and if you do not think you are OK with this, you should not purchase equipment online at a discount but rather pay full retail price at a retail store. Some parts are 90-day warranty, some are a year, and the housing is 5 years but pro-rated (like a car battery.) These machines are super easy to work on and most repairs take under 15 minutes to perform. There is no reason you should ever have to ship back the entire machine.

Optional

Hose Bag G029 Carpet cleaners 24x36 Inches 8.600-175.0 Hose Net AX14
10-0510

Availability: This product was added to our catalog on Wednesday 19 August, 2026