

> Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle
20261027 Wand Hoses Uph Tool

Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle 20261027 Wand Hoses Uph Tool



Model Number: 20261027

Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle
20261027 Wand Hoses Uph Tool

Manufacturer: Mytee Products Inc

Mytee 2008CS Heated Speedster Carpet Extractor Contractor Series Complete
Cleaning Air Mover Bundle
Bundle includes:

Xpower P-80A-Blue, Mini Air Mover, 600 CFM 1.2 Amp 120 Volts 3
Speed w Power Outlet, GTIN 848025011010
Exclusive Steam-Brite Gift when purchased from this webpage.

Mytee 2008CS Heated Speedster Carpet Extractor 220 PSI 10 Gal
Contractor Bundle with Wand, Hoses & Upholstery Tool

> Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle
20261027 Wand Hoses Uph Tool

Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle 20261027 Wand Hoses Uph Tool

Mytee 2008CS Contractor's Special is a professional hot water extraction cleaning package designed for carpet cleaning contractors, upholstery cleaners, commercial cleaning companies, and businesses starting or expanding their carpet cleaning services.

This complete cleaning package combines the Mytee 1001DX-200 Speedster heated extractor with professional cleaning accessories, including a carpet cleaning wand, upholstery cleaning tool, vacuum and solution hoses, and extractor maintenance chemical.

The machine features dual vacuum motors, a 220 PSI diaphragm solution pump, and a powerful 2,000-watt inline water heating system.

Unlike smaller spotting machines, this commercial extractor is designed for cleaning carpets throughout homes, offices, hotels, apartments, and other commercial properties.

Mytee 2008CS Contractor Series Bundle Includes

This package includes the following equipment and cleaning accessories:

- Mytee 1001DX-200 Speedster Extractor
Professional heated portable carpet cleaning machine with dual vacuum motors and 220 PSI diaphragm pump.
- Mytee 8100 Hose Set
25-foot vacuum hose and high-pressure solution hose combination for carpet and upholstery cleaning.
- Mytee 8300-EZ Carpet Cleaning Wand
12-inch stainless steel dual-jet carpet cleaning wand with solution quick disconnect.
- Mytee 8400P Air Lite Upholstery Tool
Professional upholstery extraction tool for cleaning furniture, automobile interiors, and other fabric-covered surfaces.
- System Maintainer Extractor Descaler
One gallon of extractor maintenance chemical for periodic cleaning of the solution system.

Steam-Brite Contractor Package: This bundle provides the primary equipment and accessories needed to perform professional hot water extraction cleaning.

Additional cleaning chemicals, pretreatment products, agitation equipment, and specialty tools may be required depending on the cleaning application.

Professional Carpet Cleaning Applications

The Mytee 2008CS package is suitable for professional cleaning companies performing a variety of extraction cleaning services.

- Residential carpet cleaning

> Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle
20261027 Wand Hoses Uph Tool

Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle 20261027 Wand Hoses Uph Tool

- Commercial carpet cleaning
- Apartment turnover cleaning
- Hotel and hospitality carpet maintenance
- Office carpet cleaning
- Upholstery and furniture cleaning
- Automotive interior extraction
- RV and motorhome upholstery cleaning
- Spot cleaning and stain extraction
- Routine maintenance cleaning of synthetic carpets

The included carpet wand is designed for cleaning larger carpeted surfaces, while the upholstery tool allows the operator to clean smaller fabric surfaces using the same extraction machine.

Mytee Speedster Extractor Features

Dual Vacuum Motor Cleaning System

The Speedster uses two vacuum motors to provide the airflow and suction needed to recover dirty cleaning solution from carpet and upholstery.

The dual vacuum design is particularly useful when cleaning with longer vacuum hoses or when additional extraction performance is needed.

220 PSI Diaphragm Solution Pump

The solution pump supplies pressurized cleaning water to the carpet cleaning wand or upholstery tool.

The pump has a nominal maximum pressure rating of 220 PSI. Actual operating pressure while cleaning depends on the spray jet sizes, solution flow, hose length, and other operating conditions.

This machine is designed primarily for carpet and upholstery extraction rather than high-pressure tile and grout cleaning.

2,000-Watt Inline Water Heater

The built-in electric heater boosts the temperature of the cleaning solution as water travels through the machine.

Starting with hot tap water allows the heater to provide higher cleaning temperatures than starting with cold water.

The factory lists a maximum heater temperature of approximately 210 degrees Fahrenheit. Actual water temperature at the cleaning tool depends on incoming water temperature, solution flow rate, operating conditions, and heater cycling.

Important: This machine performs hot water extraction. It does not produce steam for steam cleaning.

Commercial Rotomolded Housing

The Speedster features a durable rotomolded polyethylene housing designed to resist rust and dents.

The machine includes conveniently positioned operating switches, accessible recovery tank components, and wheels for transporting the extractor around the job site.

> Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle
20261027 Wand Hoses Uph Tool

Mytee 2008CS Heated Speedster Carpet Extractor 220PSI
10Gal Contractor Air Mover Bundle 20261027 Wand Hoses
Uph Tool

Portable Contractor Design
The extractor is designed to be transported between cleaning locations and used inside residential and commercial buildings.
Unlike a truck-mounted cleaning system, the portable extractor can be positioned inside the building near the cleaning area.

Mytee 2008CS / 1001DX-200 Specifications

Specification
Description

Bundle Part Number
2008CS

Extractor Model
Mytee 1001DX-200 Speedster

Equipment Type
Heated portable carpet extractor

Solution Tank
Approximately 12 gallons

Recovery Tank
Approximately 12 gallons

Vacuum System
Dual vacuum motors

Vacuum Configuration
Dual low-amperage vacuum motors; factory configuration may vary

Solution Pump
Diaphragm pump

> Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle
20261027 Wand Hoses Uph Tool

Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle 20261027 Wand Hoses Uph Tool

Maximum Pump Rating
220 PSI

Nominal Pump Flow
1.35 GPM

Heater
2,000 watts

Maximum Heater Rating
Approximately 210°F

Electrical Supply
120V AC

Power Cords
Two separate power cords

Recommended Circuits
Two independent 20-amp circuits for full heated operation

Construction
Rotomolded polyethylene housing

Carpet Wand
12-inch dual-jet stainless steel

Included Hose Length
25 feet

Upholstery Tool
Mytee 8400P Air Lite

> Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle
20261027 Wand Hoses Uph Tool

Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle 20261027 Wand Hoses Uph Tool

Machine Dimensions

Approximately 28 x 18.25 x 40 inches

Machine Weight

Approximately 97-99 pounds

Specification Notice: Mytee periodically changes components, vacuum motors, wheels, fittings, and other equipment specifications during production. Actual factory-installed components and performance specifications may vary by production date.

The machine model number identifies the equipment being ordered. Replacement parts should be selected using the machine's actual installed components and factory documentation.

Electrical Requirements: Two Power Cords and Separate Circuits

The Mytee Speedster 1001DX-200 uses two power cords to distribute the electrical load between separate circuits.

For full operation with the heater, the machine should be connected to two independent 120V, 20-amp branch circuits.

Two outlets located next to one another are not necessarily on different electrical circuits.

Connecting both cords to outlets supplied by the same breaker can overload the circuit and cause the breaker to trip.

When cleaning in buildings with limited electrical capacity, the heater may be switched off to reduce electrical demand.

The operator must still verify that the available electrical circuits can safely support the machine's operating load.

Do not assume that operating only one vacuum motor is an acceptable substitute for the required electrical connections.

Follow the manufacturer's electrical instructions and the machine's equipment identification labels.

Why Carpet Cleaning Contractors Choose Heated Portable Extractors

A heated portable extractor combines pressurized water application, cleaning chemistry, agitation, and vacuum recovery to remove soil from carpet fibers.

The cleaning process generally involves applying a suitable pretreatment, allowing adequate dwell time, agitating when needed, and rinsing the carpet with the extraction wand.

The vacuum system then recovers the dirty cleaning solution.

> Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle
20261027 Wand Hoses Uph Tool

Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle 20261027 Wand Hoses Uph Tool

The Mytee 2008CS package provides a practical solution for contractors who want to offer both carpet cleaning and upholstery cleaning without purchasing separate extraction machines.

Machine Photographs and Equipment Details

The following photographs illustrate the Speedster extractor housing, controls, wheels, recovery system, and other equipment features.

IMPORTANT:

RETAIN ALL SEVEN ORIGINAL BODY IMAGE TAGS HERE.

Copy the existing image HTML from the original Steam-Brite product description.

Preserve the original image source URLs.

Original photographs:

1. Mytee 1001DX-200 locking casters
2. Mytee 1001DX-200 control panel
3. Mytee 1001DX-200 rear drain system
4. Mytee 1001DX-200 rear view
5. Mytee 1001DX-200 extractor photograph
6. Mytee 1001DX-200 left side
7. Mytee 1001DX-200 top lid

Suggested display width: 350-400 pixels.

-->

Mytee 2008CS Product Video

Watch the Mytee Speedster product video to learn more about the machine's design and features.

Watch Mytee Speedster Carpet Extractor Video

Mytee Speedster Manuals, Brochures and Parts Information

Factory documentation is useful for reviewing equipment operation, maintenance procedures, and replacement parts.

- Mytee Manufacturer Website
- Mytee 2008CS Speedster Product Brochure
- Mytee Speedster User Manual
- Mytee Speedster Parts List - September 2013 and Later
- Mytee Speedster Parts List - March 2013 through August 2013
- Mytee Speedster Parts List - June 2012 through February 2013

> Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle
20261027 Wand Hoses Uph Tool

Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle 20261027 Wand Hoses Uph Tool

RETAIN THE ORIGINAL FACTORY PDF LINKS
FROM THE EXISTING PRODUCT DESCRIPTION.

Do not replace the original direct PDF links
with unverified document addresses.

-->

Mytee Speedster Replacement Components
Steam-Brite supplies replacement parts and accessories for many Mytee carpet
cleaning machines.
Vacuum Motor
Mytee C302LA Vacuum Motor

The Mytee C302LA is associated with certain Speedster vacuum motor
configurations.
Factory-installed vacuum motors may vary by machine production date.
Solution Pump
Mytee C322D / Aquatec 220 PSI Diaphragm Pump
The Mytee C322D is associated with certain 220 PSI Speedster pump configurations.
Related pump references include Aquatec 58-ELK-220 and 58-FLC-220.
Pump configurations and connections may vary by production date.

Recommended Carpet Extractor Accessories

The following accessories may be useful for transporting, protecting, or extending the
capabilities of a portable extraction machine.

- 50-Foot Vacuum and Solution Hose Set
Useful when additional cleaning distance is required.
- Clean Storm Portable Extractor Drip Tray
Helps collect residual moisture beneath the extractor during storage or
transportation.
- Mytee A145 Loading Buddy
Optional loading accessory for transporting compatible portable extractors.
- Mytee P507 Transport Tray
Optional equipment transport and storage accessory.

Frequently Asked Questions

Does the Mytee 2008CS clean carpets with steam?

No. The machine uses hot water extraction rather than steam.

Hot cleaning solution is sprayed onto the carpet and recovered using the vacuum
system.

Should I fill the machine with hot water?

Yes. Starting with appropriately heated tap water allows the inline heater to provide

> Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle
20261027 Wand Hoses Uph Tool

Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle 20261027 Wand Hoses Uph Tool

an additional temperature increase.

Always follow the manufacturer's maximum incoming water temperature and operating instructions.

Does the heater continuously maintain 210-degree water?

No. The published maximum heater temperature is not a guarantee of continuous water temperature at the carpet cleaning wand.

Actual temperature depends on incoming water temperature, solution flow rate, heater cycling, and operating conditions.

Is the 220 PSI solution pressure adjustable?

The standard diaphragm pump is not designed as a continuously adjustable pressure system.

The 220 PSI rating represents the nominal maximum pump pressure.

Actual pressure during cleaning may be lower depending on the spray jet configuration and solution flow.

Can this machine clean upholstery?

Yes. The contractor bundle includes the Mytee 8400P Air Lite upholstery cleaning tool.

Always verify that the upholstery fabric is suitable for water-based extraction cleaning.

Can I use longer vacuum hoses?

Longer hoses may be used, although vacuum performance depends on hose diameter, hose length, air leaks, and the cleaning tool.

A commonly discussed configuration for this style of extractor is approximately 100 feet of 2-inch vacuum hose followed by a shorter 1.5-inch leader hose.

Actual cleaning performance will vary with the installation and operating conditions.

Can I operate the machine using only one electrical outlet?

The machine is designed around a dual-power-cord electrical system.

Full heated operation requires suitable electrical circuits for both power cords.

Do not operate the machine outside the manufacturer's electrical instructions.

Is this machine suitable for tile and grout cleaning?

The 2008CS is primarily designed for carpet and upholstery extraction.

Some low-pressure hard surface cleaning applications may be possible with appropriate accessories, but the 220 PSI pump is not equivalent to the higher-pressure systems commonly used with professional tile cleaning tools.

Can this machine be used for automotive detailing?

Yes. The included upholstery tool can be used for extracting compatible vehicle carpets, fabric seats, and interior upholstery surfaces.

Does the bundle include a carpet cleaning wand?

Yes. The contractor package includes a 12-inch stainless steel dual-jet carpet wand, along with the upholstery tool and 25-foot hose set.

Routine Maintenance

Regular maintenance helps maintain cleaning performance and reduce unnecessary equipment downtime.

> Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle
20261027 Wand Hoses Uph Tool

Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle 20261027 Wand Hoses Uph Tool

- Empty and rinse the recovery tank after cleaning jobs.
- Remove debris from the vacuum inlet and recovery tank.
- Inspect vacuum hoses and solution hoses for damage.
- Inspect electrical cords and connectors before use.
- Clean spray jets when necessary.
- Periodically flush the solution system according to the manufacturer's instructions.
- Use appropriate extractor descaling products when required.
- Protect the pump, heater, hoses, and fittings from freezing temperatures.

Do not allow the machine or its plumbing system to freeze.

Mytee 2008CS Contractor's Special From Steam-Brite

Steam-Brite supplies professional carpet cleaning equipment, portable extractors, upholstery tools, cleaning wands, hoses, replacement pumps, vacuum motors, and equipment accessories.

The Mytee 2008CS Contractor's Special combines a commercial heated extractor with the primary tools needed to begin professional carpet and upholstery extraction cleaning.

Whether you are starting a carpet cleaning business, adding portable extraction capability to an existing cleaning company, or expanding into upholstery cleaning, the Mytee Speedster offers a versatile commercial cleaning platform.

Manufacturer Notice: Equipment specifications, component brands, colors, and configurations may change without notice.

Order by the manufacturer's part number rather than photographs. Product images are for reference.

RETAIN ANY ADDITIONAL ORIGINAL
PROMOTIONAL BODY IMAGES HERE.

This includes the existing
carpet cleaning / truckmount
promotional image if desired.

-->

- Video https://youtu.be/qfhhpvnhdC4?si=2YTRsC_TERoOMCDO

> Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle
20261027 Wand Hoses Uph Tool

Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle 20261027 Wand Hoses Uph Tool

Warranty
Limited 5 yr warranty

Body
Roto-molded polyethylene

Tank
12 gallon

Vacuum
Dual 3 stage
Factory Installed Mytee C302LA Electro Vacuum Motor Model
Q6600-090A-MP-26 Flat Bottom 3 stage 120V (Mytee C302 original part number)

CFM
200

H2O
130"

Pump
Diaphragm
Factory Installed Aquatec 220 psi Triplex Diaphragm pressure switched
Bypass Pump 115 Volts Mytee C322D 58-ELK-220, 58-FLC-220 EDIC
AE-PUMP-220

PSI
220

GPM
1.35

Heater
2,000 W - 210 degree maximum

> Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle
20261027 Wand Hoses Uph Tool

Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle 20261027 Wand Hoses Uph Tool

Require dual 20 amp breakers to run the heater. You can run the machine on 15 amp breakers with the heater turned off.

Wheels
10"

Locking Casters
4"

Power Cord
Dual 50' 12/3

Included
2" Cuff-Lynx®; hose adapter and 1.5" Cuff-Lynx®; reducer, wire hanger for storing hoses and cords, and drain elbow.

Product Weight
97 lbs.

Shipping Weight
127 lbs.

Product Dimensions
28" x 18 1/4" x 40"

Shipping Dimensions
29 1/2" x 19 1/4" x 46 1/2"

Brochure

User Manual

> Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle
20261027 Wand Hoses Uph Tool

Mytee 2008CS Heated Speedster Carpet Extractor 220PSI
10Gal Contractor Air Mover Bundle 20261027 Wand Hoses
Uph Tool

Parts List September 2013 - Present

Parts List March 2013 - August 2013

Parts List June 2012 - Feb 2013

* Weight= 99 lbs.

FREE and INCLUDED (EXCLUSIVE STEAMBRITE SUPPLY OFFER):

> Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle
20261027 Wand Hoses Uph Tool

Mytee 2008CS Heated Speedster Carpet Extractor 220PSI
10Gal Contractor Air Mover Bundle 20261027 Wand Hoses
Uph Tool



> Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle
20261027 Wand Hoses Uph Tool

Mytee 2008CS Heated Speedster Carpet Extractor 220PSI
10Gal Contractor Air Mover Bundle 20261027 Wand Hoses
Uph Tool

-Training DVD 4 Pack: Covers the basics a Cleaner needs to know

DefSemiHidden="true" DefQFormat="false" DefPriority="99"
LatentStyleCount="267">

UnhideWhenUsed="false" QFormat="true" Name="Normal" />

UnhideWhenUsed="false" QFormat="true" Name="heading 1" />

UnhideWhenUsed="false" QFormat="true" Name="Title" />

UnhideWhenUsed="false" QFormat="true" Name="Subtitle" />

UnhideWhenUsed="false" QFormat="true" Name="Strong" />

> Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle
20261027 Wand Hoses Uph Tool

Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle 20261027 Wand Hoses Uph Tool

UnhideWhenUsed="false" QFormat="true" Name="Emphasis" />

UnhideWhenUsed="false" Name="Table Grid" />

UnhideWhenUsed="false" QFormat="true" Name="No Spacing" />

UnhideWhenUsed="false" Name="Light Shading" />

UnhideWhenUsed="false" Name="Light List" />

UnhideWhenUsed="false" Name="Light Grid" />

UnhideWhenUsed="false" Name="Medium Shading 1" />

UnhideWhenUsed="false" Name="Medium Shading 2" />

UnhideWhenUsed="false" Name="Medium List 1" />

UnhideWhenUsed="false" Name="Medium List 2" />

UnhideWhenUsed="false" Name="Medium Grid 1" />

UnhideWhenUsed="false" Name="Medium Grid 2" />

UnhideWhenUsed="false" Name="Medium Grid 3" />

UnhideWhenUsed="false" Name="Dark List" />

UnhideWhenUsed="false" Name="Colorful Shading" />

UnhideWhenUsed="false" Name="Colorful List" />

UnhideWhenUsed="false" Name="Colorful Grid" />

UnhideWhenUsed="false" Name="Light Shading Accent 1" />

UnhideWhenUsed="false" Name="Light List Accent 1" />

UnhideWhenUsed="false" Name="Light Grid Accent 1" />

UnhideWhenUsed="false" Name="Medium Shading 1 Accent 1" />

UnhideWhenUsed="false" Name="Medium Shading 2 Accent 1" />

> Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle
20261027 Wand Hoses Uph Tool

Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle 20261027 Wand Hoses Uph Tool

UnhideWhenUsed="false" Name="Medium List 1 Accent 1" />

UnhideWhenUsed="false" QFormat="true" Name="List Paragraph" />

UnhideWhenUsed="false" QFormat="true" Name="Quote" />

UnhideWhenUsed="false" QFormat="true" Name="Intense Quote" />

UnhideWhenUsed="false" Name="Medium List 2 Accent 1" />

UnhideWhenUsed="false" Name="Medium Grid 1 Accent 1" />

UnhideWhenUsed="false" Name="Medium Grid 2 Accent 1" />

UnhideWhenUsed="false" Name="Medium Grid 3 Accent 1" />

UnhideWhenUsed="false" Name="Dark List Accent 1" />

UnhideWhenUsed="false" Name="Colorful Shading Accent 1" />

UnhideWhenUsed="false" Name="Colorful List Accent 1" />

UnhideWhenUsed="false" Name="Colorful Grid Accent 1" />

UnhideWhenUsed="false" Name="Light Shading Accent 2" />

UnhideWhenUsed="false" Name="Light List Accent 2" />

UnhideWhenUsed="false" Name="Light Grid Accent 2" />

UnhideWhenUsed="false" Name="Medium Shading 1 Accent 2" />

UnhideWhenUsed="false" Name="Medium Shading 2 Accent 2" />

UnhideWhenUsed="false" Name="Medium List 1 Accent 2" />

UnhideWhenUsed="false" Name="Medium List 2 Accent 2" />

UnhideWhenUsed="false" Name="Medium Grid 1 Accent 2" />

UnhideWhenUsed="false" Name="Medium Grid 2 Accent 2" />

> Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle
20261027 Wand Hoses Uph Tool

Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle 20261027 Wand Hoses Uph Tool

UnhideWhenUsed="false" Name="Medium Grid 3 Accent 2" />

UnhideWhenUsed="false" Name="Dark List Accent 2" />

UnhideWhenUsed="false" Name="Colorful Shading Accent 2" />

UnhideWhenUsed="false" Name="Colorful List Accent 2" />

UnhideWhenUsed="false" Name="Colorful Grid Accent 2" />

UnhideWhenUsed="false" Name="Light Shading Accent 3" />

UnhideWhenUsed="false" Name="Light List Accent 3" />

UnhideWhenUsed="false" Name="Light Grid Accent 3" />

UnhideWhenUsed="false" Name="Medium Shading 1 Accent 3" />

UnhideWhenUsed="false" Name="Medium Shading 2 Accent 3" />

UnhideWhenUsed="false" Name="Medium List 1 Accent 3" />

UnhideWhenUsed="false" Name="Medium List 2 Accent 3" />

UnhideWhenUsed="false" Name="Medium Grid 1 Accent 3" />

UnhideWhenUsed="false" Name="Medium Grid 2 Accent 3" />

UnhideWhenUsed="false" Name="Medium Grid 3 Accent 3" />

UnhideWhenUsed="false" Name="Dark List Accent 3" />

UnhideWhenUsed="false" Name="Colorful Shading Accent 3" />

UnhideWhenUsed="false" Name="Colorful List Accent 3" />

UnhideWhenUsed="false" Name="Colorful Grid Accent 3" />

UnhideWhenUsed="false" Name="Light Shading Accent 4" />

UnhideWhenUsed="false" Name="Light List Accent 4" />

UnhideWhenUsed="false" Name="Light Grid Accent 4" />

> Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle
20261027 Wand Hoses Uph Tool

Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle 20261027 Wand Hoses Uph Tool

UnhideWhenUsed="false" Name="Medium Shading 1 Accent 4" />
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 4" />
UnhideWhenUsed="false" Name="Medium List 1 Accent 4" />
UnhideWhenUsed="false" Name="Medium List 2 Accent 4" />
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 4" />
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 4" />
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 4" />
UnhideWhenUsed="false" Name="Dark List Accent 4" />
UnhideWhenUsed="false" Name="Colorful Shading Accent 4" />
UnhideWhenUsed="false" Name="Colorful List Accent 4" />
UnhideWhenUsed="false" Name="Colorful Grid Accent 4" />
UnhideWhenUsed="false" Name="Light Shading Accent 5" />
UnhideWhenUsed="false" Name="Light List Accent 5" />
UnhideWhenUsed="false" Name="Light Grid Accent 5" />
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 5" />
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 5" />
UnhideWhenUsed="false" Name="Medium List 1 Accent 5" />
UnhideWhenUsed="false" Name="Medium List 2 Accent 5" />
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 5" />
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 5" />
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 5" />
UnhideWhenUsed="false" Name="Dark List Accent 5" />

> Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle
20261027 Wand Hoses Uph Tool

Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle 20261027 Wand Hoses Uph Tool

UnhideWhenUsed="false" Name="Colorful Shading Accent 5" />

UnhideWhenUsed="false" Name="Colorful List Accent 5" />

UnhideWhenUsed="false" Name="Colorful Grid Accent 5" />

UnhideWhenUsed="false" Name="Light Shading Accent 6" />

UnhideWhenUsed="false" Name="Light List Accent 6" />

UnhideWhenUsed="false" Name="Light Grid Accent 6" />

UnhideWhenUsed="false" Name="Medium Shading 1 Accent 6" />

UnhideWhenUsed="false" Name="Medium Shading 2 Accent 6" />

UnhideWhenUsed="false" Name="Medium List 1 Accent 6" />

UnhideWhenUsed="false" Name="Medium List 2 Accent 6" />

UnhideWhenUsed="false" Name="Medium Grid 1 Accent 6" />

UnhideWhenUsed="false" Name="Medium Grid 2 Accent 6" />

UnhideWhenUsed="false" Name="Medium Grid 3 Accent 6" />

UnhideWhenUsed="false" Name="Dark List Accent 6" />

UnhideWhenUsed="false" Name="Colorful Shading Accent 6" />

UnhideWhenUsed="false" Name="Colorful List Accent 6" />

UnhideWhenUsed="false" Name="Colorful Grid Accent 6" />

UnhideWhenUsed="false" QFormat="true" Name="Subtle Emphasis" />

UnhideWhenUsed="false" QFormat="true" Name="Intense Emphasis" />

UnhideWhenUsed="false" QFormat="true" Name="Subtle Reference" />

UnhideWhenUsed="false" QFormat="true" Name="Intense Reference" />

UnhideWhenUsed="false" QFormat="true" Name="Book Title" />

> Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle
20261027 Wand Hoses Uph Tool

Mytee 2008CS Heated Speedster Carpet Extractor 220PSI
10Gal Contractor Air Mover Bundle 20261027 Wand Hoses
Uph Tool

```
/* Font Definitions */
@font-face
{font-family:"Cambria Math";
panose-1:2 4 5 3 5 4 6 3 2 4;
mso-font-charset:1;
mso-generic-font-family:roman;
mso-font-format:other;
mso-font-pitch:variable;
mso-font-signature:0 0 0 0 0 0;}
@font-face
{font-family:Calibri;
panose-1:2 15 5 2 2 2 4 3 2 4;
mso-font-charset:0;
mso-generic-font-family:swiss;
mso-font-pitch:variable;
mso-font-signature:-1610611985 1073750139 0 0 159 0;}
/* Style Definitions */
p.MsoNormal, li.MsoNormal, div.MsoNormal
{mso-style-unhide:no;
mso-style-qformat:yes;
mso-style-parent:"";
margin-top:0in;
margin-right:0in;
margin-bottom:10.0pt;
margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:11.0pt;
font-family:"Calibri","sans-serif";
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-fareast-font-family:Calibri;
mso-fareast-theme-font:minor-latin;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;
mso-bidi-font-family:"Times New Roman";
mso-bidi-theme-font:minor-bidi;}
.MsoChpDefault
{mso-style-type:export-only;
mso-default-props:yes;
```

> Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle
20261027 Wand Hoses Uph Tool

Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle 20261027 Wand Hoses Uph Tool

```
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-fareast-font-family:Calibri;
mso-fareast-theme-font:minor-latin;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;
mso-bidi-font-family:"Times New Roman";
mso-bidi-theme-font:minor-bidi;}
.MsoPapDefault
{mso-style-type:export-only;
margin-bottom:10.0pt;
line-height:115%;}
@page Section1
{size:8.5in 11.0in;
margin:1.0in 1.0in 1.0in 1.0in;
mso-header-margin:.5in;
mso-footer-margin:.5in;
mso-paper-source:0;}
div.Section1
{page:Section1;}
-->
```

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-qformat:yes;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:10.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:11.0pt;
font-family:"Calibri","sans-serif";
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-fareast-font-family:"Times New Roman";
```

> Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle
20261027 Wand Hoses Uph Tool

Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle 20261027 Wand Hoses Uph Tool

mso-fareast-theme-font:minor-fareast;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;}

Note that both Mytee and SteamBrite reserve the right to change exact specifications without notice. What does this mean? It means that we do not open your boxes and Mytee will change the components that they use to build your machine. We verify the model number and voltage that is stamped on the box. We do not guarantee exact color or shade of your product though usually these ship in the blue family. In early 2018 Mytee is in the process of changing the rear wheels and front casters to a different size and specification. Other changes might also take place. What Mytee does guarantee is that the performance and the product is new and comes with the full manufacturer's warranty with its national service center locations. In other words, this is a 200 psi pump with dual 9 to 10 amp vacuum motors in a dual 10 gallon body style with dual 50 ft 12-3 power cords, but the exact pump model or exact vacuum motor, pressure gauge, or switch that is installed in your machine can be different. In the last year these machine have been built with Electromotor high performance 2 stage vacuum motors as well as 3 stage low amp draw vacuum motors. These are both great vacuum motors. Amp draw is king. What I mean is a 2 stage 10 amp vacuum motor dries the carpet as fast as a 3 stage 10 amp vacuum motor. It does not matter what the vacuum motor is called rather how much electrical energy is converted into vacuum. This currently is a 19.8 amp vacuum system divided by two power cords. The exact shape of the housing is subject to change without notice.

Mytee Products Warranty Details
Options:

> Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle
20261027 Wand Hoses Uph Tool

Mytee 2008CS Heated Speedster Carpet Extractor 220PSI
10Gal Contractor Air Mover Bundle 20261027 Wand Hoses
Uph Tool



.Shazaam Set50: Hose Set - 50ft (15 meters) x 1.5 in - Vacuum & 1/4in
Solution

> Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle
20261027 Wand Hoses Uph Tool

Mytee 2008CS Heated Speedster Carpet Extractor 220PSI
10Gal Contractor Air Mover Bundle 20261027 Wand Hoses
Uph Tool

Clean Storm SBMTray: Portable Extraction Machine Drip Tray

Mytee P507 Transport Tray for Mytee carpet extractors

> Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle
20261027 Wand Hoses Uph Tool

Mytee 2008CS Heated Speedster Carpet Extractor 220PSI
10Gal Contractor Air Mover Bundle 20261027 Wand Hoses
Uph Tool

Options available for Mytee 2008CS Heated Speedster Carpet Extractor 220PSI 10Gal Contractor Air Mover Bundle

20261027 Wand Hoses Uph Tool :

Shipping Surcharges

+Home Delivery Needs Liftgate Curb Service Because No Forklift On Site With Appointment Delivery Time,
Commercial Address But Needs Liftgate Service Because No Forklift or Dock on Site No Appointment Provided,
Residential Forklift Onsite Limited Access + Needs Appointment, Home Delivery Needs Liftgate Curb Service
Because No Forklift On Site (Required) No Appointment Provided, None Commercial Address Forklift / Loading
Dock On Site No Appointment Provided, Commercial Address But Need Liftgate and Appointment Service /
Limited Access Fee Not Included.

Air Mover Fan

FREE Air Mover GIFT Our Choice Color & Brand.

Availability: This product was added to our catalog on Tuesday 27 October, 2026