

>



Model Number: 8009-543-236

Shurflo 8009-543-236, On-Demand Diaphragm Pump, 1.8 GPM 60 PSI 12 Volt

Manufacturer: Shurflo

OVERVIEW

For boats, RVs and more! Quiet-operating SHURflo pump is ideal for heavy-duty uses including agricultural spraying and transfer applications. Mounts in any position. 12 Volt pump has demand switch. Viton® valves and Santoprene diaphragm to resist corrosion. Fully repairable pump body. 3/8in. female ports. Not for pumping oil. OK to use with RoundUp®. Does not come with hose barb adapters. U.S.A.

also marketed under part number 2687, and 8000-543-236

FEATURES + BENEFITS

Polypropylene Construction

Chemical Corrosion Resistant

Fully Repairable Pump Body

Note: This pump cannot be used with flammable liquids

KEY SPECS

Power Supply

12V

Flow (GPM)

1.8

Pressure (PSI)

60

Amps

7.3

>

Max. Inlet Pressure (PSI)

30

Head (ft.)

6

Lift (ft.)

5

Self-Priming

Yes

Dimensions L x W x H (in.)

8 1/4 x 4

Mounting Base L x W (in.)

2 1/4 x 3 7/32

Temperature Capacity (°F)

170

Inlet Port (in.)

3/8

>

Outlet Port (in.)

3/8

Seal Type

Viton

5 / 5

Best Spray Pump Around,
March 21, 2011

By DrRav

"I have used SHURflo spary pumps on the farm for several years, spraying trees, spraying weeds, pestidice use, dormant fruit spray... these pumps have never let me down, always work, very efficient, low maint. I have used other pumps, these are by far the best."

Availability: This product was added to our catalog on Saturday 12 November, 2011