Clean Storm QD75, 1/8 in Female Brass Quick Disconnect Coupler Socket, 1/8 in FNPT x 1/2 in QD, 580-100, PAF04, PC7, 86218790



Model Number: QD75

Clean Storm QD75, 1/8 in Female Brass Quick Disconnect Coupler Socket, 1/8 in FNPT x 1/2 in QD, 580-100, PAF04, PC7, 86218790

Manufacturer: Clean Storm

Clean Storm QD75, 1/8 in Female Brass Quick Disconnect Coupler Socket, 1/8 in FNPT x 1/2 in QD

Description

The Clean Storm QD75 is a standard industrial brass quick disconnect coupler socket designed for high-performance fluid handling in low-capacity commercial equipment. Commonly utilized on carpet extractor mini spotters, portable units with tanks under 3 gallons, and specialized spraying setups, this female quick disconnect prevents unwanted leaks and drippage during setup and teardown thanks to its integrated spring-loaded valve plug. Crafted from durable B-series brass construction with precision 1/8 in. female NPT threads, this socket ensures a reliable, leak-free connection across demanding commercial and industrial cleaning applications.

Features

- Heavy-duty solid brass (Series B) construction for superior corrosion resistance and durability.
- Built-in spring-loaded valve plug automatically prevents water drips and leaks when disconnected.
- Standard industrial Series B ISO-B interchange design for broad compatibility with commercial cleaning equipment.
- Precision 1/8 in.-27 NPTF female pipe thread connection.
- Ideal replacement component for portable carpet cleaning spotters, pressure washers, and industrial spray systems.

Applications

- Carpet cleaning mini spotters and portable extraction units under 3-gallon tank capacity.
- Low-pressure fluid lines and chemical injection systems.
- Commercial upholstery cleaning wands and detail tools.
- Industrial hydraulic and fluid transfer setups requiring quick-disconnect convenience.

Specifications

Brand	Clean Storm

Clean Storm QD75, 1/8 in Female Brass Quick Disconnect Coupler Socket, 1/8 in FNPT x 1/2 in QD, 580-100, PAF04, PC7, 86218790

Model / Part Number
QD75

Material
Brass (Series B)

Thread Size
1/8 in. female NPT (1/8"-27 NPTF)

Ruler Measurement (Thread End)
Approximately 3/8 in. outer diameter

QD Connection Size
1/8 in. Quick Disconnect Socket (1/2 in. across QD opening)

Interchange Standard
ISO-B / Hansen B-Series

UNSPSC Code
27121700

ASIN
B00F4JA19W

Cross-Reference SKUs

PMF QD75

Esteam 580-100

Steambrite Supply

Parts & Accessories > Quick Disconnects And Couplers > Clean Storm QD75, 1/8 in Female Brass Quick Disconnect Coupler Socket, 1/8 in FNPT x 1/2 in QD, 580-100, PAF04, PC7, 86218790

Clean Storm QD75, 1/8 in Female Brass Quick Disconnect Coupler Socket, 1/8 in FNPT x 1/2 in QD, 580-100, PAF04, PC7, 86218790

PAF04

Powr-Flite PC7

Eaton Hansen B1H11 Brass ISO-B Socket

Karcher 86218790

Windsor 8.621-879.0

Availability: This product was added to our catalog on Wednesday 07 December, 2011

Steambrite Supply