

>



Model Number: 36 URAI

Dresser Roots 36 URAI, Vacuum blower pump for Blazer, Blazer GT, Avenger 500 550 Truck Mounts, 8.619-194.0 65106020

Manufacturer: Howden Roots Blowers

Dresser Roots 36 URAI Vacuum blower pump

QUESTION: If I purchase a cross over blower and it does not fit, will Steambrite or the factory waive the 25% restocking fee?

ANSWER: No. To purchase a similar performing blower is your decision as it states on every webpage, "All other warranties, express or implied, including but not limited to, the implied warranties of merchantability and fitness for a particular purpose, are hereby disclaimed"

THANKS FOR YOUR UNDERSTANDING.

Please consider possible in stock cross over blowers:

Tuthill 3006-21L2 Competitor Blower Left Shaft Drop in replacement for Roots 36 RUI A6L2CV1-A

Gardner Denver PP41-905024 Sutorbilt Legend PD 3LP Vacuum 36 Blower 3LR 3LL 46-009 86191370 Pump GABLDRA-0084 PP41-905024

Positive displacement vacuum pump blower for

Used on the following truckmounted carpet cleaning machines:

Prochem Blazer GT, Blazer, Avenger 500, Avenger 550 Truckmounts

Please check truckmount labeling to make sure it is a roots and not a different brand blower.

Compare to current or past OEM associations:

65106002I

Prochem 360-01A

8.619-194.0

86191940

>

Roots 36 URAI
Tuthill 3006-21L2
65106020
Gardner Denver PP41-905024

URAI means the blower has oil bath on the rear and grease gun fittings on the front.

Most Truckmount factories is installing the Gardner Denver PP41-905024 model as a replacement.

"These blower and vacuum pumps are for sale and use in the carpet cleaning industry only as some OEM configuration have special coatings, or even mounting holes drilled in them. Example These blowers won't work for Easy Air Package equipment as it is not drilled and tapped to mount a fan. All other applications for use outside the carpet cleaning industry cannot be guaranteed."

NOTE: Default shaft orientation is LEFT HAND -- Unit can be mounted with top hand crank, bottom hand crank, left hand crank or right hand crank. Can be spun in either direction. Simply change the mounting feet and relocate the breather port to the top.

Important Option

Oil level must be topped off on new blowers
Oil level must be changed after 50 hour break in period.
Oil level must be changed every 200 hours after break in period.
Gardner Denver 28G46 Brand Blower Oil Aeon PD-XD Full Synthetic Formula
Extra Heavy Duty for High Heat Applications 28G47-QT

Howden Terms

All blowers ship freight and are subject to shipping surcharges.

Compare Dresser Roots VS Tuthill VS Gardner Denver / Sutorbilt Blower - Crossover Charts

http://store.tomlinequipment.com/index.php?main_page=index&cPath=8_1_2

-->

>

Availability: This product was added to our catalog on Monday 03 December, 2012

Steambrite Supply