Shurflo 8006-882-288, 100psi 36 volt 1.4gpm With Pressure Switch, 8.602-634.0



Model Number: 8006-882-288

Shurflo 8006-882-288, 100psi 36 volt 1.4gpm With Pressure Switch, 8.602-634.0

Manufacturer: Shurflo

PUMP DESIGN: Positive Displacement 3 Chamber Diaphragm Pump
CAM: 2.5 Degree
CHECK VALVE: (2-Way Op.) Prevents Reverse Flow & 6 Ft. Head Forward Flow
MOTOR: Permanent Magnet, P/N 11-150-10, Thermally Protected
VOLTAGE: 36 VAC Nominal
PRESSURE SWITCH:Adjustable Shut-Off (Range 80-100 PSI), Factory Set @ 100 PSI, Turn On 85 PSI +/- 5 PSI
BYPASS: 80 PSI
LIQUID TEMPERATURE: 180 Degrees Fahrenheit (82 Degrees Centigrade) Max.
PRIME: Self-Priming Up To 7 Ft. Vertical,
Max. Inlet Pressure 30 PSI (2.1 Bar)
PORTS: 3/8"-18 NPT Female
MATERIAL OF CONSTRUCTION:
PLASTICS- Nylon
VALVES- Viton
DIAPHRAGM- Viton (Switch), Santoprene (Main)
FASTENERS- Zinc Plated Steel
NET WEIGHT: 4.9 Lbs (2.2 Kg)
DUTY CYCLE: Intermittent
TYPICAL APPLICATIONS:Soil Extraction and carpet cleaning pump
- UL/CSA Recognized Component

ShurFlo 36VAC 1.3 GPM Transfer Diaphragm Pump

ShurFlo 8006-882-288-288 Industrial Transfer Diaphragm Pump

36 Volt AC, 1.3 GPM open flow, 100 PSI Demand switch, Internal bypass at 80 psi, Viton valves, Santoprene diaphragm. 3/8" NPT Poly (Female) Ports

- PUMP DESIGN: Positive Displacement 3 Chamber Diaphragm Pump
- CAM: 3.0 Degree
- CHECK VALVE: (2-Way Op.) Prevents Reverse Flow & 6 Ft. Head Forward Flow
- MOTOR: Permanent Magnet, P/N 11-150-00, Thermally Protected
- VOLTAGE: 115 VAC Nominal
- PRESSURE SWITCH: Adjustable Shut-Off (Range 100-80 PSI), Factory Set @ 100 PSI, Turn On 80 PSI +/- 5 PSI
- LIQUID TEMPERATURE: 170 Degrees Fahrenheit (77 Degrees Centigrade) Max.

Steambrite Supply

Shurflo 8006-882-288, 100psi 36 volt 1.4gpm With Pressure Switch, 8.602-634.0

- PRIME: Self-Priming Up To 8 Ft. Vertical,
- Max. Inlet Pressure 30 PSI (2.1 Bar)
- PORTS: 3/8"-18 NPT Female
- MATERIAL OF CONSTRUCTION:
- PLASTICS- Polypropylene
- VALVES- Viton
- DIAPHRAGM- Santoprene
- FASTENERS- Zinc Plated Steel
- NET WEIGHT: 3.8 Lbs (1.72 Kg)
- DUTY CYCLE: Intermittent
- TYPICAL APPLICATIONS: Soil Extraction
- Also marketed under part number(s): Windsor 65142, Windsor 65166, M-105, 993-0040, 8.602-634.0, Windsor 86026340, M105, GPMPSF006

International shipping?
You can ship either one or two of these pumps for the same $80 by the US Post Master to almost every country in the world.

- Model: 8006-882-288
- Shipping Weight: 4lbs
- Manufactured by: SHURflo

.

Cross Reference Skus

65142
65166
8006-882-288
993-0040
M-105
8.602-634.0
86026340
225042848440

Steambrite Supply

Parts & Accessories > Pumps (Water Pumps) > Shurflo Water Pumps > Shurflo 8006-882-288, 100psi 36 volt 1.4gpm With Pressure Switch, 8.602-634.0

Shurflo 8006-882-288, 100psi 36 volt 1.4gpm With Pressure Switch, 8.602-634.0

https://www.pumpagents.com/ShurfloPumps/8006-882-288.html $152.25
Amazon 228.00 after 5% off
https://www.toboaenergy.com/product/shurflo-pump-8006-882-288-36vdc-100psi-pressure_switch-1-6-gpm/ $180
--> 20190116djc

Availability: This product was added to our catalog on Tuesday 29 January, 2013

Steambrite Supply