

Parts & Accessories > Valves > Ball Valves > Clean Storm 20130217 3/8in FNPT Full-Port High-Pressure Washing Steel Ball Valve, 7250 PSI

Clean Storm 20130217 3/8in FNPT Full-Port High-Pressure Washing Steel Ball Valve, 7250 PSI



Model Number: 20130217

Clean Storm 20130217 3/8in FNPT Full-Port High-Pressure Washing Steel Ball Valve, 7250 PSI

Manufacturer: Clean Storm

RECOMMENDED PRODUCT NAME:

Clean Storm 20130217 3/8in FNPT Full-Port High-Pressure Steel Ball Valve, 7250 PSI

RECOMMENDED META TITLE:

3/8in High-Pressure Steel Ball Valve 7250 PSI | 20130217

RECOMMENDED META DESCRIPTION:

Clean Storm 20130217 full-port 2-way steel ball valve with 3/8in FNPT inlet and outlet connections. Rated to 7,250 PSI for high-pressure water systems.

IMPORTANT CATALOG CORRECTION:

The old page listed BE Pressure 85.300.048 as a valve cross-reference. That number is a repair kit.

The associated BE Pressure steel valve number is 85.300.046.

-->

3/8in Full-Port High-Pressure Steel Ball Valve – 7,250 PSI

The Clean Storm 20130217 is a compact, manually operated 2-way shutoff valve for high-pressure water systems. Its full-port design helps minimize flow restriction, while the steel construction is suited for demanding pressure-washer, truckmount and industrial fluid-control applications.

Connection: 3/8in FNPT inlet × 3/8in FNPT outlet

Maximum pressure rating: 7,250 PSI

Valve type: 2-way, quarter-turn, full-port ball valve

Material: Steel

Product Features

- Full-port flow path reduces restriction compared with reduced-port valves
- Quarter-turn handle provides fast ON/OFF control
- Female 3/8in NPT threads on both ends
- Steel body for high-pressure service
- Rated for working pressures up to 7,250 PSI
- Useful as a system shutoff, isolation or service valve

Specifications

Steam-Brite / Clean Storm Part Number

Parts & Accessories > Valves > Ball Valves > Clean Storm 20130217 3/8in FNPT Full-Port High-Pressure Washing Steel Ball Valve, 7250 PSI

Clean Storm 20130217 3/8in FNPT Full-Port High-Pressure Washing Steel Ball Valve, 7250 PSI

20130217

Port Size
3/8in FNPT × 3/8in FNPT

Configuration
2-way shutoff valve

Port Design
Full port

Body Material
Steel

Maximum Working Pressure
7,250 PSI

Operation
Manual quarter-turn handle

Common Applications

- Professional pressure-washing systems
- Truckmount carpet-cleaning equipment
- High-pressure pump outlet and bypass plumbing
- Surface-cleaner and wash-system plumbing
- Industrial water and compatible-fluid systems

Cross-Reference Information

This valve may be associated with the following current or historical part numbers. Manufacturers can revise materials, seals, handles and dimensions without notice. Confirm the port size, pressure rating, fluid compatibility and physical dimensions before ordering.

- AR Pumps GE2N38
- Pressure-Pro BKH-38-NPT-1123
- Pressure-Pro ABV038-7K
- Shark / K¨rcher 8.709-276.0

Parts & Accessories > Valves > Ball Valves > Clean Storm 20130217 3/8in FNPT Full-Port High-Pressure Washing Steel Ball Valve, 7250 PSI

Clean Storm 20130217 3/8in FNPT Full-Port High-Pressure Washing Steel Ball Valve, 7250 PSI

- Mosmatic 90.065
- Midland GE2-38-NPT / GE238NPT
- BE Pressure 85.300.046
- Comet 8402.2602.00
- 3701

Before ordering: This listing is for one 3/8in FNPT × 3/8in FNPT valve. Pipe fittings, quick disconnects, hoses and thread sealant are not included unless specifically shown as included in the shopping-cart options.

High-Pressure Safety

High-pressure water can cause severe injury. Installation and service should be performed only after the machine is shut down, cooled and completely depressurized. Never exceed the rated pressure of the lowest-rated component in the system. Use compatible fittings and thread sealant, inspect the completed installation for leaks, and replace any valve that is damaged, leaking, corroded or difficult to operate.

Product appearance, handle style and markings may vary by production run. Display images are for reference. Orders are fulfilled by the part number shown above.

Specifications are subject to change without notice.

California Proposition 65: This product can expose you to chemicals, including cobalt, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information visit www.P65Warnings.ca.gov.

Full Port High Pressure Ball Valve 7250 psi

3/8" Fip X 3/8" Fip

Steel Construction

3/8 NPT 2 Way Steel Hi Pressure Ball Valve

Buy More, \$ave More

Availability: This product was added to our catalog on Tuesday 19 February, 2013