

Equipment: Carpet Cleaning Machines > Wand > Stair Wands > PMF S1513C 6in Closed Spray Stair Upholstery Wand Office Partition Tool 1250 PSI Stainless Steel Valve and Wand

PMF S1513C 6in Closed Spray Stair Upholstery Wand Office Partition Tool 1250 PSI Stainless Steel Valve and Wand



Model Number: S1513C

PMF S1513C 6in Closed Spray Stair Upholstery Wand Office Partition Tool 1250 PSI Stainless Steel Valve and Wand

Manufacturer: Production Metal Forming

PMF S1513C 6in Closed Spray Stair Upholstery Wand - 1250 PSI Stainless Steel

PMF Part Number: S1513C

Cleaning Width: 6 Inches

Maximum Pressure: 1250 PSI

Spray Style: Closed Spray / Internal Spray

Construction: Stainless Steel

IMPORTANT: THIS IS THE PMF S1513C 1250 PSI CLOSED-SPRAY MODEL.

The PMF S1513C is a professional 6-inch closed-spray stair and upholstery cleaning wand designed for carpeted stairs, office partitions, upholstery, automotive carpet, edges, and other areas where a conventional full-size carpet wand is difficult to use.

Built by Production Metal Forming (PMF), the S1513C features heavy-duty stainless steel construction and a 1250 PSI stainless steel solution valve for professional carpet cleaning applications.

PMF S1513C Specifications

Manufacturer

Production Metal Forming / PMF

Part Number

S1513C

Product Type

Closed Spray Stair / Upholstery Cleaning Wand

Cleaning Width

6 Inches

Maximum Pressure

1250 PSI

Spray Configuration

Closed Spray

Equipment: Carpet Cleaning Machines > Wand > Stair Wands > PMF S1513C 6in Closed Spray Stair Upholstery Wand Office Partition Tool 1250 PSI Stainless Steel Valve and Wand

PMF S1513C 6in Closed Spray Stair Upholstery Wand Office Partition Tool 1250 PSI Stainless Steel Valve and Wand

Valve
1250 PSI Stainless Steel Valve

Construction
Stainless Steel, Including Nuts and Bolts

Spray Jet
Removable Stainless Steel Visiflo Jet

Applications
Carpeted Stairs, Upholstery, Office Partitions and Detail Cleaning

Quick Disconnect Included?
No

6 Inch Closed Spray Stair Tool

The compact 6-inch cleaning head makes the PMF S1513C especially useful for cleaning carpeted stair treads and risers where a standard carpet cleaning wand is too large or difficult to maneuver.

The tool also works well for upholstery, office partitions and other detailed extraction cleaning applications where a smaller cleaning head provides better control.

Closed Spray Design Helps Control Overspray

Unlike an open-spray stair wand, the S1513C uses a closed-spray design. The spray is contained within the cleaning head, helping reduce unwanted overspray onto nearby walls, trim, furniture and other surfaces.

The enclosed design also helps retain solution heat at the cleaning surface, making it especially useful when cleaning stairs and other areas where overspray needs to be controlled.

1250 PSI S1513C Model

The S1513C is PMF's 1250 PSI version of its 6-inch closed-spray stair tool. PMF manufactures several pressure versions of this closed-spray design:

- PMF S1510C - 300 PSI Closed Spray
- PMF S1511C - 500 PSI Closed Spray
- PMF S1512C - 800 PSI Closed Spray
- PMF S1513C - 1250 PSI Closed Spray - This Listing

Be sure to select the pressure rating appropriate for your carpet extractor or truckmount system.

Equipment: Carpet Cleaning Machines > Wand > Stair Wands > PMF S1513C 6in Closed Spray Stair Upholstery Wand Office Partition Tool 1250 PSI Stainless Steel Valve and Wand

PMF S1513C 6in Closed Spray Stair Upholstery Wand Office Partition Tool 1250 PSI Stainless Steel Valve and Wand

Heavy-Duty Stainless Steel Construction

The S1513C is designed for professional carpet cleaning use and features stainless steel construction, including the nuts and bolts.

An extra-long handle with an assist handle gives the operator additional leverage when cleaning heavily soiled stair carpeting and other difficult areas.

Removable Stainless Steel Visiflo Jet

The solution system uses a stainless steel Visiflo spray jet that can be removed for inspection and cleaning.

Being able to remove the jet makes routine maintenance easier if mineral deposits, chemical residue or debris begin affecting the spray pattern.

Typical Cleaning Applications

- Carpeted stair treads and risers
- Upholstery cleaning
- Office partitions and fabric panels
- Automotive carpet and interiors
- Carpet edges and confined areas
- Detail extraction cleaning
- Areas where controlling overspray is important

Quick Disconnect Not Included

IMPORTANT: A solution-hose quick disconnect is not included with the PMF S1513C. Select the appropriate quick disconnect option separately if one is required for your carpet cleaning solution hose and equipment.

Why Choose Closed Spray?

A closed-spray stair tool is particularly useful when working around painted walls, baseboards, furniture, office partitions and other surfaces where uncontrolled solution spray could create additional cleanup.

The combination of a compact 6-inch head, closed spray chamber and 1250 PSI stainless valve makes the PMF S1513C a versatile professional detail wand for high-pressure carpet extraction systems.

Manufacturer: Production Metal Forming (PMF)

Manufacturer Part Number: S1513C

Quantity: 1 Wand

Specifications are subject to change without notice. Always verify that your equipment, solution hose, fittings and operating pressure are compatible before use.

Production Metal Forming Inc. is the largest manufacturer of carpet cleaning wands, upholstery tools, valves and other accessories for carpet and upholstery cleaning industry. We created the patented Hide-A-Hose and the patented Internal Spray Detailer. We also make proprietary items for OEM manufacturers of the industry. PMF's reputation is built on first-rate customer service and quality products "Made in the USA."

Equipment: Carpet Cleaning Machines > Wand > Stair Wands > PMF S1513C 6in Closed Spray Stair Upholstery Wand Office Partition Tool 1250 PSI Stainless Steel Valve and Wand

PMF S1513C 6in Closed Spray Stair Upholstery Wand Office Partition Tool 1250 PSI Stainless Steel Valve and Wand

Note: Quick disconnects are not included with tool. Please add connectors to your shopping cart...

Foster: 1/4in Male Brass Quick Disconnect QD

Foster: 1/4in Female Brass Quick Disconnect QD

Foster: 1/4in Male/Female Set Brass Quick Disconnect QD

Options available for PMF S1513C 6in Closed Spray Stair Upholstery Wand Office Partition Tool 1250 PSI Stainless Steel Valve and Wand :

Quick Disconnect Coupler Needed

- None, Male 22mm Brass Plug Screw On, Carpet Cleaning QD35 1/8 inch Male Brass Quick Disconnect Plug Coupler 580-105 PAF03 PC10, Male Stainless Pressure Washer Style Plug 3/8, Carpet Cleaning Stainless Steel 1/4" Female Quick Disconnect QD 104QDSS-S, .Male Brass Carpet Cleaners Style (Default) 1/4, Female 22mm Brass Socket Screw On, Female Stainless Pressure Washer Coupler Style Socket 3/8, Carpet Cleaning Stainless Steel 1/4" Male Quick Disconnect QD 104QDSS NA010, Female Brass Carpet Cleaners Style 1/4, Kaivac Male Quick Connect 1/4in MALE FLO-THRU Plug X BRASS 1/4" FPT [BR335].

Availability: This product was added to our catalog on Tuesday 12 March, 2013