

>



Model Number: Reverse10-30R

Clean Storm Reverse10-30R Power Joiner Step Up Inverter Converts Dual 20 amp 115 Volt outlets to allow 230 Volt 3 wire

Manufacturer: Clean Storm

Power Cord Adapter Inverter (Reverse Converter) Takes two 115 volt outlets and allows you to use 230 volt appliances that uses under 20 amp @ 230 volts (4600 watts) Single phase current to NEMA 10-30R receptacle. Fast and Easy 220

Works with:

Zencar Level 2 EV Charger(240V,16A,28ft) Portable EVSE Home Electric Vehicle Charging Station Compatible with Chevy Volt, Nissan Leaf, Fiat, Ford Fusion and all others.

ELECTRON 4897080225302 240V 16 Amp Level 2 EV Charger with 21ft (6.4m) Extension Cord J1772 Cable

Other 220 to 240 volt receptacles available including but not limited to: NEMA 6-30R, NEMA 6-50R, NEMA 10-30R, more

Perfect for electric cars (BEV), pressure washers, welders, plasma cutters, vapor steam cleaners, and other high powered equipment when 230 volt plugs are just not available.

Used with Hypervac 220 Volt Variable Speed Revolution HYBRID Vacuum.

Tesla (BEV) car owners historically have purchased the 14-30R or 14-50R model instead.

Not for use on GFCI or LDCI 115 volt Outlets.

To use simply plug into different outlets and push the momentary button to test voltage. The phase locator will supply a bright green light then you are good to go. When you do not get a bright green light, simply relocate one power cord and retest again. Not all outlet combinations will produce the correct voltage so you have to test before each use. Every job site location has the ability to provide plus or minus 240 volts. If you use 15 amp 115 v to 120 volt circuits then you will only be able to operate 15 amp 240 volt equipment. If your pressure washer needs 23 amps @ 240 volts and you are plugged into 20 amp 115 volt outlets, you will need to turn the pressure down to lower the amp draw. Just turn the pressure regulator / unloader knob counter clockwise. The less pressure, the less horse power is needed to turn the electric motor and this will lower the amp draw. Until both 120 volt power cords are connected to a 120 volt electrical source, it is electrically isolated from the electrical circuit of the exposed male plug on the 2nd power cord. This protects the user from accidental shock through the exposed male plug contact.

>

Plastic Box is 6" X 6" X 4"  
Dual 12-3 X 25 ft power cords with dual 20 amp push breakers.  
Green Light 240 Voltage Notification.  
Rubber feet on bottom of box  
Works with the Blastrac BDC-24 Dust Collector.

You must test both wall outlets with a receptacle polarity tester before use!

20100823 Electrical Outlet Receptacle Tester 3 wire 120 volt

Note: User assumes all responsibility on use. It is the users responsibility to check the inbound voltage, outbound voltage, and total amp draw to verify these are not going to be overloaded. The user agrees to test the amp draw of any appliance or machine that they plug into these converters to ensure they are not being overloaded. Meters are cheap and mistakes are expensive. You can purchase a meter at <https://www.steam-brite.com/voltage-meter-multitester-p-6259.html>  
User agrees to hold Steam Brite, its employees, and agents harmless in the event of any use of said use of converter. The user agrees to not hold SteamBrite and all employee against any problems that arise out of the use of said converters/ inverters. Remember, just because it plugs in does not mean it is OK to use!

Please remember the 80/20 electrical rule. If you are going to plug into a 15 amp outlet and draw long term the device needs to be under 80% of 15 amps = 12 amps max.  
If I plug into dual 20 amp breakers long term then the 80/20 rules math is 20 amps X 80% = 16 amps max.  
Also work on Multiplaz welders, SkyVac 85 240V 3 Motor Vacuums, and Falcon Pro Solution Steam Vapor Machines.  
Manufactures 90 day warranty. Add optional 2 or 4 more years for a little more.

Will this work with an electric clothes dryer?

Owners Manual

>

*Availability: This product was added to our catalog on Friday 01 October, 2004*

Steambrite Supply