

>



Model Number: HTS2215S

General Pump HTS2215S, 5gpm 2300psi 1450rpm, Emperor Run Dry High Temperature Prochem Apex P31 65241 8.619-140.0

Manufacturer: General Pump

General Pump HTS2215S Emperor Pressure Washing Carpet Cleaning Pump
2300psi 5gpm 1200rpm
Prochem Apex P31 65241
Prochem 8.619-140.0 86191400

General / Interpump HTS2215S 2300 PSI @ 5.0 GPM Belt-Drive pump used in carpet cleaning industry. The Emperor Pump by General Features patent-pending high tech packings, dynamic low-pressure seal retainer, superior low-pressure seal, innovative intermediate ring and superior high-pressure seal. Used on Prochem Apex

- Max Fluid Temp - 185 Degrees F
- 2300 PSI
- 4.0 GPM - 5.0 GPM
- 1/2 FPT Inlet
- 3/8 FPT Outlet
- 950 - 1200 RPM
- 24mm Solid Shaft Keyed
- Gasoline Engine Driven
- Use with 11 - 13 HP Engines
- Quality General Pump
- Features patent-pending high tech high temperature 'run dry' packings
- Solid Ceramic plungers
- Patent-pending inlet/outlet valve seal
- Patent-pending inlet/outlet valve cage
- Nickel-plated inlet/outlet valve plugs
- Nickel-plated forged brass manifold with an exclusive lifetime warranty
- Heavy-duty tapered roller bearings
- Specifically designed to handle rigorous duty cycles, high temperatures and chemicals
- Ideal for use in carpet cleaning and other high pressure cleaning applications
- Same low rate and rpm as Cat Pump 310 and Cat 5CP2120
-

Maximum Volume

4/5 GPM

>

Max. Discharge Pressure

2300 PSI

Maximum Pump Speed

950/1200 RPM

Maximum Inlet Pressure

125 PSI

Bore

.886 in. / 22 mm

Stroke

.591 in. / 15 mm

Crankcase Oil Capacity

40.6 oz.

Maximum Fluid Temperature

185°F

Inlet Port Thread

1/2"-14 BSP-F

Discharge Port Thread

>

3/8"-19 BSP-F

Shaft Diameter

.945 in. / 24 mm

Weight

32 lbs.

Dimensions

12.4" x 10" x 6.9"

Print Spec Sheet

General pump Maintenance Guide

Sales tax collected in TX and CA

<https://www.jnequipment.com/shop/brands/general-pump/general-hts2215s-carpet-cleaning-pressure-washer-pump-bare/>

\$649.95

as well as 3 other sites

-->

Availability: This product was added to our catalog on Thursday 02 May, 2013