

>



Model Number: EZ4040G

General Pump EZ4040G, Pressure Washing Carpet Cleaning Pump, 4000psi 4gpm

Manufacturer: General Pump

General Pump EZ4040G Pressure Washing Carpet Cleaning Pump 4000psi

High Quality Replacement For Worn Out Pumps

- Professional quality at an affordable price

Triplex Plunger Pump With Premium Roller Bearing

- One-piece plunger design eliminates water in the crankcase

- Runs cooler and lasts longer than axial pumps

Durable Components

- Forged brass manifold lasts longer than cheaper models

- Die-cast, anodized aluminum oil-bath crankcase

- Unitized stainless steel inlet and discharge valves

Standard SAE J609 Gasoline Mounting Flange

- Use with up to 13 HP, 3400 RPM engines

- Maximum 4000 PSI and 4 gallons per minute

- 1" hollow shaft, plunger bore & stroke .512 in. (13 mm) Direct Bolt on to Engine

- Crankcase oil capacity 14 ounces

Be Sure To Measure Shaft & Flange Bolt Holes Accurately!

- There is a 25% restock fee on returned pumps

- (Dimensions on the spec sheet download under the Specs tab)

- Innovative one-piece plunger design
- 5% reduction in crankcase load compared to standard 3,000 psi - 15 mm pumps
- Superior plunger performance against thermal shock and cavitation due to new, unique bonding process
- Standard SAE J609 gasoline mounting flange for up to 16 hp engines
- Forged brass manifold with a 3:1 hydrostatic rating
- Die-cast, anodized aluminum, oil-bath crankcase
- Premium roller bearing
- Unitized stainless steel inlet and discharge valves
- Available in L left-handed versions

>

Maximum Volume
4.0 gpm

Max. Discharge Pressure
4000 psi

Maximum Pump Speed
3400 rpm

Maximum Inlet Pressure
125 psi

Maximum Inlet Vacuum
Flooded

Bore
.512 in / 13 mm

Stroke
.512 in / 13 mm

Crankcase Oil Capacity
14.0 oz

Maximum Fluid Temperature
165°F

Inlet Port Thread
1/2-14 BSPP-F

Discharge Port Thread
3/8-19 BSPP-F

Hollow Shaft I.D.
1.0 in / 25.4 mm

Weight
20 lbs

>

Dimensions
8.8 x 9.7 x 6.5 in

Sales tax collected in TX and CA

General pump Maintenance Guide

Availability: This product was added to our catalog on Friday 03 May, 2013