

>



Model Number: TP2530J34UIL

General Pump TP2530J34UIL, Pressure Washing Carpet Cleaning Pump, 2700psi 3400rpm GTIN: 682491014973

Manufacturer: General Pump

General Pump TP2530J34UIL Pressure Washing Carpet Cleaning Pump 2700psi 3400rpm with Unloader and Injector

High Quality Replacement For Worn Out Pumps

- Consumer grade is ideal for all general cleaning applications

Triplex Plunger Pump With Ceramic Plungers

- Runs cooler and lasts longer than axial pumps

- Continuously lubricated packings extend time between rebuilds

Durable Components Fit Left Handed Mounts

- Forged brass manifold lasts longer than aluminum

- Oversized connecting rods increase performance

- Stainless steel inlet and outlet valves won't corrode

Comes Standard With SAE J609 Gasoline Engine Mounting Flange

- **Do not use NPT inlet fitting

Easily Connects To Many Gas Pressure Washers

- 3/4" / 19mm hollow shaft; fits left handed mounts

- Pump inlet port thread 3/8-19 BSPP-F

- Unloader inlet port thread 1/2-14 BSPP-F**

- Pump discharge port thread 1/4-19 BSPP-F

- Unloader discharge port thread 3/8-19 BSPP-M

- Bore .591 in. / 15 mm, stroke .283 in. / 7.2 mm

Be Sure To Measure Shaft And Flange Bolt Holes Accurately!

- There is a 25% restock fee on returned pumps

Model Number:
TP2530J34UIL

UPC:
682491014973

>

Manufacturer:
General Pump

Made in USA:
No

Pump Brand:
General

Pump Type:
Triplex Plunger

Adjustable Pressure:
Yes

Rated PSI
2500 PSI

Weight:
11.4 Lbs. (5.17 kilograms)

Dimensions:
7L x 5.5W x 8H
(17.78 x 13.97 x 20.32 cm)

Mfr Consumer Warranty:
5 Years

Mfr Commercial Warranty:

>

5 Years

General pump Maintenance Guide
Sales tax collected in TX and CA

Availability: This product was added to our catalog on Monday 06 May, 2013