Kohler PA-KT745-3022 26hp Courage Vertical Twin Cylinder Engine Replces SV735-3027 MTD All Sales Final



Model Number: PA-SV735-3022

Kohler PA-KT745-3022 26hp Courage Vertical Twin Cylinder Engine Replces SV735-3027 MTD All Sales Final

Manufacturer: Kohler

Kohler 26 hp Courage Vertical Twin Cylinder Engine PA-SV735-3027 MTD
KH-SV735-3022

Special order 90+ day build engine.
All Sales Final
All deliveries must be inspected and signed for
Missed deliveries cost $200 more so please make an appointment for delivery

Professional Grade Design.
Professional grade engineering for the consumer. Cool-running OHV design and tough cast-iron cylinder bore provides better fuel efficiency, more torque per unit of displacement and means your engine will last longer in harsh mowing conditions - so you can keep your mower longer and avoid costly trips to the repair shop.
Durable, Long Life Design.
The dual-seal, top- mount air filter keeps debris out of the engine and the internally vented carburetor provides added protection in dirty conditions. A modulated cooling fan reduces noise and optimizes air flow for a longer engine life.
High Power Performance.
Consistent-Cut™ technology delivers more consistent power to your mower deck in extreme load conditions, maximizing cutting, bagging, and mulching performance. So you can rest assured knowing there will be less clumping and missed areas.

Comfortable Operation.
Tough on grass, easy on you. V-Twin design provides smooth operation and the acoustically dampened air induction system reduces noise for quieter operation. This engine also features a flip-up air cleaner cover that allows for quick inspection and change
Reliable Starting.
High-torque inertia drive starter ensures quick, reliable starting in all conditions.
Increased Efficiency.

Overhead valve design makes KOHLER® engine more fuel efficient and provides more power per displacement while emitting fewer harmful exhaust gasses..

Steambrite Supply

Kohler PA-KT745-3022 26hp Courage Vertical Twin Cylinder Engine Replces SV735-3027 MTD All Sales Final

User-Friendly Maintenance.

High Power Performance.

Reliability and Long Life Design.

Quiet, Smooth Operation.

Easy Dependable Starts.

Engine Type:
4-cycle, gasoline, OHV, twin-cylinder, air-cooled, vertical shaft, full pressure lubrication with full-flow filter, aluminum head and crankcase with cast iron cylinder liners.

Model

Courage SV735

Max Power @3600 RPM hp (kW) 1
26 (19.4)

Steambrite Supply

Kohler PA-KT745-3022 26hp Courage Vertical Twin Cylinder Engine Replces SV735-3027 MTD All Sales Final

Displacement cu in (cc)
44 (725)

Bore in (mm)
3.3 (83)

Stroke in (mm)
2.6 (67)

Max Torque lbs. ft (Nm)1
41.5 (56.2)

Compression Ratio
9:1

Dry Weight lbs (kg)
91 (41.3)

Oil Capacity U.S. quarts (L)
2 (1.9)

Lubrication
Full pressure w/full-flow filter

Dimensions L x W x H in
18.5 x 17.8 x 13.4

Backpressure Limit 2
50

J1995 Power hp (kW) 3
22.3 (16.6)

J1995 Torque lbs ft (Nm) 3

Steambrite Supply

Kohler PA-KT745-3022 26hp Courage Vertical Twin Cylinder Engine Replces SV735-3027 MTD All Sales Final

36.4 (49.4)

* Length is air cleaner cover to end of blower housing. Width is side of blower housing to opposite side of blower housing. Height is mounting surface to grass screen.
1 Max Power (hp) and Max Torque (lbs ft) specifications for Kohler general purpose engines are rated pursuant to Society of Automotive Engineers (SAE) J1940 based on gross output testing performed according to SAE J1995 without the air cleaner and muffler. Actual engine power and torque are lower and affected by accessories (air cleaner, exhaust, charging, cooling, fuel pump, etc.), application, engine speed, ambient operating conditions (temperature, humidity and altitude) and other factors. This J1940 / J1995 rating provides consistent measurement to customers who may want to control the intake and exhaust features of the engine. For more information, contact Kohler Co. Engine Engineering Department. Kohler Co. reserves the right to change product specifications, designs and standard equipment without notice and without incurring obligation.

2 Inches of H20 @ 3600 RPM WOT

3 J1995 power and torque certified by 3rd Party Witness

Kohler Videos

Owners Manual

Service Manual

Steambrite Supply

Kohler PA-KT745-3022 26hp Courage Vertical Twin Cylinder Engine Replces SV735-3027 MTD All Sales Final

Steambrite Supply

Kohler PA-KT745-3022 26hp Courage Vertical Twin Cylinder Engine Replces SV735-3027 MTD All Sales Final

Steambrite Supply

Kohler PA-KT745-3022 26hp Courage Vertical Twin Cylinder Engine Replces SV735-3027 MTD All Sales Final

Standard Features:
• 1.125” Diameter x 4.36” PTO Length, 7/16-20 Crankshaft
• Cast-Iron Cylinder Liners
• 10” D.B.C., 4 Cored Holes (For OEM Self-Tap)
• Full Pressure Lubrication
• Oil Filter
• Automotive Style Dipstick (Yellow)
• 7/16” External Square Oil Drain Plug
• Stellite® Exhaust Valves
• 12V Bendix Electric Starter
• 15A Regulated Charging System
• Digital Advance Ignition System (DSAI) - SV735 only
• RFI/Ctick Compliance
• Modulated Cooling Fan
• Fixed Grass Screen Guard
• Carburetor w/Fuel Shutdown Solenoid
• Pulse Fuel Pump
• 51 Micron Fuel Filter
• Single Wire Controls - Throttle and Choke
• Mechanical Governor
• Torx Head Boden Screws
• Dual Element Air Cleaner
• Standard HP Decal (Black with Silver Lettering)
• Engine Plate with Emission Certification
• Governed Idle Speed 1750 (+150/-250) rpm
• High Speed 3300 (+/- 75) rpm
• Owner’s Manual (English)
• Color-Black with Cast Aluminum

Standard Features Plus:
• EVAP

20130803djc

Parts & Accessories > Engines > Kohler Courage Retired Engines (Contact for a replacement) > Kohler PA-KT745-3022 26hp Courage Vertical Twin Cylinder Engine Replces SV735-3027 MTD All Sales Final

Kohler PA-KT745-3022 26hp Courage Vertical Twin Cylinder Engine Replces SV735-3027 MTD All Sales Final

http://tewarehouse.com/s.nl
and
http://www.mchenrypowerinc.com/store/pc/showsearchresults.asp?resultCnt=&keyword=SV735-3019
and
http://www.smallenginesuppliers.com/shop/agora.cgi
-->

Options available for Kohler PA-KT745-3022 26hp Courage Vertical Twin Cylinder Engine Replces SV735-3027 MTD

All Sales Final :

Shipping Surcharges

Commercial Address But Needs Liftgate Service Because No Forklift or Dock on Site No Appointment Provided, Residential Forklift Onsite Limited Access + Needs Appointment, Home Delivery Needs Liftgate Curb Service Because No Forklift On Site (Required) No Appointment Provided, None Commercial Address Forklift / Loading Dock On Site No Appointment Provided, Commercial Address But Need Liftgate and Appointment Service / Limited Access Fee Not Included, +Home Delivery Needs Liftgate Curb Service Because No Forklift On Site With Appointment Delivery Time.

Availability: This product was added to our catalog on Saturday 03 August, 2013

Steambrite Supply