
Mytee C304LA, Electro Motor, Model Q6600-165A-MP-230v, 3 stage 230V Flat Bottom, Fan-Vacuum Motor, Thoromatic 198336



Model Number: C304LA

Mytee C304LA, Electro Motor, Model Q6600-165A-MP-230v, 3 stage 230V Flat Bottom, Fan-Vacuum Motor, Thoromatic 198336

Manufacturer: Electro Motor

Vacuum motor to repair many 3 stage vacuum machines including but not limited to Mytee 3 stage 230 volt vacuum machines, including but not limited to Might 230 volt machine, Mytee 1005DX-230v, Mytee HP60-230v, Mytee M3-230v, Mytee M5-230v, Mytee Prep Center 230v, Escape ETM Truckmount, Thoromatic TC88-230 volt part 198336

Bypass Tangential Exhaust Motor

Electro Motor

Intended for applications requiring separate working air and cooling air. Designed to handle clean, dry, filtered air only.

Electro Motor has a variety of tangential motor options available including: 5.7 diameter 1, 2 & 3 stage options Optional Adapter Plate to fit 7.2” Motor Mounting 100,120, 220-240, 24, 36 voltage options

Common Applications for Tangential motors: Spray Tan, Central Vacs, Extractors, Boat Lifts, Dock Lifts, Car Wash Vacuums, Foggers, etc.

All Models available with Bearing Moisture Protection System
Recieve half price shipping by picking up at SteamBrite Supply San Antonio, TX 78233

6600-90

Steambrite Supply

Mytee C304LA, Electro Motor, Model Q6600-165A-MP-230v, 3 stage 230V Flat Bottom, Fan-Vacuum Motor, Thoromatic 198336

AIRFLOW

PERFORMANCE

Steambrite Supply

Mytee C304LA, Electro Motor, Model Q6600-165A-MP-230v, 3 stage 230V Flat Bottom, Fan-Vacuum Motor, Thoromatic 198336

Steambrite Supply

Volts =
230

Mytee C304LA, Electro Motor, Model Q6600-165A-MP-230v, 3 stage 230V Flat Bottom, Fan-Vacuum Motor, Thoromatic 198336

Steambrite Supply

Mytee C304LA, Electro Motor, Model Q6600-165A-MP-230v, 3 stage 230V Flat Bottom, Fan-Vacuum Motor, Thoromatic 198336

Steambrite Supply

CORR.
AIR
CORR.

ORIFICE
SUCTION
INPUT

SUCTION
FLOW
INPUT
AIR

OVERALL

Mytee C304LA, Electro Motor, Model Q6600-165A-MP-230v, 3 stage 230V Flat Bottom, Fan-Vacuum Motor, Thoromatic 198336

(Inches)
("H2O)
WATTS
AMPS
RPM'S
("H2O)
(CFM)
WATTS
WATTS
H.P.
EFF.(%)

2
3.84
1550
7
19,496

Steambrite Supply

Mytee C304LA, Electro Motor, Model Q6600-165A-MP-230v, 3 stage 230V Flat Bottom, Fan-Vacuum Motor, Thoromatic 198336

4.0
104.4
1601
49.04
0.066
3.06

1.5
11.19
1540
7
19,539
11.7
98.5
1590
134.92
0.181
8.49

1.25
20.66
1566
7
19,587
21.5
92.9
1616
234.92
0.315
14.54

1
38.75
1549
7
19,701
40.4
80.8
1600
383.26
0.514

Steambrite Supply

Mytee C304LA, Electro Motor, Model Q6600-165A-MP-230v, 3 stage 230V Flat Bottom, Fan-Vacuum Motor, Thoromatic 198336

23.96

0.875
51.73
1526
7
19,897
54.0
71.4
1575
451.90
0.606
28.70

0.75
66.58
1475
7
20,289
69.5
59.2
1523
482.85
0.647
31.72

0.625
82.04
1390
7
20,990
85.6
45.5
1435
456.86
0.612
31.85

0.5
96.19

Steambrite Supply

Mytee C304LA, Electro Motor, Model Q6600-165A-MP-230v, 3 stage 230V Flat Bottom, Fan-Vacuum Motor, Thoromatic 198336

1280
6
22,013
100.3
31.4
1321
370.11
0.496
28.01

0.375
108.00
1164
5
23,277
112.7
18.7
1202
247.11
0.331
20.56

0.25
119.21
1060
5
24,618
124.4
9.0
1095
131.28
0.176
12.00

0
131.24
966
5
25,866
136.9
0.0

Steambrite Supply

Mytee C304LA, Electro Motor, Model Q6600-165A-MP-230v, 3 stage 230V Flat Bottom, Fan-Vacuum Motor, Thoromatic 198336

997
0.00
0.000
0.00

POLYNOMIAL PEAK AIRWATTS:
483.78

Steambrite Supply

Mytee C304LA, Electro Motor, Model Q6600-165A-MP-230v, 3 stage 230V Flat Bottom, Fan-Vacuum Motor, Thoromatic 198336

Steambrite Supply

Mytee C304LA, Electro Motor, Model Q6600-165A-MP-230v, 3 stage 230V Flat Bottom, Fan-Vacuum Motor, Thoromatic 198336

Steambrite Supply

Mytee C304LA, Electro Motor, Model Q6600-165A-MP-230v, 3 stage 230V Flat Bottom, Fan-Vacuum Motor, Thoromatic 198336

Steambrite Supply

Metric Data
CORR.
AIR
CORR.

Mytee C304LA, Electro Motor, Model Q6600-165A-MP-230v, 3 stage 230V Flat Bottom, Fan-Vacuum Motor, Thoromatic 198336

ORIFICE	50.8
SUCTION	97
INPUT	1550
	7
SUCTION	19,496
FLOW	102
INPUT	49.3
AIR	1601
OVERALL	49.0

(mm)
(mm H2O)
WATTS
AMPS
RPM'S
(mm H2O)
(L/sec)
WATTS
WATTS
H.P.
EFF.(%)

Steambrite Supply

Mytee C304LA, Electro Motor, Model Q6600-165A-MP-230v, 3 stage 230V Flat Bottom, Fan-Vacuum Motor, Thoromatic 198336

0.066
3.06

38.1
284
1540
7
19,539
297
46.5
1590
134.9
0.181
8.49

31.8
525
1566
7
19,587
547
43.8
1616
234.9
0.315
14.54

25.4
984
1549
7
19,701
1027
38.1
1600
383.3
0.514
23.96

22.2

Steambrite Supply

Mytee C304LA, Electro Motor, Model Q6600-165A-MP-230v, 3 stage 230V Flat Bottom, Fan-Vacuum Motor, Thoromatic 198336

1314
1526
7
19,897
1371
33.7
1575
451.9
0.606
28.70

19.1
1691
1475
7
20,289
1764
28.0
1523
482.9
0.647
31.72

15.9
2084
1390
7
20,990
2174
21.5
1435
456.9
0.612
31.85

12.7
2443
1280
6
22,013
2549

Steambrite Supply

Mytee C304LA, Electro Motor, Model Q6600-165A-MP-230v, 3 stage 230V Flat Bottom, Fan-Vacuum Motor, Thoromatic 198336

14.8
1321
370.1
0.496
28.01

9.5
2743
1164
5
23,277
2862
8.8
1202
247.1
0.331
20.56

6.4
3028
1060
5
24,618
3159
4.2
1095
131.3
0.176
12.00

0.0
3333
966
5
25,866
3477
0.0
997
0.0
0.000
0.00

Steambrite Supply

Mytee C304LA, Electro Motor, Model Q6600-165A-MP-230v, 3 stage 230V Flat Bottom, Fan-Vacuum Motor, Thoromatic 198336

POLYNOMIAL PEAK AIRWATTS:
483.78

CORR.
AIR
CORR.

Steambrite Supply

Mytee C304LA, Electro Motor, Model Q6600-165A-MP-230v, 3 stage 230V Flat Bottom, Fan-Vacuum Motor, Thoromatic 198336

ORIFICE	50.8
SUCTION	0.955
INPUT	1550
	7
SUCTION	19,496
FLOW	1.00
INPUT	177.46
AIR	1601
	49.0
OVERALL	0.066
	3.06

(mm)
(kPa)
WATTS
AMPS
RPM'S
(kPa)
(cu m/h)
WATTS
WATTS
H.P.
EFF.(%)

Steambrite Supply

Mytee C304LA, Electro Motor, Model Q6600-165A-MP-230v, 3 stage 230V Flat Bottom, Fan-Vacuum Motor, Thoromatic 198336

38.1
2.787
1540
7
19,539
2.91
167.34
1590
134.9
0.181
8.49

31.8
5.145
1566
7
19,587
5.37
157.86
1616
234.9
0.315
14.54

25.4
9.652
1549
7
19,701
10.07
137.27
1600
383.3
0.514
23.96

22.2
12.884
1526

Steambrite Supply

Mytee C304LA, Electro Motor, Model Q6600-165A-MP-230v, 3 stage 230V Flat Bottom, Fan-Vacuum Motor, Thoromatic 198336

7
19,897
13.44
121.26
1575
451.9
0.606
28.70

19.1
16.583
1475
7
20,289
17.30
100.66
1523
482.9
0.647
31.72

15.9
20.433
1390
7
20,990
21.32
77.29
1435
456.9
0.612
31.85

12.7
23.959
1280

Q6600-090A
Optional

Steambrite Supply

Parts & Accessories > Vacuum Motors > Mytee C304LA, Electro Motor, Model Q6600-165A-MP-230v, 3 stage 230V Flat Bottom, Fan-Vacuum Motor, Thoromatic 198336

Mytee C304LA, Electro Motor, Model Q6600-165A-MP-230v, 3 stage 230V Flat Bottom, Fan-Vacuum Motor, Thoromatic 198336

Add Vacuum Motor Lint Screen Filtration and Gasket to any vacuum motor

Gasket Vacuum Motors fits 5.7in Vacuum Motors 1/4" Thick PP43-807110
Mytee G004A PX13

Options available for Mytee C304LA, Electro Motor, Model Q6600-165A-MP-230v, 3 stage 230V Flat Bottom, Fan-Vacuum Motor, Thoromatic 198336 :

Options

+ None, 5.7in Vacuum Motor Gasket 1/4" Thick [PX13].

Availability: This product was added to our catalog on Saturday 19 October, 2013

Steambrite Supply