Mosmatic 30.054, DGS In-Line Stainless Swivel 1/4in Fip X 3/8in Fip Dual Bearing System



Model Number: 30.054

Mosmatic 30.054, DGS In-Line Stainless Swivel 1/4in Fip X 3/8in Fip Dual Bearing System

Manufacturer: Mosmatic

Mosmatic 30.054, DGS In-Line Stainless Swivel 1/4in Fip X 3/8in Fip Dual Bearing System
Description
The Mosmatic DGS Swivel 30.054 is a high-performance brass, nickel-plated swivel engineered for high and low pressure cleaning, hydraulic systems, and hose reel setups. Designed for seamless operation, it ensures low torque rotation even at maximum pressure, supported by sealed stainless steel bearings for maintenance-free reliability.

With a robust O-ring NBR seal system (optional EPDM or FKM) and dual bearing setup—1x thrust and 1x radial bearing—this swivel is built to endure heavy-duty industrial applications. Its compact profile and durable construction make it ideal for confined installations and long-term use.
Applications

- High and low-pressure cleaning systems
- Hydraulic hose connections
- Ceiling boom installations
- Industrial wash bays
- Mobile and stationary hose reel systems

Features

- Model: Mosmatic DGS 30.054
- Material: Brass, nickel plated
- Thread IN (G1): 1/4" NPTF
- Thread OUT (G2): 3/8" NPTF
- Seal Type: O-ring NBR (Optional EPDM or FKM)
- Bearings: 1x radial, 1x thrust ball bearing
- Very Low Torque: Smooth operation under pressure

Steambrite Supply

Mosmatic 30.054, DGS In-Line Stainless Swivel 1/4in Fip X 3/8in Fip Dual Bearing System

- Stainless Steel Bearings: Sealed and maintenance-free
- Corrosion Resistant: Long service life
- Overall Diameter: 0.86"
- Overall Length: 2.63"
- Nominal Width (NW): 1/4"
- Wrench Size (SW): 0.75"
- Max Pressure: 4000 PSI
- Max RPM: 30
- Max Temperature: 250°F

Specification

Boom Compatible
Yes

Female NPTF
1/4" Fip X 3/8" Fip

Flange Type
Inline

Low RPM
No

Manufacturer
Mosmatic

PSI
4000

Steambrite Supply

Parts & Accessories > Swivels Pressure Rotary Union > In Line Pressure Swivels Rotary Union > Mosmatic 30.054, DGS In-Line Stainless Swivel 1/4in Fip X 3/8in Fip Dual Bearing System

Mosmatic 30.054, DGS In-Line Stainless Swivel 1/4in Fip X 3/8in Fip Dual Bearing System

RPM
30

Swivel Type
DGS

Temp in Fartenheit
250

Additional Information
Sales Brochure

Availability: This product was added to our catalog on Friday 03 January, 2014

Steambrite Supply