Mosmatic 30.154, DGS In-Line Stainless Swivel 3/8in Fip X 3/8in Fip Dual Bearing System



Model Number: 30.154

Mosmatic 30.154, DGS In-Line Stainless Swivel 3/8in Fip X 3/8in Fip Dual Bearing System

Manufacturer: Mosmatic

Mosmatic 30.154, DGS In-Line Stainless Swivel 3/8in Fip X 3/8in Fip Dual Bearing System
Description
The Mosmatic DGS Swivel 30.154 is a precision-engineered brass, nickel-plated swivel designed for high and low-pressure cleaning systems, hydraulic hose connections, ceiling booms, and other demanding industrial applications. Built for durability and ease of use, this swivel features sealed stainless steel bearings and a low torque design to ensure effortless rotation under maximum pressure.

A dual bearing configuration—1x thrust and 1x radial ball bearing—combined with an O-ring NBR seal system (optional EPDM or FKM), makes it an ideal maintenance-free solution for continuous use in tough environments.
Applications

- High and low pressure cleaning systems
- Hydraulic and pneumatic hose connections
- Ceiling boom installations
- Industrial and commercial wash systems
- Hose reels and fluid transfer systems

Features

- Model: Mosmatic DGS 30.154
- Material: Brass, nickel plated
- Thread IN (G1): 3/8" NPTF
- Thread OUT (G2): 3/8" NPTF
- Seal System: O-ring NBR (optional EPDM or FKM)
- Bearings: 1x thrust, 1x radial ball bearing
- Very Low Torque: Ensures smooth operation

Steambrite Supply

Mosmatic 30.154, DGS In-Line Stainless Swivel 3/8in Fip X 3/8in Fip Dual Bearing System

- Stainless Steel Bearings: Sealed, corrosion-resistant
- Overall Diameter: 0.98"
- Overall Length: 2.63"
- Nominal Width (NW): 1/4"
- Wrench Size (SW): 0.87"
- Max Pressure: 4000 PSI
- Max RPM: 30
- Max Temperature: 250°F

Specification

Boom Compatible
Yes

Female NPTF
3/8" Fip X 3/8" Fip

Flange Type
Inline

Low RPM
No

Manufacturer
Mosmatic

PSI
4000

RPM
30

Steambrite Supply

Parts & Accessories > Swivels Pressure Rotary Union > In Line Pressure Swivels Rotary Union > Mosmatic 30.154, DGS In-Line Stainless Swivel 3/8in Fip X 3/8in Fip Dual Bearing System

Mosmatic 30.154, DGS In-Line Stainless Swivel 3/8in Fip X 3/8in Fip Dual Bearing System

Swivel Type
DGS

Temp in Fartenheit
250

Additional Information
Sales Brochure

Availability: This product was added to our catalog on Friday 03 January, 2014

Steambrite Supply