Mosmatic 30.153, DGS In-Line Stainless Swivel 3/8in Fip X 3/8in Mip Dual Bearing System



Model Number: 30.153

Mosmatic 30.153, DGS In-Line Stainless Swivel 3/8in Fip X 3/8in Mip Dual Bearing System

Manufacturer: Mosmatic

Mosmatic 30.153, DGS In-Line Stainless Swivel 3/8in Fip X 3/8in Mip Dual Bearing System
Description
The Mosmatic DGS Swivel 30.153 is a premium brass, nickel-plated swivel designed for high and low pressure cleaning systems, hose connections, and hydraulic applications. Built for durability and smooth operation, this swivel ensures low torque performance under full pressure, ideal for commercial and industrial setups.

Engineered with sealed stainless steel bearings—including one thrust and one radial ball bearing—this swivel offers exceptional rotational efficiency and longevity. The integrated O-ring NBR sealing system (with optional EPDM or FKM materials) ensures tight sealing even in challenging environments.
Applications

- High and low-pressure hose connections
- Ceiling and wall-mounted booms
- Hydraulic equipment
- Commercial and industrial cleaning
- Automatic car washes
- Hose reels and rotating arms

Features

- Model: Mosmatic DGS 30.153
- Material: Brass, nickel-plated
- Thread IN (G1): 3/8" NPTF
- Thread OUT (G2): 3/8" NPTM
- Seal System: O-ring NBR (optional EPDM or FKM)
- Bearings: 1x thrust + 1x radial ball bearing
- Low Torque: Smooth rotation at full pressure

Mosmatic 30.153, DGS In-Line Stainless Swivel 3/8in Fip X 3/8in Mip Dual Bearing System

- Maintenance-Free: Sealed stainless steel bearing system
- Overall Diameter: 0.98"
- Overall Length: 2.36"
- Nominal Width (NW): 1/4"
- Wrench Size (SW): 0.87"
- Max Pressure: 4000 PSI
- Max RPM: 30
- Max Temperature: 250°F

Specification

Boom Compatible
Yes

Female NPTF
3/8" Fip X 3/8" Mip

Flange Type
Inline

Low RPM
No

Manufacturer
Mosmatic

PSI
4000

RPM

Steambrite Supply

Parts & Accessories > Swivels Pressure Rotary Union > In Line Pressure Swivels Rotary Union > Mosmatic 30.153, DGS In-Line Stainless Swivel 3/8in Fip X 3/8in Mip Dual Bearing System

Mosmatic 30.153, DGS In-Line Stainless Swivel 3/8in Fip X 3/8in Mip Dual Bearing System

30

Swivel Type
DGS

Temp in Fartenheit
250

Additional Information
Sales Brochure

Availability: This product was added to our catalog on Friday 03 January, 2014

Steambrite Supply