

>



Model Number: 30.653
Mosmatic 30.653 DGS In-Line Stainless Swivel 3/8in Fip X 3/8in Mip Dual Bearing System
Manufacturer: Mosmatic Pressure Washing Equip
Mosmatic 30.653 DGS In-Line Stainless Swivel 3/8" Fip X 3/8" Mip

Technical Specifications

Boom Compatible
Yes

Female NPTF
3/8" Fip X 3/8" Mip

Flange Type
Inline

Low RPM
No

Manufacturer
Mosmatic

PSI
4000

RPM
30

Swivel Type
DGS

Temp in Fartenheit
250

>

Technical data

Pressure
4000 psi

Temperature
250°F

RPM
max. 30 rpm

Body
brass, nickel plated

Inner part
stainless steel

Seal
O-ring

Bearing
1x radial ball bearing
1x thrust ball bearing

Throughput medium
pH 3-12

Features

dual bearing system
stainless
live swivel
longevity
multiple seal system
maintenance free

>

Applications

high pressure cleaners
hose connections
ceiling booms

Sales Brochure

<http://www.blastlineind.com/Mosmatic-30-653-Swivel-inline-dual-bearing-syste-p/40m30653.htm> \$111.02

<http://stores.kecsupplies.com/> \$91.69

http://www.staniosindustrial.com/Mosmatic_30_653_Swivel_inline_dual_bearing_sy_p/40m30653.htm \$96.23

-->

Availability: This product was added to our catalog on Friday 03 January, 2014