Mosmatic 30.653, DGS In-Line Stainless Swivel 3/8in Fip X 3/8in Mip Dual Bearing System



Model Number: 30.653

Mosmatic 30.653, DGS In-Line Stainless Swivel 3/8in Fip X 3/8in Mip Dual Bearing System

Manufacturer: Mosmatic

Mosmatic 30.653, DGS In-Line Stainless Swivel 3/8in Fip X 3/8in Mip Dual Bearing System
Description
The Mosmatic DGS Swivel 30.653 is a high-performance brass, nickel-plated swivel engineered for high and low pressure cleaning systems, hose connections, ceiling booms, and hydraulic applications. Designed for durability and smooth, low-torque rotation, this swivel is an ideal solution for heavy-duty cleaning and fluid handling setups.

Built with sealed stainless steel bearings—including one thrust and one radial ball bearing—the DGS 30.653 delivers reliable, maintenance-free operation. Its O-ring NBR seal system ensures consistent sealing under pressure, with optional EPDM or FKM seals available for specialized applications.
Applications

- Pressure washing and hose connections
- Ceiling and wall-mounted boom systems
- Hydraulic rotary applications
- Car wash equipment
- Hose reels and swiveling assemblies

Features

- Model: Mosmatic DGS 30.653
- Material: Brass, nickel-plated
- Thread IN (G1): 3/8" NPTF
- Thread OUT (G2): 3/8" NPTM
- Seal System: O-ring NBR (optional EPDM or FKM)
- Bearings: 1x thrust and 1x radial ball bearing
- Low Torque: Easy rotation at high pressure

Steambrite Supply

Mosmatic 30.653, DGS In-Line Stainless Swivel 3/8in Fip X 3/8in Mip Dual Bearing System

- Maintenance-Free: Sealed stainless steel bearings
- Overall Diameter: 0.98"
- Overall Length: 2.43"
- Nominal Width (NW): 3/8"
- Wrench Size (SW): 0.87"
- Max Pressure: 4000 PSI
- Max RPM: 30
- Max Temperature: 250°F

Specification

Boom Compatible
Yes

Female NPTF
3/8" Fip X 3/8" Mip

Flange Type
Inline

Low RPM
No

Manufacturer
Mosmatic

PSI
4000

RPM
30

Steambrite Supply

Parts & Accessories > Swivels Pressure Rotary Union > In Line Pressure Swivels Rotary Union > Mosmatic 30.653, DGS In-Line Stainless Swivel 3/8in Fip X 3/8in Mip Dual Bearing System

Mosmatic 30.653, DGS In-Line Stainless Swivel 3/8in Fip X 3/8in Mip Dual Bearing System

Swivel Type
DGS

Temp in Fartenheit
250

Additional Information
Sales Brochure
http://www.blastlineind.com/Mosmatic-30-653-Swivel-inline-dual-bearing-syste-p/40m30653.htm $111.02
http://stores.kecsupplies.com/ $91.69
http://www.staniosindustrial.com/Mosmatic_30_653_Swivel_inline_dual_bearing_sy_p/40m30653.htm $96.23

-->

Availability: This product was added to our catalog on Friday 03 January, 2014

Steambrite Supply