Mosmatic 30.654, DGS In-Line Stainless Swivel 3/8in Fip X 3/8in Fip Dual Bearing System



Model Number: 30.654

Mosmatic 30.654, DGS In-Line Stainless Swivel 3/8in Fip X 3/8in Fip Dual Bearing System

Manufacturer: Mosmatic

Mosmatic 30.654 DGS In-Line Stainless Swivel 3/8in Fip X 3/8in Fip Dual Bearing System

Description

The Mosmatic DGS Swivel 30.654 is a high-quality brass, nickel-plated swivel engineered for high and low-pressure cleaning, hydraulic hose connections, ceiling booms, and other industrial applications. Designed for smooth performance under pressure, it features very low torque, sealed stainless steel bearings, and maintenance-free operation.

With a robust design including 1x thrust and 1x radial ball bearing, and an O-ring NBR seal system (upgradeable to EPDM or FKM), this swivel ensures reliable rotation at high PSI, making it an ideal solution for demanding environments.

Applications

- Pressure washers and cleaning systems
- Hydraulic and pneumatic hose assemblies
- Ceiling booms and rotary arms
- Car wash equipment
- Hose reels and industrial setups

Features

- Model: Mosmatic DGS 30.654
- Material: Brass, nickel plated
- Thread IN (G1): 3/8" NPTF
- Thread OUT (G2): 3/8" NPTF
- Seal System: O-ring NBR (optional EPDM or FKM)
- Bearings: 1x thrust, 1x radial ball bearing
- Low Torque Operation: Smooth rotation at high pressure
- Maintenance-Free: Sealed stainless steel bearings

Steambrite Supply

Mosmatic 30.654, DGS In-Line Stainless Swivel 3/8in Fip X 3/8in Fip Dual Bearing System

- Overall Diameter: 0.98"
- Overall Length: 2.71"
- Nominal Width (NW): 3/8"
- Wrench Size (SW): 0.87"
- Max Pressure: 4000 PSI
- Max RPM: 30
- Max Temperature: 250°F

Specification

Boom Compatible
Yes

Female NPTF
3/8" Fip X 3/8" Fip

Flange Type
Inline

Low RPM
No

Manufacturer
Mosmatic

PSI
4000

RPM
30

Steambrite Supply

Parts & Accessories > Swivels Pressure Rotary Union > In Line Pressure Swivels Rotary Union > Mosmatic 30.654, DGS In-Line Stainless Swivel 3/8in Fip X 3/8in Fip Dual Bearing System

Mosmatic 30.654, DGS In-Line Stainless Swivel 3/8in Fip X 3/8in Fip Dual Bearing System

Swivel Type
DGS

Temp in Fartenheit
250

Additional Information
Sales Brochure

Availability: This product was added to our catalog on Friday 03 January, 2014

Steambrite Supply