

>



Model Number: CS60

Ebac CS60 Crawl Space Dehumidifier

Manufacturer: Ebac

Ebac Crawl Space CS60 Dehumidifier

- Compressor: High Efficiency Rotary
- Refrigerant: R-22
- EER: 10.8
- BTU/HR: 6,625
- Operating Range: 33F - 105F
- Volts: 115
- Running Amps: 2.5
- Capacity: 56 ppd @ AHAM
15 Gallons at saturation
- CFM: 360
- Height: 13.25", Width: 13.75", Depth: 20.25"
Shipping wt: 93#s (on pallet)
Shipping dimensions: 40 X 26 X 20
Class 175

Limited stock at this special price!

The Ebac Crawl space CS60 dehumidifier is no-nonsense, heavy-duty, portable dehumidifier that is at home in a hostile industrial or marine environment. It is ideal for either permanent installation at remote pump stations, pipe galleries, electronic and mechanical equipment areas, or for a quick transport between job sites and problem areas. You can rely on this durable unit to perform faithfully without complicated maintenance or costly down time.

Performance:

>

Under the operating conditions of 80 Degrees F and 60% Relative Humidity the Ebac CS60 will remove more than 56 pints of harmful water vapor per day.

The Ebac CS60 is a tough self-sufficient performer

Features:

- Simplicity of operation. Standard 115 v. plugs in anywhere.
 - Internal Adjustable Humidistat.
 - Sturdy military-type carrying handles.
 - Ductability.
 - Extra long power cord.
 - Heavy duty steel chassis.
 - Powder coated for durability.
 - Ebac's "HOT GAS" defrosting feature which automatically eliminates frost build-up providing effective operation at low ambient temperatures.
- **1 year warranty.**2

Wire Diagram

Wire Schematics

Parts List

Owners Manual

Sales Brochure

You can check current warehouse Ebac Dehumidifier stock here

As a reminder, customers MUST be present to sign for shipments. Ebac is not liable

>

for any damages or warranty claims that are brought to our attention after a customer has left a note telling the carrier that it is OK TO LEAVE a shipment at the customer's residence or delivery address without them being present. All shipments should be carefully inspected before accepting delivery to ensure item is delivered free of damage.

20120711sdw

Availability: This product was added to our catalog on Thursday 02 December, 2004