

>



Model Number: 10199GR-US

Ebac 10199GR-US Neptune Industrial Restoration Dehumidifier 52 PPD 115V

Manufacturer: Ebac

Ebac 10199GR-US Neptune Industrial Restoration Dehumidifier

Compact commercial dehumidifier for water damage restoration, crawl spaces, basements, warehouses, storage areas, and jobsite drying.

The Ebac Neptune 10199GR-US is a rugged, portable industrial dehumidifier built for restoration contractors and serious moisture-control jobs. It combines a compact steel cabinet, high-efficiency rotary compressor, automatic hot-gas defrost, and a standard 115 volt plug for easy operation in residential, commercial, and industrial spaces. Buy the Ebac Neptune 10199GR-US compact industrial restoration dehumidifier. 52 PPD, 282 CFM, 115V, hot-gas defrost, steel housing, 60 lb portable design.

Why Buy the Ebac Neptune?

- 52 pints per day typical extraction for dependable moisture removal
- 282 CFM airflow helps process room air quickly
- Operates down to 33°F with temperature-sensitive defrost control
- Only 60 lbs for easier one-person transport
- 115 volt operation plugs into a standard outlet
- Epoxy powder-coated steel housing for jobsite durability
- Collapsible handle and anti-vibration rubber feet
- 25 ft power cord for easier placement

Best Uses

- Water damage restoration
- Basements and crawl spaces
- Commercial buildings
- Storage rooms and warehouses
- Humidity control in occupied spaces
- Drying after leaks, floods, or construction moisture

Specifications

Manufacturer

Ebac

Model

Neptune

Part Number

10199GR-US

>

Typical Extraction
52 pints per day

Airflow
282 CFM

Effective Volume
8,369 cu. ft.

Voltage
110/115V, 1 phase, 60 Hz

Current
5 amps

Power
470 watts

Noise Level
57 dBA

Operating Temperature
33°F to 95°F

Dimensions
15" H x 14" W x 24" D

Weight
60 lbs

Contractor-Friendly Design

The Neptune is designed for fast placement and simple operation. Plug it into a standard outlet, position the unit in the damp area, route the drain hose, and turn it on. The hot-gas defrost system helps keep the unit working in cooler environments where frost buildup can reduce drying performance.

Important Notes

- Performance varies with temperature, humidity, room size, airflow, and moisture load.

>

- Keep air inlet and outlet areas clear for best drying performance.
- Use with air movers when faster structural drying is required.
- Drain hose routing must allow proper water flow.

Frequently Asked Questions

Does this plug into a regular wall outlet?

Yes. The Ebac Neptune operates on standard 110/115 volt single-phase power.

Is this a homeowner or contractor unit?

It is a professional commercial/restoration dehumidifier, but its compact size also makes it practical for serious residential moisture control.

Will it work in cooler rooms?

Yes. The Neptune is rated down to 33°F and includes temperature-sensitive hot-gas defrost.

How much water does it remove?

Typical extraction is rated at 52 pints per day, depending on jobsite conditions.

Is it easy to move?

Yes. At about 60 lbs with a collapsible handle, it is compact enough for one-person handling in many situations.

Ebac 10199GR-US Neptune Industrial Restoration Dehumidifier 52 PPD 115V

Ebac 10199GR-US Neptune Industrial Restoration Dehumidifier

The Ebac Neptune Professional Dehumidifier is the ideal unit for commercial and residential work. Its compact size permits one-man operation, yet it has the capacity to handle several room-size areas at a time. Best of all, it's affordably priced within the budget of most restoration specialists or homeowners.

Specifications:

Compressor: High Efficiency Rotary

BTU/HR: 5,600

Refrigerant: R-22

CFM: 282

Volts: 115

Running Amps: 2.5

Capacity: 51 ppd@AHAM, 13 Gallons at Saturation

Height: 29in, Width: 20in, Depth: 16in

As a reminder, customers **MUST** be present to sign for shipments. Ebac is not liable for any damages or warranty claims that are brought to our attention after a customer has left a note telling the carrier that it is OK TO LEAVE a shipment at the customer's residence or delivery address without them being present. All shipments should be carefully inspected before accepting delivery to ensure item is delivered free of damage.

>

Availability: This product was added to our catalog on Monday 06 December, 2004

Steambrite Supply