Clean Storm ML-C, 15ft Carpet Cleaning Hose Set with 9-Inch Single Jet Wand, 5m



Model Number: ML-C

Clean Storm ML-C, 15ft Carpet Cleaning Hose Set with 9-Inch Single Jet Wand, 5m

Manufacturer: Clean Storm

Clean Storm ML-C, 15ft Carpet Cleaning Hose Set with 9-Inch Single Jet Wand, 5m Description

Clean Storm ML-C 15ft Hose Set with 9 in single jet floor wand is a comprehensive 2-piece commercial extractor bundle, combining the Clean Storm 8500 heavy-duty 15-foot x 1-1/2" ID vacuum and 3000 PSI solution hose with the Westpak 10-1420 collapsible stainless steel single-jet wand for maximum suction, precise chemical delivery, and unmatched jobsite mobility.

Features

- Heavy-duty 15 ft (5 meter) x 1-1/2 in inner diameter vacuum hose optimized for high airflow and crush resistance.
- High-pressure 1/4 in solution hose rated up to 3000 PSI for commercial carpet extraction and pressure washing environments.
- Pre-installed brass 1/4 in carpet cleaner quick disconnect couplers (male standard fitting attached) for immediate plug-and-play operation.
- Integrated heavy-duty Velcro straps to keep vacuum and solution lines neatly bundled and tangle-free during transport and use.
- Includes Westpak high-grade stainless steel collapsible wand featuring a single jet setup designed for tight spaces and efficient cleaning.
- Corrosion-resistant metal fittings and durable outer jacket construction to withstand extreme industrial site conditions.

Applications

- Portable carpet extractors and truckmount extraction systems.
- Commercial carpet cleaning, upholstery maintenance, and flood restoration applications.
- Industrial pressure washing fluid delivery lines and detailing setups.
- Compatible with standard 1-1/2 inch vacuum cuffs and 1/4 inch quick connect solution connections.

Bundle includes

Clean Storm 8500, Hose Set 15ft x 1-1/2in ID Vacuum & 1/4in

Steambrite Supply

Clean Storm ML-C, 15ft Carpet Cleaning Hose Set with 9-Inch Single Jet Wand, 5m

3000 PSI Solution Hose with QDs and Velcro Straps

Westpak 10-1420, 10-Inch Stainless Steel Collapsible Carpet Cleaning Wand, Single Jet, 10-0455, 330-11003FB

- Quick Disconnect Coupler Needed .Male Brass Carpet Cleaners Style (Default) 1/4

Cross-Reference SKUs

Clean Storm ML-C

Clean Storm 8500

Westpak 10-1420

Westpak 10-0455

Westpak 330-11003FB

MLC15FTWAND

CS850015FT

Steambrite Supply

Clean Storm ML-C, 15ft Carpet Cleaning Hose Set with 9-Inch Single Jet Wand, 5m

WP101420

Tips and Additional Information
Proper thread sealing practices are essential when connecting or replacing brass quick disconnect fittings; use medium-strength anaerobic thread sealant or 3-4 wraps of high-density PTFE tape to prevent fluid leaks under high pressure. Ensure proper installation alignment by sliding hose cuffs fully onto wand vacuum ports to maintain peak suction and eliminate air bypass. Note that standard quick disconnect couplers on solution lines are designed for non-live installation swiveling; avoid twisting the hose under maximum pressure during operation to prevent internal seal wear. Conduct pre-installation inspections prior to each job—check hose jackets for outer abrasions, inspect O-rings inside female quick disconnects, and verify that all quick disconnect collars engage fully into the locked position before turning on high-pressure solution pumps.
Frequently Asked Questions
Q: Is this hose assembly compatible with standard truckmount and portable extractors?
A: Yes, the 1-1/2 inch vacuum hose and standard 1/4 inch quick disconnect solution hose fit virtually all commercial portable extractors and truckmount systems equipped with standard connections.
Q: What is included in this product bundle?
A: This 2-item bundle includes the Clean Storm 8500 15ft x 1-1/2in vacuum hose with attached 3000 PSI solution hose (with Velcro straps and quick disconnects) and the Westpak 10-1420 stainless steel single jet floor wand.
Q: What is the maximum pressure rating for the solution hose?
A: The 1/4 inch solution hose included in the Clean Storm 8500 assembly is rated for a maximum working pressure of up to 3000 PSI.
Q: Does the single jet floor wand require a quick disconnect coupler to attach?
A: Yes, the wand connects to the solution hose via a standard 1/4 inch male brass carpet cleaner style quick disconnect fitting, allowing instant attachment and detachment.
Q: Can the solution hose swivel continuously during operation under full pressure?
A: No, standard quick disconnect couplers provide mechanical alignment upon connection but are non-live fittings. Continuous rotation under pressure can cause seal degradation; use an inline live rotary swivel adapter if continuous rotational motion is required.
Warranty & Safety Information
This product includes a standard 1-Year Manufacturer Warranty covering defects in materials and workmanship under normal commercial operation for both the hose assembly and the wand. Warranty coverage is contingent upon adhering to operating limits and safety guidelines. Conditions that will void the warranty include: operating the solution line above the maximum 3000 PSI pressure rating or exceeding the

Clean Storm ML-C, 15ft Carpet Cleaning Hose Set with 9-Inch Single Jet Wand, 5m

maximum temperature limit of 250°F; using non-live quick disconnect fittings in continuous rotary applications causing mechanical seal failure; improper thread engagement or using incompatible thread sealants that damage fitting threads; and operating with kinks or crushed hose sections. Always depressurize the solution system completely before attempting to disconnect fittings to prevent high-pressure fluid injection hazards.

Availability: This product was added to our catalog on Sunday 06 February, 2005

Steambrite Supply