PMF U1510C 120PL 4 Inch Closed spray Upholstery Tool 120 psi Plastic Valve Wand For Non Heated Machines



Model Number: U1510C

PMF U1510C 120PL 4 Inch Closed spray Upholstery Tool 120 psi Plastic Valve Wand For Non Heated Machines

Manufacturer: Production Metal Forming

PMF U1510C-120PL 4 Inch Closed Spray Upholstery Tool - 120 PSI Plastic Valve
Part Number: U1510C-120PL
The PMF U1510C-120PL is a compact 4 inch closed spray upholstery and detail cleaning tool designed for controlled solution application on fabric, upholstery, auto interiors, stairs, cushions, and other small-area extraction jobs. The enclosed spray design helps keep heat and moisture contained at the cleaning surface for more efficient cleaning with reduced overspray.
Key Features

- 4 inch cleaning head for upholstery, detail work, and tight areas
- Closed spray design helps contain solution spray and retain heat
- 120 PSI plastic / Acetal valve for low-pressure upholstery extraction use
- Stainless steel construction for professional cleaning applications
- 9 inch handle for comfortable hand control
- Recessed divider assists with controlled cleaning passes
- Removable bolt-on valve hanger helps make valve servicing easier
- K2 standard spray jet installed; K1 jet option may be available for lower flow applications

Best Uses

- Upholstery cleaning
- Automotive interior detailing
- Furniture cushions and fabric chairs
- Small area spotting and detail extraction
- Stair edges and tight areas where a full-size wand is too large

Important Connection Note
This tool does not include a quick disconnect installed. Please select the correct male or female quick disconnect needed to match your extractor hose before checkout.
Specifications

Manufacturer
PMF / Production Metal Forming

Model
U1510C-120PL

Steambrite Supply

PMF U1510C 120PL 4 Inch Closed spray Upholstery Tool 120 psi Plastic Valve Wand For Non Heated Machines

Cleaning Head Width
4 inches

Handle Length
9 inches

Spray Style
Closed spray / contained spray

Valve Type
Plastic / Acetal valve

Pressure Rating
120 PSI

Jet
K2 standard jet; K1 optional

Quick Disconnect
Not included - choose required QD separately

Why Choose a Closed Spray Upholstery Tool?
Closed spray upholstery tools are preferred when you want better moisture control, less overspray, and more contained heat at the fabric surface. This makes them useful for upholstery and detailing work where excess water can slow drying, cause streaking, or make it harder to control the cleaning pattern.
120 PSI Version - Low Pressure Upholstery Cleaning
This version is designed around a 120 PSI plastic valve setup, making it best suited for standard upholstery and detail extraction applications rather than high-pressure hard surface or pressure washing use. For customers needing higher pressure capability, consider a 300 PSI or 500 PSI upholstery/detail tool instead.
Recommended Add-On
For best results, pre-agitate fabric with a soft upholstery brush before extraction. A horse hair upholstery brush is commonly used because it is gentle on fabric while helping loosen soil before rinsing.
Before Ordering

Steambrite Supply

PMF U1510C 120PL 4 Inch Closed spray Upholstery Tool 120 psi Plastic Valve Wand For Non Heated Machines

- Confirm your extractor operates within the tool pressure range.
- Confirm whether your solution hose requires a male or female quick disconnect.
- Use only with compatible carpet and upholstery extraction equipment.
- Specifications and factory design are subject to change without notice.

SEO Keywords
PMF U1510C-120PL upholstery tool, 4 inch closed spray upholstery wand, 120 PSI upholstery extraction tool, carpet cleaning detail tool, auto detailing extractor hand tool, PMF plastic valve upholstery wand, closed spray fabric cleaning tool.

- Closed spray upholstery tool
- Spray in contained which retains heat better
- recessed divider helps in cleaning
- Stainless steel construction
- 4in wide head, 9in handle
- K2 Standard jet, K1 available
- Removable bold-on valve hanger for easy servicing of valve
- Acetel (plastic) valve - 120 psi
- Does not come with a QD installed, please select a male or female with your order.

Optional:

Clean Storm

Steambrite Supply

Equipment: Carpet Cleaning Machines > Wand > 3 - 5 Inch Detail Tools > PMF U1510C 120PL 4 Inch Closed spray Upholstery Tool 120 psi Plastic Valve Wand For Non Heated Machines

PMF U1510C 120PL 4 Inch Closed spray Upholstery Tool 120 psi Plastic Valve Wand For Non Heated Machines

AB08

Horse Hair Brush with Comfort Grip Handle For Upholstery Cleaning

Options available for PMF U1510C 120PL 4 Inch Closed spray Upholstery Tool 120 psi Plastic Valve Wand For Non Heated Machines :

Quick Disconnect Coupler Needed

Female Stainless Pressure Washer Coupler Style Socket 3/8, Carpet Cleaning Stainless Steel 1/4" Male Quick Disconnect QD 104QDSS NA010, Female Brass Carpet Cleaners Style 1/4, Kaivac Male Quick Connect 1/4in MALE FLO-THRU Plug X BRASS 1/4" FPT [BR335], - None, Male 22mm Brass Plug Screw On, Carpet Cleaning QD35 1/8 inch Male Brass Quick Disconnect Plug Coupler 580-105 PAF03 PC10, Male Stainless Pressure Washer Style Plug 3/8, Carpet Cleaning Stainless Steel 1/4" Female Quick Disconnect QD 104QDSS-S, .Male Brass Carpet Cleaners Style (Default) 1/4, Female 22mm Brass Socket Screw On.

Availability: This product was added to our catalog on Tuesday 23 August, 2005

Steambrite Supply